

G7

g/8x/-

32542 1B

J xxxiii

18/l

66601

PRACTICAL OBSERVATIONS
ON THE
CHILD-BED FEVER:

ALSO ON THE
NATURE and TREATMENT
OF
Uterine Hæmorrhages, Convulsions,

AND SUCH OTHER
ACUTE DISEASES,

As are most fatal to WOMEN during the State
of PREGNANCY.

By JOHN LEAKE, M. D.
Member of the College of PHYSICIANS, London,
And Physician to the Westminster Lying-in Hospital.

—*Hinc videtur Medicus hac in re testis officio qui narrat, non
judicat, fungi debere, ac partitè singulas res quantumvis mi-
nimas notare; earum enim aliæ statim ac perceptæ sunt rectam
curandi rationem ostendunt.* BAGLIV.

L O N D O N:

Printed for J. WALTER, Charing-Cross; T. BECKET
and Co. Strand; R. BALDWIN, Pater-Noster-Row;
and RICHARDSON and Co. Royal-Exchange.

077833



TO THE
ROYAL COLLEGE OF PHYSICIANS,
LONDON;
THE FOLLOWING OBSERVATIONS
ARE
MOST RESPECTFULLY DEDICATED,
BY THE AUTHOR.

London,
Craven-Street, December 10th, 1772.



Digitized by the Internet Archive
in 2019 with funding from
Wellcome Library

<https://archive.org/details/b3049770x>

C O N T E N T S.

INTRODUCTION.

S E C T I O N I.

The History of the Child-bed Fever, deduced from the Symptoms, and from an Examination of the morbid Appearances after Death; together with its Nature and Cause, as resulting from the preceding History. Page 31.

S E C T I O N II.

Practical Observations and Inferences arising from the History of the Disease, with the Methods most conducive to the Cure. p. 81.

S E C T I O N III.

Of the Prophylactic Method, or Means which contribute to prevent the Disease. p. 148.

S E C-

SECTION IV.

*The History and Treatment of the Disease,
further illustrated by particular Cases,
with Animadversions and Remarks on the
whole.* p. 161.

SECTION V.

*Of the Nature and Cause of uterine Hæmor-
rhages, and their Treatment before and
after Delivery.* p. 243.

SECTION VI.

*Of Convulsions, and the Acute Diseases most
fatal to Women during the state of Preg-
nancy.* p. 319.

PRACTICAL

PRACTICAL OBSERVATIONS.

ON THE

CHILD-BED FEVER.

INTRODUCTION.

IF those Diseases, which have been found most dangerous and mortal in their effects, ought principally to be considered by Physicians, none will more deservedly engage their attention than the *Child-bed Fever* ; as there is not, perhaps, any Malady to which the human body is subject, where powerful Remedies of every kind have been tried with more diligence and less success. But, surely, this circumstance, discouraging as it is, will

8 INTRODUCTION.

will not render them regardless of the event, but rather increase their solicitude, and induce them to try new methods of cure, since those hitherto adopted have generally failed.

Whilst I was preparing the following Sheets for the Press, Dr. *Hulme* published a Treatise on the same subject, the 29th of February 1772; and as some points of Doctrine are there laid down as *new*, which I had repeatedly advanced, near three years ago, in my *Public Course of Lectures on Midwifery, and the Diseases incident to Women*; I cannot, without injustice to myself on this occasion, omit the mention of the following circumstances, viz.—That towards the end of the year 1769, and about the beginning of the year 1770, I attended several Patients who laboured under the Child-bed Fever, both in private Practice, and at the *Westminster Lying-in Hospital*; in consequence
of

of being physician to that charity ;—that in the months of *January* and *February*, the disease prevailed with uncommon violence, and was evidently *epidemical* in different parts of the town ; and as it proved fatal to many, it was thought necessary to examine the several *morbid appearances* after death, in hopes of throwing light on the cure, which was accordingly done soon after.

As I gave *Lectures* on the *Theory* and *Practice* of *Midwifery*, I thought it my duty to communicate whatever I knew on that Subject, to those Gentlemen who did me the honor to attend as *Pupils* ; and therefore, in consequence of such Observations as the daily occurrence of different Cases, and the frequent inspection of morbid bodies afforded me at the *Hospital* and elsewhere, I took the liberty to advance the following particulars ;—namely, that the *Omentum* was the part principally af-

B
fectcd,

fects, having generally found it either almost totally consumed and melted down into a thick curd-like Pus, or partially suppurated and inflamed; and that this inflammation had often overspread the surface of the Intestines : A large quantity of purulent Whey-coloured Fluid was also found in the cavity of the Abdomen and Pelvis, mixed with small clots of Blood and curd-like Matter.

I also laid it down, as my opinion, that this Fever was not occasioned by a translocation or absorption of *corrupted milk* from the breasts, or from any obstruction of the *putrid Lochia* ; and also that it was not owing to an *Inflammation* of the *Uterus*, or to any morbid affection of that organ, as generally believed and asserted by different Authors ; and therefore, that it ought to be referred to other causes, as a *Disease of a peculiar nature*, and distinct from all others.

At

At the same time, I took occasion to mention an alteration of this article, in my *Syllabus of Lectures*, having, in a former impression (with *Hoffman*) called it the *Uterine Fever*, but being afterwards convinced that there was nothing strictly uterine in that complaint, in the next impression, A. D. 1771, I gave it the name of the Acute Fever, peculiar to Women after delivery.

I also from experience, recommended *early and copious Bleeding*, with the antiphlogistic method, in preference to every thing else which I had seen tried in the cure;—and as a confirmation of these facts, I appeal to the Gentlemen whose names are subjoined, and who attended and took notes at the several public Courses of my Lectures, given in the three succeeding years of 1770, 1771, and 1772; in which, the several points of doc-

trine already mentioned, were circumstantially and repeatedly laid down.

As I was not a little solicitous for the recovery of the Patients intrusted to my care, I spared no pains in giving my attendance by every possible opportunity, and also had the satisfaction of meeting Dr. *James Ford*, a Gentleman deservedly eminent for his candor and skill, and one of the Physicians of this Hospital : But altho' we frequently consulted what was best to be done, and tried various methods and medicines for their relief, our best endeavours to that end, often proved ineffectual.

It grieved me to find that so many Women died of this destructive Fever, but as there was reason to believe it was at first imperfectly understood, I was still in hopes that by time and observation, it might admit of more certainty in the cure, and become less formidable : I therefore, made

it

it a rule to commit to paper the several Symptoms and Circumstances in the order they occurred, and also, the daily and hourly changes which happened at different periods of the Disease, as far as opportunity would allow me, either from my own attendance on the sick, or the information of the *Matron* or *Nurses* in my absence : I noted down their degree of violence and time of duration, as exactly as possible, and also, whether the Patient became better or worse, in consequence of such particular symptoms as appeared from time to time.

These, the Reader may depend upon as so many *facts*, or *clinical minutes*, which I collected as materials for a History of the Disease ; and as for the Deductions or practical Inferences arising from them, they are submitted to the judgment and candor of the medical Reader, as matter of opinion, to be confirmed

or

14 INTRODUCTION.

or corrected, as they may be found to correspond with observation and future experience.

The great variety of opinions which prevail among speculative men, in what relates to the Origin and Cure of Diseases, is a convincing proof of the weakness and fallibility of the human mind:—The subject of Physic is attended with so many difficulties, that we frequently deal in probable conjectures rather than certain truths;—and this will always be the case in every Science where so little can be decided by demonstration and actual experiment, and where the rest depends upon the caprice of our reasoning faculties; which are so insensibly perverted, and as it were led captive by the early prejudices of education, and the reigning customs of countries, that things thus seen through different mediums, must necessarily strike our senses very differently, tho' in their own

own nature, they are uniformly the same.

Respecting the most powerful Remedies, as *Opium*, *Mercury* and the *Bark*, such is the opposition of sentiments concerning their use, that one would be almost tempted to conclude there was no true standard, no leading and unerring principles, by which to determine, either the effect of Medicines, or the nature and event of Diseases.

The Division of Diseases into *putrid* and *inflammatory*, has of late been productive of as much dissention and cavil among Practitioners, as the distinction of Whig and Tory in the system of politicks ; but had they been less violent in contending about mere words, and more diligent in pointing out the true marks which constitute the difference in those two classes of Diseases, they would have deserved better of the Profession.

With some, almost every Disorder is
sup-

16 INTRODUCTION.

supposed to be of the putrid kind; and therefore, Cordials, the Bark, and other antiseptics are directed as the sovereign Remedies, and he that should venture to direct Bleeding, would run the risque of being called an Executioner, rather than a Physician. On the other hand, many in our own country, but especially in *France*, and the warmer climates, look upon most Diseases as inflammatory, and suppose, that nothing is so requisite and effectual in their Cure, as Bleeding, Evacuations, and plentiful Dilution; and the methods recommended by the former, in the very same sort of cases, are deemed no better than rank poisons. Where Men are thus enslaved by custom or actuated by blind zeal, they often err in violent extremes, and assert their opinions with as much confidence as if there was not even a possibility of being mistaken;—but, what is still worse, they sometimes reflect on one another in

terms

terms not a little illiberal and unjustifiable, to the discredit of the Profession, and the injury of each others reputation.

Which way are we to turn, where Rocks are on one side and Quick-sands on the other ?

Nothing has been so great an obstacle to the improvement of Science, as the partiality, or obsequious regard, which Men have been apt to pay to great authorities ; for, whilst they disregard the testimony of their own senses, and weakly or indolently assent to things as right on the credit of others, they are seldom at much trouble to examine whether they are really so or not ; and Errors early adopted, are either reluctantly corrected, or at last, take such a total possession of the mind, that they become habitual and are retained ever after.

Much respect is certainly due to all such Authors as have set down with can-

dor and truth, whatever they knew in the Cure of Diseases ; but very often, instead of plain matter of fact, the Reader is presented with such a medley of reality and fiction, partly from books,—the Author's imagination, and the Disease itself ; that when he has perused the whole, he is as much at a loss as ever how to proceed in Practice.

Of late, indeed, Medical Writers have happily withdrawn themselves from the Fairy-land of Hypothesis and Conjecture, and, instead of deviating from the solid path of Nature, as many of them had formerly done, now begin principally to depend on Observation and Experience.

Those who mean to get useful knowledge, will therefore do well, to take their Information from the living body, by every opportunity of attending the sick ; this will be going to the Fountain-head, and reading, as it were, from the ample

Volume of Nature itself; where the true state of the Disease will more clearly unfold itself to the diligent Observer,—the Effect of Medicines will be better known, and the Method of Cure, will, from thence, become more certain and consistent.

In the History of a Disease, the several Symptoms ought to be set down with simplicity and clearness, exactly as they present themselves, without any innovation, conjecture, or false colouring; which, having nothing to do with reality, would corrupt and adulterate the whole, and render it a mere recital of Opinions and Surmises, rather than a genuine description of the Disease itself. A Distinction should always be made between such Symptoms as uniformly appear in the beginning, and are, as it were, the immediate offspring of the Disease, and those which are only occasioned by the difference of

Constitution, Age, or errors in Diet ; The first are to be considered as the true and inseparable *pathognomonic signs*, which denote its Nature and Tendency, and from which the indication of Cure is solely to be taken ; the last, only as accidental changes not to be regarded.

The state of the Air, together with the Patient's age and habit of body, should be mentioned ; and the Effect of Medicines administered at different times, whether good or bad, should also be faithfully and candidly set down, and distinguished from the Symptoms of the Disease, or from the simple efforts of Nature ; which, happily for the Patient, will, sometimes, surmount every obstacle to a Cure.

An accurate examination of the affected parts, after death, by leading to the seat of the Disease, will also tend to perfect its History, and therefore, will assist in throwing light on the Cure ;—and this will always
be

be most necessary in dangerous and uncommon cases, where powerful Medicines had been tried in vain. By attending to those morbid appearances, which have an intimate relation to such Symptoms as were imperfectly understood, we proceed from Effects to their Causes, which could never be done with so much certainty by the force of reason only : For Instance, it did not appear obvious from the Symptoms of the *Child-bed Fever*, that the *Omentum*, rather than the *Uterus* or *Intestines*, was the part principally affected.

But altho' the opening of bodies may afford much Information, yet false Inferences have often been made from them ; for, all such *morbid appearances*, as there is reason to believe do not subsist till long after the invasion of the Disease, ought to be looked upon as so many Consequences, and not the Causes of it.

The seat of Diseases is often apparent,
tho'

tho' their Causes are generally too remote for the Discovery of the most acute and accurate Observer; and notwithstanding many changes are produced in the living body, for which no adequate or satisfactory reason can be assigned, yet there are some certain appearances which almost uniformly succeed one another;—for Instance, Pain, from whatever cause it may arise, if violent, will produce Fever and Inflammation, and these are often followed by some salutary, critical evacuation; or where that is wanting, by an abscess or gangrene, which falling on the vital parts, will render the Disease incurable. This has often been the case in the *Child-bed Fever*, and therefore, such an unfavorable termination ought, if possible, to be prevented by Evacuations and the administration of such Medicines as tend to carry off the cause of the Disease by some of the natural secretions.

Sydenham

Sydenham has observed, that the Fever which follows a suppression of the *Lochia*, sometimes changed its Type to that which prevailed in the epidemical season.

That Women, after Delivery, are more disposed to a Fever at one time than another, according to the constitution of the air, cannot be doubted, considering its great influence on valitudinary habits, and on Diseases in general; but particularly the *Small Pox*, and *epidemical Dysentery*, which not only become more frequent, but also more fatal, as the Air changes from a healthy to a malignant state.

The great Plague in *London*, A. D. 1636, which lasted twelve years, was more or less fatal at different times, viz. in eight years, one with another, two thousand people died yearly, and never less than eight hundred in one year; which

which shews that the contagion and its mortal effects, depended as much upon the state of the air as on the Disease itself. This circumstance is still more clearly proved by the great disproportion of deaths in different weeks ;—the number in one week increasng from one hundred and eighteen, to nine hundred and twenty-seven in the next ; and in another, decreasing from nine hundred and ninety-three, to two hundred and fifty-eight ; and from that number, then again increasing, in the very next week, to eight hundred and fifty-two*.

How Diseases are produced or influenced by the obvious qualities of the Air, is difficult to determine, notwithstanding all that has been said on the Effects of Heat and Cold, Moisture and Dryness, or the Winds blowing from particular quarters at certain Seasons ; seeing, that very

* Vide, *Grant* on the Bills of Mortality.

ry sudden changes of the weather, from one extreme to another, do frequently happen, without producing any Diseases of the malignant or epidemical kind. In like manner, a Defect in the natural Secretions,—the violent passions of the mind, or Errors in Diet, do at one time occasion a Fever and not at another; which evidently shews that the first cause of Diseases, whatever it is, acts more or less powerfully, as the natural Temperament of the Body concurs to increase or diminish its Effects.

In the year 1746, during the Winter Season, a Disease of the epidemical kind was observed to prevail with great violence among Lying-in Women*. It began with a *Diarrhæa*, and was followed by pains in the Abdomen; the *Lochia* did not appear at their due time, and the Belly became hard, tense and painful;

D the

* Acad. des Sciences l'an 1746, in 4° Mém. pag. 160.

the Head was also affected with Pain, and sometimes a Cough attended: About the third or fourth day after Delivery, the Breasts, which used at that time to fill with Milk, became flaccid, and the fifth or seventh day the Patient frequently died.

Poor Women who where Delivered in Hospitals, were observed to be the most subject to this Disease, and in the Month of *February* it became so extremely dangerous and epidemical that scarcely one in twenty escaped it.

When the Bodies of the deceased were opened (*coagulum lactis*) was found adhering to the exterior surface of the Intestines, and (*Serum lacteum*) in the Abdomen: In some, the same kind of Fluid was collected in the cavity of the Breast. The *Stomach*, *Intestines* and *Uterus*, seemed to have undergone an Inflammation, and in many the *Ovaria* appeared diseased and suppurated.

The

The Disease here mentioned, seems to have been occasioned by a morbid affection of the *Uterus*, and therefore, may be considered as very different from that about to be described.

If the Deaths of Child-bed Women depended upon the same Causes as those which proved mortal in the Small-pox, the Dysentery and the reigning Fevers of the season, as there is great reason to suppose, it could never be so truly known as by examining the *Bills of Mortality*, and remarking how the deaths under the Article of Child-bed, kept pace with those arising from the above Diseases. But these bills are kept with so little care and exactness, either in respect to the Diseases themselves, or the numbers that are said to die of them, that it would be extremely difficult to determine this matter in a satisfactory manner. The yearly bills would by no means be sufficient to do it, because, altho' a grea-

ter than usual number might die in the epidemical season, yet, in the subsequent months, which make up the year, and which generally prove more healthy, the proportion of deaths might chance to be less; which, upon the whole, taking one year with another, would make but very little difference.

To ascertain this matter more exactly, I therefore regularly procured the weekly bills of mortality, during the whole time that the *Child-bed Fever* prevailed; but on comparing the number of Deaths occasioned by it, with those arising from the *Epidemics* of the Season, I could not find that correspondence which I expected. However, the great Difference in the number of Women who died in the year 1770, compared with that of the preceding year 1769, or the subsequent year 1771, sufficiently prove that this Fever was epidemical in the first;
the

the number of Deaths in the yearly Bills of Mortality for the Cities of *London* and *Westminster*, under this Article, being as follows: From December the 13th, 1768, to December the 12th, 1769, died in Child-bed, One hundred and Eighty-five. From December the 12th, 1769, to December the 11th, 1770, died, Two hundred and Seventy; and from December the 11th, 1770, to December the 10th, 1771, died, One hundred and Seventy-two. So that in the year 1770, compared with the other two, the number of Deaths was very near a third part more; and as this increase of Number did not happen uniformly throughout the year, but was chiefly brought about in that half of it, which commenced with December and ended with May, 'tis still the more evident, that it could arise from no other Cause than a malignant Constitution of the Air,

But altho' it was proper and necessary

to mention the Bills of Mortality as a Standard to which the Reader might be referred; yet, if I might be allowed to form a conjecture of the Mortality of this Disease, by what occurred to me, as well as several others of the Profession, with whom I conversed on this Subject; I should not have a doubt, but, at least, half as many more Women died of it, as those set down in the Bills of Mortality.

SECT.

S E C T. I.

The History of the Child-bed Fever, deduced from the Symptoms and from an Examination of the morbid Appearances after Death; together with its Nature and Cause, as resulting from the preceding History.

AS it appears that Women, after Delivery, are more subject to a Fever during a distemperature of the Air, I have, previous to the History of the Disease, subjoined a short account of the Weather; with a view to shew how far the Symptoms might be increased or abated by its influence, during those Months in which it was found to be most epidemical.

Air is so essential to the Existence of all Animals, that the want of it only for a few Minutes is destructive to Life; and as it acts constantly on the surface of the Body

dy by its pressure, and is continually taken into the Lungs by Respiration ; it is no wonder that the Health should be so variously affected by it, as its Qualities are changed and become more or less salutary. The Diseases which are *endemic* in particular Countries, depend principally upon this Circumstance ; but as human Bodies are also often affected by Intemperance and the passions of the Mind ; those acute Distempers which sometimes rage, for a time, with uncommon violence, among brute Animals living in the open fields, and in a state of Nature, are more evident proofs of its powerful Influence. The first shews that the Atmosphere of particular places, is at all times more or less unwholesome ; the last, that the Atmosphere in general, may become so for a time, from a variety of natural Causes, which would scarcely be known to exist, was it not for their Effects.

CHILD-BED FEVER 33

A short account of the Weather from October, 1769, to the End of May, 1770.

The Month of October commenced with fine clear Weather, the Wind in moderate Breezes being chiefly at N. N. E. From the 5th to the 8th, it was bleak and cold, with some Rain. From the 9th to the 13th, the Days were clear and frosty, with foggy Nights and Mornings; the Wind being first Westerly and afterwards shifting from W. to E. and then to E. N. E. From thence to the 25th, moist and mild Weather, the Wind being variable; a day or two of Frost then succeeded, and the Month ended with misting Rain and mild Weather.

November began with mild Weather and some smart Showers; till the 8th it was warm, moist and gloomy, the Wind being chiefly at S. S. W.; the remainder of the Month was extremely

E

va-

variable, the Nights being frosty and the Days sometimes clear and bright, and at other times over-cast with Clouds, attended with misling Rain, the Wind shifting to all points of the Compass, but chiefly to W. S. W.

December commenced with frosty clear Days and foggy Nights, the Wind being variable ; to the 8th, the Weather in general was clear, but sometimes foggy with misling Rain, the Wind being then chiefly at S. and E. S. E. with continual transitions from one extreme to another, viz. from a clear frosty Air to cloudy damp Weather with misling Rain, and towards the end, Frost with Sleet and Snow ; the Wind to the 22d being mostly at W. and S. S. W. and afterwards it blowed from the N. to the N. N. W.

January began with moist Weather, and a thick Atmosphere, till the 4th, on which day there was a Fall of Snow, the Wind being

CHILD - BED FEVER. 35

ing chiefly at W. N. W. and N. N. W. to the 11th, smart frosty Weather, with large Quantities of Snow, the Wind at N. N. E. and N. N. W.—From hence to the 17th, it was fair and rainy,—bright and foggy by turns ;—on the 18th a cold Frost began, with a large fall of Snow, the Wind at N. E.—from thence to the 28th, mild, but variable,—the Wind being chiefly at S. or W. S. W. with moist gloomy Weather, which concluded the Month.

February began with fine Weather, which continued to the 6th, the Wind chiefly at S. W.—from thence to the 8th, Showers of Rain and Snow, with a Frost, and the Wind at N.—to the 17th, changeable moist Weather, the Winds chiefly at S. or S. W. On the 18th, alternate Showers of Hail, Snow and Rain ;—from thence to the 22d, variable ; to the 25th, cold and bleak, with Frost and some Snow ; the Wind being Stationary at

N. N. E. to the End, the Weather was cold, moist and cloudy, and the Wind chiefly at S. W. and S.

March commenced with moist hazy Weather, and a mild Temperature of the Air, with gleams of Sun-shine, which continued to the 7th ; the Wind continually shifting ;—to the 14th, it was cold and gloomy, with considerable quantities of Rain, the Wind chiefly at N. E. from thence to the 29th, Sharp Frost, with severe cold Winds, and alternately, large Falls of Snow and Showers of Sleet and Hail ; the Wind chiefly at E. N. E. this Month ended with a Thaw and some Rain, the Wind then blowing from the South.

April began with Rainy Weather, and heavy Showers of Hail and Sleet, the Wind chiefly at W. and W. S. W. from the 8th to the 14th,—cold, bleak, wet Weather, with more Snow and Hail, the
Wind

CHILD-BED FEVER. 37

Wind being Stationary at N. N. E. from thence to the 20th, fine Weather, but showery; the Wind at W. and W. S. W.—this Month concluded with severe wet Weather.

May commenced with excessive cold rainy Weather and frequent Showers of Snow and Hail, the Wind at N. N. E. and N. N. W.—from the 4th to the 8th, it changed to the S. and W. S. W. with cold heavy Rains ;—from thence to the 16th, the Weather in general was fine, with some thunder Showers ;—to the 25th, cold, unsettled Weather, and towards the End of the Month, it was moist and hazy, the Wind being at E. N. E.

Hippocrates observes, that a mild rainy Winter succeeded by northerly Winds in the Spring, was dangerous to Pregnant Women*.—Agreeable to this Observation, in the winter Months, when the Child-bed Fever began, the Weather was observed

* De Aere, Locis et Aquis,

served to be remarkably mild and moist, with a warmer Temperature of the Air than was natural to the Season ; and this was succeeded by cold bleak Winds in the Spring, which were very unfriendly both to Animals and Vegetables.

About the 14th of March, 1770, a sharp Frost commenced, with large Falls of Snow and alternate Showers of Sleet and Hail, the Wind being at North-East : This Weather, which was uncommonly severe, lasted till near the end of the Month, at which time the malignant force of the Child-bed Fever seemed to abate, for altho' several Women were affected with it at the Hospital, soon after that time, only two of them died, namely, *Ann Simms*, who was seized with it before the Frost began, and *Ann Deuse*, who died the 29th of the same Month, just at the commencement of the Thaw.—The attack of the Cold Fit was less violent, and the subsequent febrile Symptoms much more mild
and

CHILD-BED FEVER. 39

and favorable. The Pulse was neither so quick or so weak, nor was the Sickness and Vomitting so great ; and instead of being followed as usual, with pains in the Bowels and griping bilious Stools, the Diarrhæa was moderate,—the Pulse rose in strength, and a warm sweat broke out all over the Body. Besides, the Secretion of Milk was seldom interrupted, but continued plentiful ; which, in general, may be looked upon as a favorable Sign ; at least, it shews that the violence of the Disease, in such cases, is not so great as to take it away.

The History of a Disease will always best be known, where so little has been done by Art, that the operations of Nature remain free and undisturbed :—I shall therefore describe the Acute Fever peculiar to Women after Delivery, as it appeared, when only assisted by Medicines of the simplest kind.

When-

Whenever the Quickness of the Pulse brought on by the Efforts of Labour, does not soon go off after Delivery, it denotes something amiss in the Habit, which may kindle up a Fever, and which is always found to be the more dangerous, the sooner it invades the Patient.

The Child-bed Fever generally commenced about the Evening of the Second, or beginning of the Third day after Delivery, with a *Rigor* or Shivering Fit: Sometimes it came on soon after Delivery, and at other times, tho' rarely, it has been known to appear as late as the fifth or sixth day.

In many Women, the attack was sudden, without any apparent Cause or preceding Indisposition, and was soon followed by Head-ach, Restlessness, great Sicknefs at the Stomach, and bilious Vomitings.

In some there was a bitter Taste in
the

CHILD-BED FEVER. 41

the Mouth, a Nausea and universal Languor;—the Countenance at first was pale, and often much altered, with a lifeless, dim state of the Eyes, and an indolent pain over their Orbits:—These Symptoms would sometimes foretell the approach of the Disease, even before any Coldness or Shivering was perceived; but upon the whole, they may be considered as *anomalous*, for in general, the Shivering preceded; and, allowing for the difference of Age and Habit of Body, there are perhaps few Diseases where the Signs more regularly succeed each other, or where the morbid appearances after Death, were found to be more exactly the same.

Now and then, this Fever seemed to be brought on by catching Cold, or Errors in Diet, but much oftener by *Anxiety* of *Mind*; and therefore, Women of delicate Constitutions, who are very susceptible and continually agitated by Hopes and Fears,

F

are,

are, of all others, the most subject to it, and recover with the greatest difficulty ;—consequently, unmarried Women, for obvious reasons, were very apt to be seized with it.

The degree of the Cold-Fit was very different in different Women ;—in some it would last near an hour, and was so intensely violent as to shake the Body like an Ague-fit ;—others were only affected with a kind of thrilling Sensation, or temporary chillness on the Skin, which went off very soon.

When the Fit lasted long and was violent, I observed great Anxiety and Oppression at the Breast, attended with a laborious Respiration, but without pain ;—the Patient was often affected with deep Sighing and complained of great weight at the Heart.

In those who were young and of a strong Habit, altho' the *Rigor* was violent,

lent, its duration was sometimes short, and when the Pulse rose in strength and fulness, and also became less frequent, it was succeeded by a better state of the Countenance, and the Oppression was soon removed from the Præcordia, altho' no Eruption appeared on the Breast or Body, as I at first expected, till Experience taught me otherwise.

In such Cases, which unfortunately occurred but seldom, a universal glow was diffused over the whole surface of the Body; the Skin began to look more florid, and a free Perspiration came on with manifest relief, altho' it was not always lasting.

On the contrary, those who were slightly attacked in the beginning, often had a return of the febrile Accession, and were alternately hot and cold throughout the day, especially if the Pulse did not rise, but continued quick and weak.—In such

the Fever did not seem to run high;—the Tongue being very little altered from its natural state, nay, sometimes it was even moist and soft, and the Thirst very inconsiderable, yet, in the end, they did not escape much better than others where it was more violent.

Those of lax Fibres and of an irritable, hysterical Habit, would oftenest be thus affected; or where the Constitution was much weakened by Anxiety of Mind, or a preceding bad state of Health.

Sometimes the Thirst was great, tho' the Tongue had generally a better appearance in the beginning, than is common in other Fevers; for it was seldom ever black or very foul; but as the Disease advanced, became white and dry, with an increase of Thirst, and at last was harsh and of a brownish colour towards the root, where it was coated with a small quantity of inspissated, yellowish Mucus.

That

That Perspiration which was salutary, overspread the whole Body, and was attended with a moisture of the Tongue and Fauces, and also with an abatement of the Thirst, Sickness, and Head-ach ;—but on the contrary, where the Sweats were confined to the Breast, Neck, and Face, tho' they often continued to the last, I never observed the least mitigation of the Symptoms ;—such partial Sweats being the very effect of weakness and febrile Anxiety.

So great and sudden was the loss of strength, that very few of the Patients were able to turn in Bed without assistance, even so early as the first or second day after the attack ; and most of them continued helpless throughout the whole progress of the Disease.

In the Cold Fit the Pulse was quick and small, and the pulsations so feeble and indistinct, that sometimes I was hardly able
to

to number them exactly :—When the hot Fit came on, tho' it was then more full and distinct, it still remained quick, but was seldom hard or strong, except in a few instances, where the Patient was young and plethoric :—In general, it would beat from *ninety* to a *hundred and thirty-seven* Strokes in a Minute, varying by turns in strength and frequency from the lowest to the highest of these numbers, and vice versa, in proportion to the strength or weakness of the habit, and violence of the attack.—An excess or defect of the natural Secretions,—the state of the Mind, with many other accidental causes, will be found to produce a great alteration in the Pulse, both in respect to its quickness and strength.

The sympathy between the Head and Stomach is so great, that it is sometimes difficult to distinguish which of them is the first affected ; but in this Disease, the Head-ach generally preceded the Sickness

CHILD - BED FEVER. 47

ness at the Stomach ;—where the last was great, the Patient vomited spontaneously, otherwise, the Nausea continued till the Purging began, and then usually ceased : The last was always most violent when nothing had previously been rejected by Vomit.

It is here necessary, to distinguish this febrile Head-ach, from that which very commonly happens at the coming of the Milk, when the Body is costive ;—the first, may be relieved by a gentle Emetic, the last, may be effectually taken away by a Cathartic Clyster and Laxatives.

The first attack of this Fever is sometimes so violent, that in many respects, it resembles the *Cholera Morbus*,—for, the Pain, Sickness, and burning heat in the Stomach and Bowels, are almost the same, and the Bile, in great profusion, is discharged

charged upwards and downwards, tho' in the first, the Pulse is more quick and weak.

The Fluid rejected by the Stomach, was yellow and roapy, and seemed to be a mixture of Bile with a large quantity of gastrick Mucus ; sometimes it was green and poraceous, but when the vomiting continued till the advanced state of the Disease, or returned towards the end, it was then watery and of a *blackish* colour.

The sickness at the Stomach, was always much relieved by the Vomiting, but as soon as that abated, a violent Purging came on, with severe gripings and pain in the Bowels.

The Vomiting attending this Fever, should always be distinguished from that which often accompanies a quick Labour, from the violent efforts of the Uterus ; the first, is not bilious, and soon goes off after Delivery, without any bad consequence or subsequent Fever.

The

At the beginning of the Diarrhæa, the Stools were yellow, frothy, and mixed with Mucus;—sometimes they were greenish, but towards the end of the Disease, at which time they often became involuntary, they were blackish, fœtid, and more dilute, resembling the color of Moss Water.

I never saw this Fever appear with any degree of violence, but it was always attended with an obstinate Diarrhæa; many of the Patients had eight or ten Evacuations in six or eight hours, which were followed by short Intervals of Ease; but neither the quickness of the Pulse, the Thirst, nor any of the febrile Symptoms, were in the least abated by the Discharge, altho' it was so frequent and profuse.

In short, the Diarrhæa was evidently symptomatic, and only procured a Respite from the pain by evacuating the offending Bile: It depended so very much

upon the Fever, that when ever it obstinately continued, the Diarrhæa remained unconquerable, and even altho' that seemed to abate for a time, as in the Case of *Juliana Thompson*, it often came on with violence, and so continued till the Patient's Death, whenever there was a return of the febrile Accession.

Here, the Diarrhæa seemed plainly to arise from the Effect of the Fever, which increases the Irritability of all the Abdominal Viscera, and renders them more liable to pain and Inflammation. The immoderate Secretion of Bile, was also manifestly the effect, and not the cause of the Fever, which by its Acrimony and Redundance increased the Purging, by stimulating the Intestines to expell their Contents. On the contrary, when the Pulse abated in frequency, and the Inflammatory Symptoms subsided, the purging was proportionally less, and even
when

when it continued longer than usual, it was not then attended with the same loss of strength, but appeared simply colliquative.

About the second day after the Cold Fit, they complained much of a pain at the Pit of the Stomach, darting down towards the Navel, and sometimes from thence to the short Ribs and Sides : Now and then, as the Disease advanced, some of the Patients had an acute pain under the Shoulder-Blade, which struck obliquely downwards and forwards, from the Thorax to the Stomach ; these pains were always the more violent and intolerable during Inspiration, which became interrupted and desultory, or, in other words, they breathed with difficulty and as it were by Jirks. Some had a Cough, which generally was most troublesome in the decline of the Disease.

In several, the Belly began to swell about the third or fourth day, from the commencement of the Fever, and in some became extremely tense and prominent, as in the Case of *Juliana Thompson* and *Margaret Walker*, both of whom died: Whenever this Swelling came on whilst the purging continued, and especially if it closely followed the pain, extending from the Stomach to the Navel;—as far as I had an opportunity to observe, it was always a *mortal Sign*; for not one of them recovered who were thus affected.

This Morbid Enlargement and Tension of the Abdomen supervening the pain at the Umbelical Region, when the Diarrhæa continues the same as before, should be distinguished from that accidental swelling of the Belly from the confinement of Air in the Intestines, which sometimes happened by a sudden Cessation of the purging, and which
soon

soon went off without danger by the use of Laxative Medicines.

About this period of the Disease, the Patient had a wild, distressed, eager Countenance, and a trembling Hand; a local deep *Crimson Color* appeared in her Cheeks,—her lips were of a *livid hue*, and her nostrils tense and expanded. When these Symptoms prevailed, neither Art nor Nature were sufficient to procure relief.

The *Lochia* from first to last, were not obstructed nor deficient in quantity, neither did the quality of this discharge seem to be in the least altered from its natural state,—a presumption that the Uterus was not at all affected.—Of this Circumstance I was convinced, by making a considerable Pressure above the Pubes with the Hand, which did not occasion pain; but when the same degree of pressure was applied higher, between the Stomach and

um-

umbelical Region, it became almost intolerable.

It appears, therefore, that the *Uterus* is not originally affected, so as to produce this Fever, neither does it usually suffer by sympathy, in proportion with the other parts, as will be more evident hereafter.

The Secretion of Milk was generally interrupted by the attack of the Cold Fit, and sometimes it was almost taken away; at other times it continued in a moderate degree for several days after, even till within a short time of the Patient's Death.

A slight Chillness usually precedes the coming of the Milk, which is often mistaken for that morbid Shivering with which this Fever commences, but with a little care, it will not be difficult to distinguish the one from the other; for, the first happens before the Milk is collected, and is usually followed

ed by a plentiful flow of it ; but the last, generally comes on after a Secretion of that fluid is begun, which not unfrequently afterwards carries it off. From mistakes of this kind, I have sometimes been called in where there was no occasion ; for when the Disease was rife, and many died, the least appearance of it was very alarming to Child-bed Women, and those about them : Indeed, when a slight degree of this morbid Shivering comes on exactly at the time of the Milk Fever, a very good judge might then be mistaken, but a due attention to the nature and violence of the Symptoms which speedily follow, will soon set him right.

Now and then there was a little difficulty in making water, but this was merely an accidental Symptom, and not peculiar to the Disease ; for it often happens after laborious Cases, where the Neck of the Bladder is slightly injured.

The

The Urine was smaller in quantity than usual, and when cold, was generally reddish and high colored at the beginning of the Disease, and often without the least Separation of Sediment; but as it advanced, there was sometimes a whitish Cloud in it, which floated near the surface, and when more crude and dense, sunk towards the Bottom. It was also now and then of a muddy Whey-color, with a whitish oily Pellicle on the Top, and when it deposited a Sediment, it was generally chalky and not lateritious. But the appearance of the Urine was continually varying, and afforded very little Information in the Cure; for in some of those where there was even a copious Sediment, tho' the Bark was administered, there was a return of the Fever and the Patient died.

They had but very little Appetite for Food, and no profound, natural Rest;
their

their slumbers being disturbed by frequent Moaning and Startings, and when they waked they seem'd confused and not in the least refreshed :—they generally slept with the Mouth half open, and their Eyes were not altogether closed.

A perfect *Crisis* seldom ever happened in this Fever ;—it takes so severe a hold of the Constitution at its first onset, that the vital powers seem to languish and are unable to produce that salutary Event : Indeed, the Suppuration of the *Omentum*, may be looked upon as a critical Abscess, tho' of the unfavorable kind ; for it seems to be an unsuccessful Endeavour of Nature to free herself from the morbid Cause, but, wanting sufficient strength to throw it to the surface of the Body, it falls upon the interior parts, essential to Life, and therefore unavoidably becomes mortal.

H

Some-

Sometimes there was a manifest Remission in the Symptoms, but as that was not attended with a universal Sweat, or copious discharge of turbid Urine, it was seldom lasting : In short, where the Secretions are only partially promoted, the Crisis is imperfect, and the Patient is subject to a Relapse.

Some of those who survived, recovered very slowly, and were affected with wandering Pains and a paralytic Numbness of the Limbs, like that of the Chronic Rheumatism :—Some had critical Abscesses in the Muscular parts of the Body, which were a long time in coming to suppuration, and when broke, discharged a sanious Ichor; as in the Case of *Elizabeth Walters* : Others were affected by a slow remitting Fever, with great loss of Strength and dejection of Spirits; and several were so helpless and enervated, that they had invol-

involuntary stools for a considerable time after the dangerous Symptoms were over.

When the Disease proved mortal, the Patient generally died on the tenth or eleventh day from the first attack ;—the longest I have known any one to survive, was *Juliana Thompson*, who lived fifteen days ; and the shortest time of being cut off, was in the Case of *Harriot Trueman*, who lived only five days :—Most of them had the clear and distinct use of their senses to the last, and generally expired calmly, without any apparent Agony or Convulsive Struggle.

As they became more and more exhausted, and within a few hours of Death, the Pulse, which was exceedingly quick, and almost imperceptably weak, at last was insensibly lost in a tremulous flutter.

Many Authors, particularly the celebrated *Baron Van Swieten*, and *Leuret*, have supposed that this Fever was occasioned by *Metastasis*, or a morbid Translation of the Corrupted Milk, or putrid Obstructed Lochia, to the Brain, or to the Contents of the Thorax and Abdomen; which there produced such Diseases as were peculiar to those parts, viz. Head-ach, Vertigo and Delirium in the first, and in the two last,—Inflammation of the Lungs, or Pleura; Nausea and Vomitings at the Stomach, with a Diarrhæa and Pain in the Bowels.—Others again, with *Hoffman*, imagine that it arises chiefly from an Inflammation of the *Uterus*.

These have generally been assented to, as the most probable Causes hitherto assigned; yet it will appear, from the following Observations, that they are very

ex-

exceptionable and inadequate, and not consistent with the true Nature of the Disease.

To quote a multitude of Authors for no other reason but that of shewing their mistakes, would both be useless and invidious;—I shall therefore only consider the Doctrine of those respectable modern Writers already mentioned;—and the more particularly, as their Opinions, at this time principally prevail, and have in a manner superceded all the rest.

That the several Circumstances which are supposed to relate to the Cause of this Disease, may become more apparent, it will be necessary to consider when, and in what manner, the *Milk* is strained off in the Breasts; and what are its qualities when pure or vitiated; and also to attend to the Nature of the *Lochial Discharge*.

About the third day after Delivery, the Patient is restless, and complains of a cold
thrill-

thrilling sensation towards the Back and Loins, which is succeeded by a feverish Heat;—the Face becomes florid,—the Pulse more full and frequent, and at last the Breasts begin to throb and enlarge, by what is usually called the coming of the Milk:—This slight Commotion, or Milk Fever, which seems to arise from a change in the Circulation, is generally terminated in the space of twenty four hours, by a warm critical Sweat, or if the Milk is suddenly repell'd, by a Diarrhæa; in consequence of which, the febrile Symptoms gradually go off.

Van Swieten supposes, that this Fever is also partly owing to the Absorption of the *Lochia*, which about this time becomes purulent.

Where Milk thus secreted is not vitiated by a feverish heat of the Body, or corrupted by remaining too long in the Breasts, it may be absorbed and taken in-
to

to the Blood without any bad Consequence; for Milk being nothing but *Chyle* exalted and rendered finer by passing through the glands of the Breasts, and being the proper Nourishment of all Animals, it will easily mix with, and be assimilated into *Blood*; and as every Woman after Delivery cannot suckle her Child, Nature has so formed the lactiferous organs as to dispose of the Milk in this manner, when pure, without injury to the Constitution.

If ever, therefore, the *Child-bed Fever* is occasioned by a reflux of Milk, that can only happen after it has been deprived of its balsamic quality, by too great a degree of animal Heat, or by stagnating too long in its Vessels :—But on the contrary, this Disease is sometimes so suddenly produced, and attended with such a remarkable and instantaneous loss of Strength, as appears by a History of the Symptoms,
that

that there is great reason to believe its first Impression is made upon the Nerves; or Vital Powers of the Body; and that there is neither sufficient time for the Secretion of Milk, or for any morbid change of that Fluid.

Levret observes, that for the most part, this Translation of Milky Matter happens about a fortnight after the disappearance of the Milk*; and *Van Swieten* asserts, that Experience confirms this Observation†: But if it could only be satisfactorily proved, that such a translation of vitiated Milk never happened earlier than the time above-mentioned; it would then sufficiently refute the opinion of those, who assign that as the principal Cause of the Disease in question; since I believe, no Instance can be produced where it came on so late as the fourteenth day.

It

* *L'art des accouch.* p. 150.

† *Van Swieten* Commentar. in *Her. Boerhaav. Aphor.* Vol. iv. p. 610.

toms, and for the most part, void of danger, for I never yet knew one to die in consequence of it.

Levret also has observed, that where the Milk suddenly disappeared at the beginning of the Disease, and afterwards soon returned, the Patient was relieved; but whenever this circumstance happens with a mitigation of the Symptoms, it most assuredly is owing to a cessation of the febrile cause, which no longer interrupts the Secretion of that Fluid, and which, therefore, will naturally return.

When the Breasts subside, and the Milk naturally goes off, or is repell'd in those who do not intend to suckle; the *lochia* Discharge may be observed to increase and become more fresh and sanguineous; and also continues for a longer time than in those who do; it therefore appears, that, at this time, a Plethora prevails in
the

the Constitution, which may fall upon the interior Vessels, when the Milk does not freely pass through the glands of the Breasts; or even should no Milk be strained off, the want of it will dispose the Habit to a plethoric State: For this reason, Women, who do not suckle, are visited with a return of the *Menses*, even sometimes so early as in the fifth week after Delivery; whereas, in those who give suck, they are naturally wanting for several Months.

Hence also it is manifest, that the female organs, after a certain Age, are so disposed as to prepare a larger quantity of Blood than is necessary for the support and nourishment of the Body; which in the time of Uterine Gestation is consumed by the Fœtus, and after Delivery, by the Child at the Breast; but that this redundant quantity might not incommode the constitution, during the

time she is not pregnant, provident Nature has ordered it off by the vessels of the Uterus, once every Month.

The Milk, indeed, is not supposed to be strained off from the Blood, but as the separation of that Fluid deprives the Woman's Body of so much *Chyle*, which would otherwise be converted into Blood, the consequence, in respect to her general habit, or the fullness of the Vessels, will be exactly the same.

Presuming therefore, that *Suckling* after Delivery, would lessen the tendency to Inflammation and Fever, by diminishing the fullness of the Uterine Vessels, as well as those of the contiguous Viscera; an Order which had formerly been made by the Governors of the *Westminster Lying-in Hospital*, at my request, that every Patient during her stay in the House, should suckle her Child, was at this time, more particularly insisted upon: For, if
the

the Disease was occasioned by a Translocation of Milk to the interior parts, it would then follow, that Women, who had plenty of that Fluid, and in whom it was freely discharged by suckling, would, of all others, be the least subject to it; but this Caution was insufficient to secure them from the Fever; for many, who had plenty of Milk and suckled their Children, were also invaded by it.

But to come to *practical Facts*: In many Women there was a plentiful Secretion of Milk, which continued 'till the Fever was considerably advanced, and sometimes it lasted 'till within a day or two of their Death;—In some few, where the Milk was either small in quantity, or totally deficient, no such Fever appeared; and in those Cases where it did, it generally came on before there was any want of Milk; which therefore, was evidently the *Effect* and not the *Cause* of the Disease.

Be-

Besides, if this Fever was owing to a Translocation of Milk from the Breasts, it would also frequently happen to Women who wean their Children at the end of seven or eight Months, which is contrary to Experience :—The Case mentioned by *Van Swieten*, of such a morbid Absorption of that Fluid, in a Woman a whole year after Delivery, in whose Pelvis a *Milky Matter* was found, only proves what possibly may, and not what usually does happen.

Indeed, from the most careful examination of the morbid appearances, in the several Bodies which were opened, I have the greatest reason to believe, that what has usually been taken for *coagulated Milk*, lying on the surface of the Intestines, is nothing but *pure matter*, owing to the supuration of the *Omentum* ; and therefore, of a peculiar kind ;—having a more white, thick and *curd-like appearance*, than that
of

of common Matter : As to what is called *Serum Lactis*, it seems to be only a purulent, whey-coloured Fluid, collected in the cavity of the Abdomen, by a *morbid Transudation* from the Inflamed Viscera ; or else *Lymph* grown putrid by stagnating too long there, from a defect in the absorbing power of the lymphatic Vessels.

The next principal Cause assigned for the production of this Fever, is an *Obstruction* of the *Lochia*, and a morbid Translation of that putrid Fluid to the internal parts.

A due attention to the nature of that Discharge from the Uterus, which is the consequence of Delivery called *Lochia*, will be most likely to discover, whether it can have any share in producing this Fever or not.

As soon as a Child is born, the *Placenta*, which, during pregnancy, served as a
me-

medium of intercourse between the Mother and Child, then becomes a lifeless Mass without circulation or further Use; and therefore, is soon afterwards expelled by the gradual contraction of the Uterus:—As the separation of this vascular Cake from the Womb, is observed to be more easy at the end of nine Months, than in those cases where the Birth is premature; this animal Process, may, with some reason, be supposed analogous to the dropping off of ripe Fruits from a Tree.

The *Lochia*, is therefore, nothing more than a simple Discharge from all those Vessels which are torn asunder by the separation of the *Placenta* from the *Uterus*, and does not naturally partake of a sanious or malignant quality, as generally supposed by the Antients; for all the Circumstances attending it, exactly correspond with what is observed to happen after receiving a fresh Wound in any part of the Body;

con-

consequently, *pure Blood* will first escape from those ruptur'd Vessels, and afterwards a more dilute and colourless Fluid, like the *Serum*;—about the third or fourth day the Discharge generally becomes slightly purulent; and as the Uterus contracts and returns to its unimpregnated state, the Orifices of the several Vessels are gradually closed, and the *Lochia* then totally cease.

The accurate and ingenious Dr. *Hunter*, by whose nice and indefatigable Researches, anatomical knowledge has been so much improved, was the first who discovered that the exterior Membrane of the Bag, containing the Child, called *false Chorion*, is derived from the Uterus, and as it peels off from thence like a kind of Exuviae or Slough, at each succeeding Birth, he gives it the name of *Membrana decidua*.

By means of the lochial Discharge, the internal Surface of the Uterus is freed from the putrid remains of the false Chorion, which dissolves and comes away in a fluid state; and seeing that there is nothing in its quality but what is common to the Digestion from a fresh wound, it does not appear rational, to suppose that it can produce a Fever so destructive to Child-bearing Women, even allowing it to be obstructed.

I have often observed the Lochia small in quantity, and at other times redundant, without any bad consequence; and this seems chiefly to depend upon the difference of habit in different Women, and the lax or tense state of the uterine Fibres;—so that the indication of danger is not to be taken from the quantity of the Discharge, but from the nature of the Symptoms attending it;—for, where there
is

is no Pain, Inflammation, or Fever, in the first Case, or loss of Strength, in the last, it would surely be highly improper to direct Medicines either to restrain or promote it.

Besides this Error of prescribing Remedies when none are necessary, there is another so prevailing in Practice, and so pernicious in itself, that it deserves to be remarked, viz. that of giving *emenagogue* or Uterine Medicines, as they are called, to promote the *Lochia*; for those being chiefly of the heating kind, as *Aloes* and the *Pulv. e Myrrh. C.*, or else such as act by their powerful Effluvia, as *Assafætid. Castor* and the like, are so far from being proper, where there is an obstruction of that Discharge, that they are manifestly injurious, and would be as dangerous to the Patient, under such Circumstances, as forcing Medicines given in nephretic Cases, in the height of pain and Inflam-

mation:—In short, all irritating Medicines are improper, in every painful or inflammatory affection of the *Uterus*, and are therefore to be rejected in favor of gentle Evacuations and a cooling Regimen.

When the *Lochial Discharge* becomes foetid, it has generally been looked upon as a dangerous sign; but as this often happens without any bad consequence, I am inclined to think, 'tis rather owing to the admission of Air into the cavity of the *Uterus*, which corrupts the grumous Blood contained there, than to any putrid disposition in the habit of body: However it will certainly be right, to promote the discharge of the confined *sordes*, as soon as possible, which may be effectually done, by the gentle alternate pressure of the hands, applied to the region of the *Uterus*, according to the method laid down by *Dussè**.

Ruyseh

* Acad. des Science l'an 1724, hist. p. 51.

Ruyfch supposed that the fluid found in the Abdomen, like the washings of flesh, or the corrupted Lochia, was squeezed from the cavity of the Uterus, through the Fallopian Tubes*; but in all those who were opened, I never saw the least quantity of such a fluid in the Uterus, nor could observe any thing to favor so improbable a conjecture.

When the Uterus was laid open, it had, at the first view, the appearance of a part disposed to become *gangrenous*; but this was owing to a considerable quantity of the *Membrana decidua*, or false Chorion, adhering to its internal Surface; for when I had wiped away this mortified Slough, with a wet Sponge, it was perfectly sound and in its natural State. In the Case of *Ann Simms*, the Os Uteri was somewhat livid and blackish, but as her Labour was difficult, this was

pro-

* Observat. Anatom. No. 84. p. 79.

probably owing to the violence sustained, and not to any tendency in the Disease itself to produce such an Effect ;—for, notwithstanding the discolouration of the part, it did not manifest the least degree of putrid dissolution, but preserved its cohesion and natural firmness :—It therefore becomes necessary, not to regard any appearances as morbid, which arise from accidental causes, or such as are in themselves strictly natural.

The Fever brought on by an *Inflammation* of the *Uterus*, has often been confounded with the Child-bed Fever; but those Diseases are very essentially different, altho' they both require the same method of treatment.

When the Uterus is inflamed, it often becomes gangrenous;—the Head is affected with Pain,—a *Dilirium* usually attends the Fever, and the uterine region is so exceedingly tender as not to bear the gentlest

CHILD-BED FEVER. 79

tlest pressure without intolerable pain; but on the contrary, in the Child-bed Fever, the Head is seldom disordered,—the Uterus is not affected with pain, inflammation or gangrene, nor does a Delirium usually attend.

Besides the general Signs of an *inflamed Uterus*, there are others, more fully mentioned by *Ætius*, than any other Writer, which particularly point out the affected parts:—When the Fundus Uteri is inflamed, there is great heat, throbbing and pain above the *Pubes*;—if its posterior part, the pain is more confined to the Loins and Rectum, with a Tenesmus; if its anterior part, it shoots from thence towards the neck of the Bladder, and is attended with a frequent Irritation to make Water, which is voided with difficulty; and if its Sides or the Ovaria are affected, the pains will then dart into the inside of the Thighs.

An

An *Inflammation* of the *Uterus*, which often arises from a greater degree of Violence applied to this part than its natural structure will bear, will generally bring on an *Obstruction* of the *Lochia*; and on the other hand, an *Obstruction* of the *Lochia* may produce an *Inflammation* of the *Uterus*; but altho' such a local affection may create a Fever, it seldom proves mortal, without the *Inflammation* is violent, and terminates in a *Gangrene*:—In the first case, the orifices of the Vessels opening into its cavity are shut up, consequently, the Discharge will be obstructed, and will not return till the tension is removed from the Vessels, by Bleeding, Laxatives and plentiful Dilution;—in the last, they are supposed to be constricted, and therefore, Opiates and the warm Bath, together with emollient Clysters will be the most likely to afford relief.

S E C T. II.

*Practical Observations and Inferences arising
from the History of the Disease, with the
Methods most conducive to the Cure.*

TH E sudden change produced in the habit, and an alteration in the course of the circulating blood, by the contraction of the *Uterus* after delivery, seem to be the principal reasons why the abdominal Viscera are at this time so liable to *Inflammation*.

The pressure of the gravid *Uterus*, being suddenly taken off from the *Aorta descendens*, after delivery, the resistance to the impulse of the blood passing through all the vessels derived from it, and distributed to the contiguous Viscera, will be considerably lessened;—it will therefore rush into those vessels with a force superior to their resistance, and by putting them violently on the stretch, may occa-

L

sion

82 PRACTICAL OBSERVATIONS

sion Pain, Inflammation and Fever ; particularly in the *Omentum* and *Intestines*, where they are numerous and most lax and yielding : That such a change in the circulation does actually happen, is manifest, from those Faintings which sometimes follow a quick delivery ; for, when the long-continued pressure of the Uterus is removed, the blood, by gushing into the vessels of the inferior parts, will for a time, deprive the Heart and Brain of their usual quantity.

This contraction of the Uterus, also renders its vessels impervious to the blood which passed freely through them, for the service of the Child during pregnancy ; and consequently, a much larger quantity will be thrown upon the contiguous parts, which will still add to their distention, and increase their tendency to Inflammation ; and this will the rather happen, as the Uterus is abundant-

dantly supplied with blood, and receives a greater quantity of vessels in proportion to its bulk, than any other part of the body.

The immoderate secretion of *Bile*, which commences about this time, in the Child-bed Fever, most probably arises from the same Cause ;—for, as the *Vena Portæ Ventralis*, which brings blood to the Liver, is rooted in the Intestines, it will necessarily receive from thence a larger supply than before ; hence a more copious secretion of Bile ; as it is universally allowed, that the quantity of fluid strained off in any gland, will always be in proportion to the quantity and velocity of blood passing through it.

It therefore appears, that altho' this Fever is attended with a preternatural secretion of Bile, it ought not to be considered as one of the bilious kind ; for the great redundance of that fluid seemed

84 PRACTICAL OBSERVATIONS

truly symptomatic, like that occasioned by pain and spasm in the nephritick Colic, or other painful affections of the abdominal Viscera.

At the attack of this Fever, the vessels on the surface of the body, during the cold Fit, are exceedingly constricted, as is evident from the paleness of the skin; from this Cause also a greater quantity of blood will be driven to the internal Vessels, which will still further increase the quantity of *redundant Bile*: — Agreeable to this observation, the bilious vomiting was generally most violent after the shivering Fit, and in a great measure, in proportion as that was more or less violent,— and when it was abated, a return of the cold Fit would often bring it on again, as well as the Diarrhœa.

From this change in the circulation, the vessels of the Heart and Lungs will also receive more blood than before; hence

hence a difficulty of breathing, with anxiety and oppression at the Breast and Præcordia, which are all relieved by the approach of the hot Fit; that is, as soon as the Heart reacts and throws the blood from the centre to the circumference of the Body; and when this cannot be effected, from its want of sufficient power, the blood will stagnate in the large contiguous Vessels, and the Patient will suddenly expire: Instances of this sort, tho' rare, have been known to happen, particularly in the cold Fit of an Ague, where the attack was uncommonly violent, or in diseases of the destructive kind.

It therefore may be affirmed, that in general, every degree of *Rigor* is followed by a degree of Fever proportionate to it, from the reaction of the Heart, which will always be greater or less according to the force impressed upon it by the effect of the cold Fit; so that when this

86 PRACTICAL OBSERVATIONS

is violent and of long duration, the consequence is much to be feared, especially as nature, by the febrile struggle, does not usually bring on a salutary Crisis; for as the Heart now acts strongly, the momentum of the blood on the solids will be greatly increased,—and will occasion Tension, Pain and Inflammation, which, if not soon removed, will end in a suppuration of some of the internal parts, and produce a *collection of Matter* in the cavity of the Abdomen, from which it cannot be evacuated, and therefore must necessarily prove mortal.

If the preceding reasoning be right, it will shew the necessity of attempting to diminish the Cold-fit, by the plentiful Use of diluting fluids given warm, and also of hot applications to the Extremities and Surface of the body, to relax the cutaneous Vessels, and invite the blood thither, so as to relieve those of the Viscera

cera

cera from distention ; for whatever is the cause of this Fever, its first Impression seems to be made upon the Nerves ; which lessens their Influence on the body, and prevents that free and equal distribution of the blood which is necessary to a state of health.

To answer this Intention, I would prefer an Infusion of any of the grateful Vegetables given hot, as that of Mint or Balm, rather than fluids of the aromatic or spirituous kind, for, by their heating quality, they would increase the violence of the hot-fit or subsequent Fever ; which is the principal thing to be guarded against ; whereas, the former may be given at discretion, so as only to act during the time of the *Rigor*, and will afterwards become of service in abating the febrile Symptoms by their diluting power.

This tendency to Inflammation, will be the most likely to produce violent effects,
when

88 PRACTICAL OBSERVATIONS

when the abdominal Viscera are in a tender irritable state, both from that change in the circulation already mentioned, which for a time, will render the Woman's constitution weak and valetudinary, and also from the violent efforts of Labour : That particular parts of the Body are more disposed to Inflammation, as the habit changes and becomes more irritable, is very evident from repeated observations ; for instance, in cases of a Stone in the Bladder, the pain and inflammation are not continual, but only produced at particular periods from some accidental exciting cause, which at that time renders the affected part more sensible.

As long as the Solids of the body continue in their natural state, they will allow of being stretched to a certain degree without pain, but as soon as they become inflamed or diseased, the least irritation or distending cause will bring on the most
in-

intolerable sensations ; and this seems to be the reason why Air or Fæces contained in the Bowels, at one time produces excessive pain, and at another none at all.

Hence also a complication of this Fever, with the *Pleurisy* or *Peripneumony*, and sometimes a *Dilirium*, *Phrensy* or *Madness*, where the blood is more immediately determined to the Brain, by anxiety, grief, or any cause which occasions the intense exercise of the Mind ; three cases of this kind have occurred to me, in all which the disease was fatal ; one of which was that of a Baker's Wife in *Westminster*, who remained well till the fourth day after delivery, but being suddenly disturbed with some religious scruples, she was violently seized with this Fever, attended with a *Dilirium*, which carried her off ; notwithstanding the uncommon attention paid to her safety, by an eminent Physi-

M

cian

90 PRACTICAL OBSERVATIONS

cian, who was called in at my request, and with whom I wished to have consulted, but was accidentally prevented.

Dr. *Hales* in his curious Hæmastatical Experiments, clearly demonstrates, that the impulse of the blood on its containing vessels is exceedingly increased by the violent action of the Muscles, particularly those of the Abdomen;—he also remarks, that the Air retained in the Lungs after a deep inspiration, has the same effect; and since the birth of a Child is brought about by a combination of muscular forces, viz. from that of the Uterus, assisted by the Action of the very muscles already mentioned,—namely, those of the Abdomen and Diaphragm, the last of which is prest down on the inferior parts, in the time of a deep inspiration;—it becomes evident, that a violent stress is laid upon the vessels of all the abdominal Viscera, even in those Labours which are strictly

strictly natural :—Such are the effects of the labour-pains on the whole vascular system, that the Pulse, which before was temperate and regular, then becomes full and frequent, the Complexion florid, and sometimes the Face is enormously swelled, by the violent efforts and strainings of the Body. Till such a change is produced, Women are not subject to this Fever; for I observed, that those with Child, who assisted the Nurses in attending the sick, were perfectly free from it, even when it was most rife; but being delivered, several of them sickened soon after, and were affected with the same symptoms as the rest. May not this circumstance therefore, added to that change in the circulation already remarked, and also to the great sensibility and irritability of the habit, which is observed to prevail after delivery, concur as so many exciting Causes to kindle up this Fever? And al-

92 PRACTICAL OBSERVATIONS

so shew why Women are not subject to it before, *but only after Delivery*, and more particularly, during an unhealthy constitution of the Atmosphere? For if this Disease was owing to the compression of the abdominal Viscera in general, or to that of the *Omentum* in particular, independent of any alteration in the Air; as this cause is the same in all gravid Women, its consequences would also be more uniform, and the Disease would be equally frequent at all times of the year, instead of prevailing with uncommon violence at particular seasons; besides, Women whilst pregnant, would be as much subject to it as those lately delivered, which is contrary to all experience.

The vital powers of the Viscera being thus impaired, their several functions will be unduly performed, particularly the *absorption of Lymph* from the abdominal cavity; hence a depravity and corrup-

rup-

tion of this retained stagnating Fluid, and an increase of the pain and inflammation of those parts with which it is in contact:—Hence also a swelling of the Belly, which may be looked upon as a *true Tympanites*:—This morbid affection did not seem to arise from wind in the Bowels, for, if so, it would have subsided by the frequency of the purging Stools;—it was evidently owing to the expansion of Air generated in the cavity of the Abdomen, by a putrid dissolution of the *Omentum*, and from a corruption of the purulent Fluid found there.

The dissection of the bodies thus affected, confirmed me in this opinion; for, on cutting into the Abdomen, a putrid Flatus, intolerable to the smell, issued forth with a hissing noise, and the prominence of the Belly immediately subsided:—There was but little Air in the Intestines, which were likewise almost emp-

94 PRACTICAL OBSERVATIONS

ty of Fœces, and only contained a blackish fluid like that voided by stool, with particles of something which looked like Fat which had been melted and was become cold.

Considering the suppuration of the *Omentum*, and the large quantity of purulent fluid found in the Abdomen after death, it is easy to see how a Fever which was truly *inflammatory* in the beginning, may soon become *putrid*, by an Absorption of that Fluid; which, like *old Leaven*, will taint the blood, and by exciting a putrid ferment in the whole Mass, will change its qualities into those of its own morbid nature.

The structure and use of the *Lymphatics*, and their existence as a distinct system of Vessels, numerously distributed to the several cavities of the Body, as discovered and accurately described by Dr. *Hunter*, together with Experiments made on Quadrupedes, sufficiently demonstrate the
reality

reality of this Absorption in the human body; for it has often been observed, that altho' a large quantity of any warm fluid had been rejected into the abdominal cavity of different animals in the living state, not a drop of it could be found after death.

Besides, as the *Liver* chiefly receives its blood from the Intestines,—the Omentum and Mesentery, and as it is loaded with *Oil*, which is absorbed by the Veins from the two last parts, so as to render it fitter for the secretion of *Bile*; it will follow, that as soon as the *Omentum* is destroy'd by a putrid dissolution, that the reflux blood carried to the Liver, will be vitiated and corrupted, and passing through that gland to mix with the general mass, will contaminate the whole, and produce a true *Febris purulenta*.—Hence general Inflammation,—adhesions of the Lungs to the Pleura, a collection of putrid
Serum

96 PRACTICAL OBSERVATIONS

Serum in the Thorax, and Matter under the Sternum; as in the case of *Harriot Trueman*;—and this appears the more probable, because, on enquiry of the Patient's Friends, I could not find that she had ever been in the least subject to any complaint in the Breast:—Moreover, as the *Bile*, of all the humours of the Body, is the most liable to be changed;—this Fluid, being tainted with the *corrupted Oil* brought from the *diseased Omentum*, will soon become putrid, and by its caustic Acrimony, will create Anxiety, Sicknefs, and Vomiting, with Tormina in the Bowels, and a profuse Diarrhœa; so that it will now offend in quality, as well as in quantity, which last has already been sufficiently taken notice of: Before it is altered from its natural state, it seems in a great measure inoffensive to the Stomach, because the fresh, inspissated Bile of Animals, given as a Medicine, does not occasion

sion the above disorders, but when it becomes depraved or redundant in consequence of the febrile cause, it will add to the violence of the Symptoms, and therefore ought to be evacuated as soon as possible.

Thus I think it will evidently appear, that the Symptoms of Putrefaction are produced by *Metastasis*;—not from that of vitiated Milk or obstructed Lochia, as generally supposed; but by the absorption of that *purulent, whey-coloured Fluid*, stagnating in the Abdomen, and by a morbid Translation of Matter from the *suppurated Omentum*;—and if ever the marks of Putrefaction appear in the beginning, they are confined to the *Primæ Viæ* only, and arise from the tainted, rancid Bile; for a corruption of the Blood and Juices never happens till in the advanced state of the Disease.

98 PRACTICAL OBSERVATIONS

As soon as the internal Mortification commences, there is a cessation of Pain, which perswades those present that the Patient is better, but when this suddenly happens after that has been excessive for a long time, and in an advanced state of the Disease, without any critical Evacuation which could prove salutary, 'tis a fatal and delusive Sign, and is soon followed by a sinking, quick and intermitting Pulse,—swelling of the Belly,—a distressed Countenance, with partial, faint sweats on the Breast and Face, and sometimes by a Delirium, which shew that Death is at hand.

That acute and incomparable practical Physician *Baglivi*, was the first who described the *Mesenterick Fever*, and observes, that latent inflammations of the Viscera, are generally the cause of those Fevers called Malignant, and which of-

ten end in an Abscess or Gangrene of the affected parts, when bleeding has been neglected.

In painful or inflammatory Diseases of the Viscera, so great is the sensibility of the several Parts, that the whole nervous System is easily drawn into consent; hence a perversion or defect of their several natural functions:—The Heart will also be affected with a Spasm, and not being able duly to perform its office, the Pulse will become quick, weak and intermitting: Besides, the diminution of the nervous Influence on the affected internal parts, will also account for the great and sudden loss of strength, and shew why the *Pulse* is *weak, quick* and *irregular* in this Fever, instead of being hard and full, as in the Pleurisy; and indeed, in most Diseases of the abdominal Viscera, the Pulse becomes languid, and looses its firmness, before there can be any actual prostration

100 PRACTICAL OBSERVATIONS
of bodily strength ; as in cases of taking
Poison, or where a violent fit of the Gout
suddenly fixes upon any of the vital Parts.

As it appears that Women, so long as
they remain with Child, are not more
subject to this Fever, than others who
are not pregnant, it will follow, that
a distemperature of the Air, is not alone
sufficient to produce it, until it is assisted
by a change of the habit in consequence
of delivery ; but as such a change is then
common to all Women, 'tis also evident,
that in general, it may be endured without
much danger, while the Season is healthy ;
since scarce one in a thousand is then af-
fected with it, except from Errors in
Diet, the Passions of the Mind, the
effect of taking Cold, or other manifest
exciting Causes ;—consequently, it will
always be found the most severe, when-
ever such concurring Causes are most nu-
merous, and in proportion as they are
more

more or less dangerous in their own nature ;—thus for instance, it will always be found most *fatal*, when most *epidemi-cal*, that is, during a distemperature of the Air ; and least of all so, when it happens in healthy Seasons, from accidental Causes only :—If at such a time, it should arise simply from taking Cold, it is often terminated by a profuse, long-continued Sweat ;—if from Food offending the Stomach in quantity or quality, the Patient is often soon relieved by Vomiting or a Diarrhœa ; but on the contrary, if it is brought on by the Passions of the Mind, the event is different, for as the Cause continues so does the Fever likewise ; besides, in such cases, there is generally a defect in the natural Secretions and Excretions, and as nothing will weaken the vital powers of the Body so much as Distress of Mind, a salutary Crisis is then hardly ever known to happen.

It

162 PRACTICAL OBSERVATIONS

It has also been observed, that the Disease generally comes on about the second or third day after Delivery, and that the sooner it attacks the Patient, the more she is in danger :—The sensibility and irritability of the body, which is always observed to be the greatest at that time, seems to account for the first of these circumstances, and also shews why the Fever is then most dangerous in its event; seeing, that this predisposing Cause existing in the habit, will then most powerfully co-operate with, or increase the agency of any other external Cause, which may chance to occur.

From the preceding History of the *Child-bed Fever*, joined to the morbid appearances already mentioned, the following conclusions may be drawn by way of recapitulation.

First, that it does not arise from a Translation of *corrupted Milk*, nor ob-
structed

structed Lochia ;—secondly, that it is not owing to an *inflammation* of the *Uterus* ; thirdly, that a certain *mechanical change* produced in the body by Delivery, is the principal predisposing cause of the Disease, and the reason why it is *peculiar* to *Women after Delivery only* ;—fourthly, that whenever it is remarkably frequent and fatal at particular Seasons, that the proximate cause of it ought to be referred to a *noxious constitution of the Air*, and that this is still more fully proved by those cases, where the Fever suddenly appeared in the epidemical Season, without any other evident cause whatsoever :—fifthly, that it may sometimes happen in the most healthy Seasons, from the *accidental causes* already enumerated, added to that *valetudinary change* brought upon the habit by Delivery, and that in such instances, it is *least dangerous* ; sixthly, that the temporary change brought upon the habit, by

by delivery, may generally be endured without producing this Fever, if none of the causes already mentioned happen to supervene; and also that Women are more or less subject to the impression of all such causes, in proportion to the sensibility and irritability of the habit; and lastly, that it is not owing to the pressure of the *gravid Uterus* on the *abdominal Viscera* in general, or the *Omentum* in particular; for if so, pregnant Women would be subject to it, as well as those lately delivered; which is contrary to Experience.

I have been the more diffuse in what relates to the *Pathology* of the Disease, as nothing will so much tend to establish a rational method of cure, as those observations which immediately result from the Disease itself,—the structure and use of the several affected parts, and their morbid appearances after death.

In

In the *Child-bed Fever*, therefore, as well as all those, which like it, are truly inflammatory, and uniformly produce an *internal Suppuration*; *Bleeding* is the only Remedy which can give the Patient a chance for life;—especially, as local Inflammation, if violent, more frequently terminates by Suppuration than any other means, where that has been omitted.

Indeed, from the strictest attention to the several Symptoms and circumstances of this Disease, without shaping a *Theory* to coincide with any particular method of practice, the reasons for it, are as manifest and cogent as in the *Pleurisy* itself, which is sometimes attended by an *Empyema*; for a collection of Matter either in the Thorax or Abdomen, are equally fatal.

The following are the principal objections, which have been made by those who are averse to Bleeding, viz. that con-

O

sidering

sidering the loss of blood after Delivery, and
 the subsequent discharge of the *Lochia*, it
 would exhaust the Patient's strength too
 much, especially as she is usually enjoined
 an abstemious Diet for several days after;—
 that by lessening the strength, it would pre-
 vent a Crisis, increase the irritability of the
 body, and aggravate all the symptoms of
 the Fever, or dispose it to become putrid:
 But those are groundless fears, and plain-
 ly contradicted by what is observed in
 practice, for the violence of the Fever
 and the *symptomatic Purging* arising from
 it, will be found to sink the Patient's
 strength much more than the loss of
 blood; which, on the contrary, by re-
 moving the tension and pain from the
 Bowels, which act as a stimulus and
 keep up the Diarrhœa, will have the
 effect of an *Anodyne* and more safely
 abate that discharge than either Opiates
 or Astringents, both of which are highly

improper at the beginning of the Disease : Bleeding, by diminishing the quantity and force of the current of blood through the Liver, and the larger internal Vessels, will likewise lessen the *secretion of Bile* and therefore relieve the sickness and anxiety at the Stomach, as well as the difficulty of breathing and oppression at the Præcordia.

Besides, I am inclined to think that Women after Delivery, especially those who do not suckle, are able to bear the loss of blood much better than is generally imagined ; for as the Fœtus does not then demand its long-accustomed supply of nourishment, it will revert to the Mother, and create a kind of temporary Plethora, as already observed.

It ought also to be remarked, that neither *Inanition* nor *Plethora* are natural to the body in a healthy state, and that the one extreme is as hurtful as the other,

108 PRACTICAL OBSERVATIONS

and will produce all the symptoms of irritation in as high a degree ;—for in Plethoric Habits, where the vessels are overcharged and violently upon the stretch, all the Symptoms of irritability are evidently increased ;—the same quantity of Light which did not offend the Eye in its natural state, becomes intolerable to it when inflamed ; and the Ear is not able to endure the least noise, without being disagreeably affected, after being seized with an Inflammation.

To proceed, *early and copious Bleeding*, at the first onset of the Disease, will prove much more serviceable than afterwards ; thus, eight or ten ounces of blood taken away at first, will afford more relief than twice that quantity at different times ; by the first method, the tension of the vessels is suddenly taken off, and the *Pain, Fever and Inflammation* are therefore abated ; the whole vascular System being

now

now relieved, a more free and equal distribution of the blood will also follow, and the natural secretions being more duly performed, a salutary Crisis may the rather be expected:—On the contrary, where the vessels have remained long on the stretch, and being overstrained, have lost their resisting power, all the above Symptoms will be increased; and altho' blood should at last be drawn, if the inflammatory Symptoms have run high, and Matter has begun to form in the *Omentum*, or any of the vital parts, from which it cannot be evacuated, it is then too late to expect relief; for the Disease must necessarily become fatal, both by a dissolution of the parts essential to life, and by a confinement of that purulent Fluid, which will not only corrupt and destroy the surrounding parts, but by its absorption will soon taint the whole fluid mass; so that altho' bleeding in the beginning, is
the

110 PRACTICAL OBSERVATIONS

the principal Remedy to be depended upon, it will seldom prove of service after the *second* or *third Day* of the attack, and if directed still later, will only further exhaust and enfeeble the Patient and hasten her end.

Considering the languid state of the Patient, and the weakness of the Pulse, even in the beginning of this Fever, I was surprised to find that the inflammation had sometimes run so high and made so rapid a progress, as to produce Matter in the Abdomen, sometimes so early as the *fourth* or *fifth Day* after the first attack ; as will appear in the case of *Harriot Trueman* ; which fully proves the necessity of bleeding early or not at all.

Practitioners, from a prudent attention to their reputation, are generally sparing in the application of such Remedies as have been doubted in their good effects, by those of the Profession, or even where

vul-

vulgar prejudices have been violent in opposing their use:—'Tis no wonder therefore, considering the weakness of the Pulse, so remarkable in this Fever, together with the objections already mentioned, that *Bleeding* should have been directed with so much scrupulous caution; for if blood was drawn at all, 'twas only in the most trifling quantities, and seldom till the decline of the Disease, where every thing else had been tried in vain; and consequently, where *Matter being formed*, neither that evacuation, nor any other human means, could possibly avail:—Thus, the misapplication of this Remedy, plainly appears to have been the reason why it was not sooner adopted as safe and beneficial.

In short, as no *purulent Matter* is ever formed without a *preceding Inflammation*, and as no means have hitherto been found so effectual in cooling the Body, and abating

ting

112 PRACTICAL OBSERVATIONS

ting Inflammation, as *Bleeding*, *Laxatives* and *plentiful Dilution*; those, who will not see the absolute Necessity for their Use, must certainly shut their eyes on all conviction.

As the Cure will be found to depend principally on the seasonable loss of blood, it will be requisite to regard all such indications as may be taken from the state of the *Pulse*, and to lay down such Rules and Cautions as particularly relate to this circumstance.

Nothing will so clearly point out the time when this Remedy ought to be directed, as a previous acquaintance with the natural state of the *Pulse*, which is found to vary exceedingly in different habits of Body:—A difference in the size and distribution of the Artery constituting the *Pulse*, will also occasion a very different impression on the Finger, in regard to its Strength or Weakness; consequently, it
ought

ought to be alternately felt in each Arm of the same Person:—The general Habit, Age, and manner of living, will also afford great Information in this particular; for instance, if the Patient is young, and has previously enjoyed an uninterrupted state of health, with a keen appetite and good Digestion; when the Pulse in such a Person seems to sink in the very beginning, such a sudden alteration most probably arises from Oppression, and not Weakness, and requires the immediate loss of blood;—particularly, if no profuse Evacuation has preceded, such as a Hæmorrhage, Diarrhœa, long Abstinence, Anxiety of mind with want of Rest, or great bodily Fatigue;—On the contrary, if she has been of a valitudinary, hysterical Habit, with lax Fibres, a bad Digestion and pale Aspect; a languid Pulse, with such appearances, may reasonably

114 PRACTICAL OBSERVATIONS

be imputed to a want of bodily strength rather than oppression.

We are also told, that on compressing the Artery at the Wrist, with the Finger, that if from being small and apparently weak, it suddenly becomes more strong and renitent, we may be sure 'tis Oppression, and not Weakness, which then prevails:—This, however, I think is not an Opinion well founded;—for whether the Artery beats languidly from real weakness, or the diminished impulse of the Heart, or whether the action of the arterial System is overcome by too great a plenitude of the Vessels, the effect will be nearly the same in both cases, and the Artery will act weakly on the touch.

The degree of strength will be better known by attending to the more obvious Signs of Strength or Weakness, and by regarding the slowness or frequency of the Pulse; for, in proportion as the bodily
Strength

Strength is exhausted, it increases in frequency, and on the contrary, when the Strength remains unimpaired, the number of Pulsations are proportionably less, but being both more full and strong, the circulation is then more uniformly carried on than when the Artery beats quicker; for the free and equal distribution of the blood through its vessels, does not depend upon the frequency of the Heart's contraction, but on the degree of Strength and energy with which it acts at each Pulsation.

But the most secure way of proceeding in doubtful cases, will be to feel the Pulse during the time that blood is flowing from the Vein;—if the strokes become more strong, ample and free, the quantity to be taken away may be increased; but on the contrary, if it sinks and loses its equality, the bleeding orifice should immediately be closed; at the same time taking care not to be imposed upon, by

116 PRACTICAL OBSERVATIONS

that Langour of the Pulse, which may be brought on from the compression of the Artery, by an overtightness of the Ligature round the Arm.

It was necessary to be the more particular on this head, as there is a great difference between Nature oppressed, and Nature exhausted ; and as the safety of the Patient principally depends upon making a true distinction between a real want of strength and that which is only apparent.

Without we are previously acquainted with the natural state of the Pulse, and its number of strokes in a minute, when the body is in Health, but little Information can be had when we are told that it beats a hundred and twenty, or any certain number of strokes in a minute, in the time of a Disease :—I have therefore, in the History of the cases which follow,

rather chosen to signify the degree of feverish heat, by the general terms of weak and strong, quick or slow, as applied to the Pulse, than by mentioning the precise number of its strokes in a minute.

From these preceding general Observations, the Indication of Cure is to be taken ;—hence it will follow, that *Bleeding* ought to be directed at the very onset of the Disease ;—secondly, that it will be necessary to diminish the violence and duration of the *Cold-Fit* ; thirdly, that the redundant, *corrupted Bile* is to be evacuated and corrected as soon as possible ; fourthly, that the *Diarrhæa*, when excessive, ought to be restrained by emollient, anodyne Clysters, and gentle Sudorificks, or even by Opiates and mild Astringents, when the Patient's strength begins to sink under the long-continued discharge ; and lastly, that where the Signs of *Putrefaction* or *Intermission* appear, that Antiseptics

tics and the *Peruvian Bark* may be administered.

The choice of Remedies is often a matter of great difficulty, even to those most conversant with the nature of Diseases; and after that is determined, 'tis not so much the Medicine itself, as the application of it which renders it truly salutary; for as things derive their value from their proper use, so efficacious Medicines injudiciously administered, like blessings perverted, are of all others, the *most dangerous*; since whatever is powerfully good when properly given, will become as powerfully bad if misapplied.

As it is of great use to discover by a fair trial, what Medicines are principally to be depended upon in the cure of particular Diseases, so it would be highly servicable if those in Practice, conscious of their own upright intention, would also

venture, candidly to point out such Methods and Medicines, as they had found either *useless* or *prejudicial*.

In general, I think too much is attempted by Medicines; and as their proper application requires much skill, so it ought no less to be deemed true medical knowledge to determine when it is better to stand still and watch the operations of Nature, rather than to proceed in the dark, and to run the risk of thwarting her salutary endeavours:—By such means some Diseases either become tedious in the cure, if happily they are cured at all, which, in a manner left to themselves, or treated by simple Remedies, would perhaps be terminated more favorably; especially where the habit of Body is good, the Viscera sound, and the natural secretions neither greatly defective nor perverted,

Nothing

Nothing can be more blamable than that precipitate and desultory method of flying from one Medicine to another, at the appearance of every new Symptom, and that too, without waiting a sufficient time to observe the effect of any ;—it is indeed prescribing for the *Symptoms only*, instead of the Cause of the Disease from which they spring, and is not acting more rationally than he who should attempt to clear his garden of weeds by plucking off their leaves.

In regard to the loss of blood, the quantity to be taken away is not so much to be determined by its appearance, as by the degree of Pain, Fever, and difficulty of breathing ; for its *scizieness* is not uncommon in *pregnant Women*, even in a state of health ; and in Diseases of the inflammatory kind, it seems to be the Consequence, and not the Cause of the Inflammation, for the
first-

first-drawn blood is seldom ever so fizy as that taken away after the continuance of the Fever.

When the Patient is young and plethoric, the Pulse full, the Thirst great, the Skin dry, and the Urine high coloured; she may lose eight or ten ounces of Blood, in the beginning, with great safety and advantage, and a smaller quantity may afterwards be repeatedly taken away, in proportion to the violence of the Symptoms.

Large draughts of warm Tea, or any other diluting Liquor may then be given, and afterwards, Bladders half full of hot Water may be wrapped in Flannels and applied to the soles of the Feet,—the Axillæ and Sides, in order to lessen the violence of the cold-fit and to keep up the Circulation in the Extremities and Surface of the Body, where it is the most languid.—One would have imagined

Q

that

that the *warm Bath* bid fairer to answer this intention than any thing else, as it acts as a universal Fomentation applied to the surface of the body; and the rather since it has been found to procure almost instant ease in other Disorders of the Bowels; but to the confusion of all Theory, in those cases where it was tried, it did not answer my expectation, and by what I could learn, succeeded no better with others, for the greatest part of those died for whom it was directed:—This however might probably be owing to the want of Bleeding, which was generally neglected in the beginning, or because, like that, it was made use of too late, viz. after the *formation* of *Matter* in the Abdomen.

Upon the whole, the warm Bath, by first acting as a Resolvent, from an absorption of the aqueous Particles into the blood,
will

will sooth the Nerves, relax the Skin and enlarge the Pores, and therefore, will tend to promote a free Perspiration, without heating the body; and as I am still inclined to think favorably of it, when seasonably applied, could wish to recommend it as a Remedy which deserves a further trial.

When the Bath is thought necessary, a bathing Tub near two parts full of warm water, may be placed by the Patient's Bed-side, into which she may be gently lifted, and suffered to remain for ten, fifteen Minutes, or longer if she does not grow faint:— When she is taken out, a clean, warm sheet may instantly be applied all over her body, to sponge up the moisture, after which, a loose Flannel Gown, long enough to come down to her Feet, may be put on warm next the skin, and draughts of any thin diluting fluid may then be given in Bed, to promote a free perspiration.

124 PRACTICAL OBSERVATIONS

The Bath should only be of a temperate degree of heat, otherwise, instead of relaxing, it will crisp the fibres of the Skin and defeat the very purposes for which it was intended.

To evacuate the offending Bile from the Stomach, nothing proved more effectual than the following *Emetic*.

R. Tart. emet. gr. iiss
Aq. alex. simp. ℥iss
Oxymel. Scillit. ℥iiss misce.

It acted much sooner than the *Ipecacoanha*, and did not bring on such intolerable and long-continued sickness after its first operation; which perhaps might be owing to a more perfect solution of the Antimony by the acidity of the Oxymel:—It also seems to possess a febrifuge quality, and disposes the Patient to sweat; but this might probably be owing to what is common with other Emetics, which produce such an effect by agitating the body.

When

When the Nausea and sickness at the Stomach are violent, the Vomit should be weaker, but if it is scarcely affected, that may be wholly omitted, and a *gentle Laxative* given after Bleeding, which, by cooling the body, and procuring a free discharge for the Bile, will prevent it from regurgitating into the Stomach.

Bleeding ought always to precede the Emetic for the reasons already given, and also because the abdominal Viscera will suffer less from the efforts of Vomiting when the Vessels are most empty.

After the greatest part of the Bile has been rejected, either by a spontaneous Vomiting or the emetic Draught, the Putrescence, or rancid Acrimony of what remains, should also be corrected:—The acrescent vegetable Juices seemed the most likely

likely to answer this intention, as those of Oranges, Lemons, &c. I therefore, at first directed them, in large Draughts of weak Tea, or Barly-Water; but such was the tenderness and irritability of the Intestines, that, by the continuance of this Method, the Patient would soon have been purged to death, and consequently they were immediately laid aside:—We also tried the *Saline Mixture*, where the Acid was exactly nutralized, and which, on many accounts, promised fair for a useful Medicine, but that also proved so purgative, that it could seldom be safely continued, without the addition of the *Sperm. Ceti* and *Gum Arab.* which rendered it more soft and friendly to the Stomach and Bowels; tho' this alteration was not always sufficient to remedy the inconvenience complained of.

The

The following Draught, which is purposely directed in a smaller quantity than usual, may be given every four or five hours, or at any time as occasion may require.

R Sperm. Ceti

Mucilag. Gum Arab. aa ʒss benè
tritis & subactis, sensim adde
Succ. Limon. ʒss, cum quantitate
sufficient. Sal. Absinth. saturat.

Aq. Cinnamom. Simp. ʒi

Syr. balsamic. ʒi, misce.

The saline Mixture given in a state of Effervescence, has sometimes been known to stop the most violent bilious Vomitings, where every thing else had been tried in vain.

The frothing or conflict, which arises on mixing the Acid and Alkali, seems more properly Ebullition than Fermentation ; yet, there is reason to believe that the effect of this Medicine given as above,

is

is produced by something similar to what the Chymists call *Gas Sylvestre*, or the Effluvia which escapes from fermenting Liquors, and which will sweeten and restore flesh that was become putrid and stinking.

So powerfully antiseptic is this *subtile Gas*, that we are told, the Plague at *Marseilles* was stopped by its influence; for that dreadful calamity suddenly ceased soon after the *Vintage*, and this was supposed to happen by means of the Vapours arising from the vast quantities of *fermenting new Wines* made there, altho' the conjecture seems somewhat improbable.

Where this Fever arises from the violent passions of the Mind, and attacks a Patient of a plethoric habit, attended with a *Delirium*, an Emetic would be very improper: Half an ounce of Lemon Juice, in a Tea-cup-full of Water, may therefore, for once, be given, upon which, a scruple or more of the Sal Absinth. dissolved in
the

the same quantity, may be drank immediately after, so as to produce an Effervescence in the Stomach, from which none of the subtile Effluvia can escape, and therefore, it will still more effectually answer the intention of correcting the corrupted Bile, especially if the alkaline Salt is allowed to predominate; for the process of sweetening and purifying *rancid Train Oil*, depends chiefly upon its antiseptic principle.

This Mixture will also evacuate gently by stool, which will be the more necessary, where no Emetic has previously been given.

Those who direct Medicines in this Disease, are extremely divided in their opinions concerning the Diarrhœa;—being in doubt whether it is *critical* or *symptomatic*: An Evacuation happening so early as to usher in the Disease, cannot properly

R

be

be considered otherwise than Symptomatic, as I have already endeavoured to shew; but wherever the Case appears perplexing, the best and surest way will be to keep a watchful eye on the Patient;—if she is much relieved by the appearance of this, or any other Discharge, it never ought suddenly to be suppressed; but on the contrary, if the Symptoms either continue without mitigation or are aggravated, and above all, if her Strength begins hourly to sink and decline, such an Evacuation should speedily be restrained or totally taken away, if it is in the power of Medicine to do it; without losing time in making distinctions which are more nice than useful:—But however simple and obvious this method may appear, it has not always been sufficiently attended to.

When the Diarrhœa is *truely critical*, which is seldom the case, it commences
later;

later ;—the Stools are more consistent, and of a yellowish hue,—the Belly is soft,—the Appetite and Sleep remain, and the Patient is much relieved :—On the contrary, in the Symptomatic Diarrhœa, the Stools are more black and slimy, at last becoming watery, and sometimes of a dark Olive-colour, or like that of rusty Iron ; the Thirst and Fever continue, and the Belly is tense and painful.

But altho' the Diarrhœa is not strictly critical, yet it manifestly affords relief in the early state of the Disease, and therefore, ought not to be stopped by *Opiates* or *Astringents*, which are highly injurious, especially in strong, plethoric habits, where Bleeding has been neglected : By constipating the Bowels, they will concentrate the Sordes collected there ; and if the Purging does not return, great oppression at the Stomach will follow, with an increase of the Thirst,

132 PRACTICAL OBSERVATIONS

Sickness and Nausea :—In short, whenever these Medicines are thus unseasonably administered, they will always be attended with the worst of consequences, and an aggravation of all the feverish Symptoms.

On the contrary, when the Body is kept laxative, the Intestines are unloaded of their putrid contents,—the Sickness and Oppression are relieved, and the Fever considerably abated.

Emollient Clysters prepared from fresh animal substances, should next be frequently administered, and the longer they remain with the Patient, so much the better, as they will then more effectually cherish the Bowels by their gentle warmth and relaxing vapour, and act as an internal Fomentation to the whole abdominal Viscera :—Besides, by being absorbed, they will dilute the Blood and become powerfully resolvent.

Seven

Seven or eight Ounces of Chicken or Beef Water, or a weak decoction of Chicken Guts, without Salt or any other addition will answer the purpose extremely well; but all such Clysters should only be given milk-warm, and in a small quantity, otherwise they will distend the Intestines, and by creating pain, will soon be forced away.

Whenever the Bowels are affected with pain, *Opiates*, after Evacuations, are best given in Clysters; being then immediately applied as it were to the naked Nerves of the affected part;—hence they diminish the irritability of the Intestines,—relieve the Pain, procure Sleep and are less liable to affect the Head, than when given by the Mouth:—Thus, gr. xxx of the *Tinct. Thebaic* may be added, as occasion may require.

Clysters of the Cathartic kind, are also necessary before the use of Purgatives,
when

134 PRACTICAL OBSERVATIONS

when the Patient has been long costive ; for where the last have been given and do not readily pass, the most severe gripings and tormina will be brought on.

Some are so timorous, that they will not venture to give *Laxatives* 'till the fourth or fifth day after Delivery, lest they should check the *lochial Discharge*, or bring on a dangerous purging ;—but these are unnecessary cautions, for I never knew the *Lochia* interrupted, nor any *Diarrhœa* brought on by their seasonable and proper use ; but on the contrary, the last will often suddenly happen, where the Body is suffered to remain too long costive, in consequence of the Intestines being over-distended with the indurated Fœces, which create Pain and stimulate them to expell their contents.

The Head-ach,—a Delirium, or Fever, are sometimes brought on by omitting the use of *Laxatives*, which may be given with
safety

safety at any time, but are indispensably necessary about the second or third day after Delivery; especially in strong Habits, where the Patient does not intend to suckle her Child:—In short, the more the Body is kept cool and temperate, by a *solutive Regimen*, the better chance she will have to avoid a Fever, and the more regularly will all the natural Secretions and Excretions be carried on.

The following laxative Mixture, which is extremely gentle and pleasant, may be directed in the quantity of two spoonfuls, or more, every two or three hours, till it produces an effect.

R.

Ol. Rucini, cum Vitel. Ovi solut., ʒi

Magnes. alb. ʒii

Mann. calab. ʒiii

Aq. Hyssop. ʒviii fiat Mistura.

As soon as the Stomach and Bowels are sufficiently emptied, the following *Antimonial*

136 PRACTICAL OBSERVATIONS

timonial Powder may immediately be administered ; but sometimes it proves violently irritating, even in very small quantities, and will produce a dangerous superpurgation if not managed with the greatest caution:—If this should happen, five drops of *Thebaic Tincture* may be occasionally added to each dose of the Julep in which it is to be given.

R.

Tart. emet. griss

Magnes alb. ʒi

accuratè contere & fiat pulv. in sex portiones dividendus, quarum sumat unam 4^{ta}. quaq. horâ, vel subindè pro re natâ, cum Cyath. Julep. sequentis.

R.

Aq. Cin. simp.

Menth. v. simp. aa ʒiv

Syr. Croci ʒiii misce & fiat Julepum.

When the first or second dose of the Powders, produces no sensible effect, it may
and

be given oftener, and in a larger quantity ; and if they at last bring on a gentle perspiration all over the Body, with a warmth of the Extremities and an abatement of the Thirst, they generally afford relief ;—but should then be given by longer intervals, lest they should weaken the Patient too much ;—however upon the whole, I know nothing better than *emetic Tartar* in very small doses ; with the addition of an *Opiate*, if necessary, especially after Evacuations, for it not only seems to combat the Fever, but much more safely and effectually restrains the Diarrhœa than Astringents, by promoting Perspiration and exciting a Nausea at the Stomach, which in some measure, inverts the excessive peristaltic motion of the Intestines, and prevents their frequent discharge. When the Patient was much reduced by a return of the evening Paroxysm, with wandering Pains, dejection of Spirits, and

a torpor and coldness of the Extremities ; the third part of a grain of this Medicine, given about an hour before its approach, afforded sensible relief.

The Perspiration may be moderately encouraged by plentiful dilution with weak Tea, or if the Purging is violent, with Rice-water, which generally agreed better with the Patient than any thing else :—But the Sweats excited by a heating Regimen, which stimulates the Solids and increases their action on the Blood, are highly prejudicial, and often destructive to the Patient ; as well as those brought on by an immoderate quantity of Bed-cloaths, or keeping the Room too hot and close :—For, if those in perfect health soon grow faint and languid, when deprived of cool, pure Air ; the same effect in a much greater degree, will necessarily happen in the Body, when weakened and oppressed by the force of a Disease.

When-

Whenever the Weather is intemperately hot, the fresh Air should therefore always be allowed to breathe in at that part of the Bed-chamber most distant from the Patient, which will gradually diffuse itself around, and revive her exceedingly, without the least danger of catching Cold.

When the Bowels are stripped of their Mucus, they become so exceedingly tender, and the Stools are so frequent, that she will soon sink under the Discharge, if Medicines of the irritating kind are continued :—The Rice-water, used for common drink, may now be given with the addition of *Gum Arabic*, in the proportion of half an ounce to a pint; and where the Pulse is feeble and the Patient much exhausted, a common spoonful of Brandy may be occasionally added to that quantity rather than Wine, which is apt to turn sour on the Stomach and to occasion

pinchings in the Bowels, with an increase of the Diarrhœa.

Nourishment that is light and very simple, should now be given often and in small quantities :—Beef or Chicken-water, poured from the dregs, after the fat has been taken off the surface, and gently boiled with ground Rice, and the addition of a stick of Cinnamon, was found to agree with the Stomach, and is also extremely soft and friendly to the Bowels, as it will supply them with artificial Mucus and nourish the Body at the same time.

Whenever the strength is evidently perceived to sink under the excess of the Diarrhœa, three Grains of the *Pil. e Styrace*, or the following Bolus may be given at discretion, with a spoonful of simple Cinnamon water, or a very small quantity of any other grateful fluid; for, in such cases, Medicines in a solid form, are
the

the longest retained, and therefore, the most eligible.

R.

Pulv. e Bolo comp. cum Opio ʒi

Syr. e Cort. Aurant. q s. ut fiat Bolus.

Should the discharge notwithstanding, continue obstinate, with severe pains in the Bowels; Clysters, prepared with Jelly of Starch and the Yolks of Eggs, in equal proportions, and dissolved in a sufficient quantity of Rice-water, with the addition of thirty or forty drops of *Thebaic Tincture*, may be administered by intervals, as occasion may require, and will often procure immediate ease.

The progress of this Disease is often so rapid, that there is not sufficient time to wait for a regular or distinct Intermission, as in other Fevers, and therefore, if the Bark is given at all, that must be done at the most favourable opportunity.

It

It was observed, that this Disease becomes a true *Febris purulenta* in its decline, from the absorption of the corrupted fluids stagnating in the cavity of the Abdomen, altho it was strictly Inflammatory in the beginning :—It therefore appears, that the *putrefaction* at this time existing in the Habit, like the Siziness of the Blood,—the bilious Vomiting and Diarrhœa, is the Consequence and not the Cause of this Fever.

Indeed, there is reason to believe that very few Diseases are putrid in the beginning, and that all, or most of them, have a tendency to become so towards their conclusion.

Here it were to be wished, that the efficacy of that sovereign Remedy, the *Peruvian Bark*, might secure the Patient from danger ; but both reason and experience, as well as the very nature of the Disease

Disease itself, in a manner exclude all hopes of relief; for, altho' its liberal use might possibly be sufficient to destroy the putrefactive tendency begun in the Body, by the absorption of the corrupted fluids; yet the large quantity still remaining in the cavity of the Abdomen, from which it cannot be evacuated, must necessarily prove destructive:—However, as we cannot always be certain when Matter is formed, all possible means should be tried, and it ought to be given at all events.

It has been feared, that the use of this Medicine might suppress the *Lochia*; but I am assured from repeated experience, that it may be given to Women after Delivery, with great safety whenever it is necessary; for, I never could observe that it produced any bad effect, or diminished that discharge; on the contrary, it often altered its quality for the better, and also rather seemed to
in-

144 PRACTICAL OBSERVATIONS

increase its quantity, especially in Women who were weak and delicate.

Sometimes the Bark increased the Purg-
ing, and even brought it on again after it
had ceased;—in such cases, it was neces-
sary to join five Grains of the pulv. e Bolo
comp. cum Opio, with each of the fol-
lowing Draughts.

R.

Cort. Peruvian. pulv. ℥i

Aq. font. lbii leni igne coq, ad demid.
& sub finem adjice

Fol. Rosar. rub. sicc. ℥ii—cola.

R.

Hujus colat. ℥iss

Extract. peruv. Cort. moll. ℥i

Aq. Cinn. spt. ℥iii

Confect. Alkerm. ℥i. fiat haustus alternis
horis exhibendus.

When the first Draught was found to
purge too much, I sometimes directed
the following.

R.

R.

Cort. Peruv. \mathfrak{z} i

Granat. \mathfrak{z} iii

Aq lbii ad demid. coq. & cola.

R.

Colat. \mathfrak{z} iss

Tinct. Cinn. \mathfrak{z} ii

—— Thebaic gtt. x.

Confect. Alkerm. \mathfrak{z} i f. haustus.

Blisters have seldom been applied in the cases of Lying-in Women, on account of their severity, especially from the fear of that tormenting disorder the *Stranguary*; but if, as many imagine, they produce their good effects by their powerful Stimulus, and by raising an Inflammation on the Skin, rather than by the Discharge they occasion; the application of *Sinapisms* will then effectually answer the purpose, without any danger of that complaint, and therefore, will deserve the preference to *Blisters* prepared with *Cantharides*; tho'

146 PRACTICAL OBSERVATIONS

I have not yet seen them sufficiently tried to recommend them from my own experience.

Tho' we are told, that Blisters are improper and injurious, 'till the fullness and frequency of the Pulse subsides; yet I would wish it ever to be remembered, that, whether we endeavour to relieve the Patient by this or any other means, it must be *early*, or it will not be at all; and therefore, after Bleeding and Evacuations, as soon as that alarming Symptom appears, which denotes an *Inflammation* of the *Omentum*, viz. Pain darting downwards from the Stomach to the Navel, it will be advisable immediately to apply either a Blister or a Sinapism, to one or both Sides.

This Practice, I think, will be sufficiently justified by the great relief they afford in fixed pleuritic Pains, or wherever there is local Inflammation.

Volatile

Volatile Liniments and penetrating *Topics* have also been found servicable, and therefore may be tried, particularly where the use of *Blisters* appears exceptionable or improper.

These are the best reasons that I am able to assign for the expediency of the Remedies pointed out in the *Child-bed Fever*; but I did not venture to trust to them from Theory only, nor expected that others should do so, 'till Observation and Experience had convinced me of their good effects; particularly, *early and copious Bleeding* and the *Antiphlogistic Method*, which I am therefore desirous to recommend, in preference to every thing which I have hitherto seen tried in the cure of that fatal Disease,

S E C T I O N III.

Of the Prophylactic Method, or Means contributing to prevent the Disease.

THE Child-bed Fever, when produced by a distemperature of the Air, like the epidemical Dysentery, or ulcerous Sore-Throat, may at last become infectious; but when it only arises from such accidental Causes as have already been enumerated, and which are confined to particular Habits and Constitutions, it will then end where it began, and never communicate itself to a second Person.

'Tis probable, that many Diseases which are foreseen, might either be prevented or rendered less dangerous in their event, by what is called the *prophylactic Method*,—a branch of Physic not hitherto sufficiently cultivated.

Sydenham

Sydenham supposes, that of those Women who fail in Child-bed, scarcely one in ten of them die for want of strength, or by what they have endured in Labour; but in consequence of rising too soon from bed; and therefore, would not have them taken up at least 'till the tenth day after Delivery :—There is so much reason in this observation that it ought to be duly regarded; but I think it may be said with truth, that the proportion of those dying of the Child-bed Fever, compared to the number who die from dangerous or difficult Labours, is at least double of that mentioned by *Dr. Sydenham*.

It is sometimes easier to avoid the approach of an evil than to find a Remedy for it when present, and every attempt towards it will be more or less necessary in proportion to the danger of the evil itself;—now since it appears that the Child-bed Fever, in the epidemical season

son is frequently fatal; it would be a most desirable circumstance, and a thing of real importance, if means could be devised to secure Women from its influence.

I should be inclined to hope that this is possible, at least in a certain degree, and the rather from what has been judiciously and experimentally laid down on the subject of *Fevers* and *Infection* by *Dr. Lind*; or, altho' the Disease should appear, the Symptoms would probably be milder and the event more favorable, as in cases of the *Small Pox* after due preparation.

It has been observed that the more the Body is endowed with an exquisite degree of sensibility, the more it becomes disposed to receive Infection :—Would it not therefore, be rational and expedient when this Disease is most frequent and fatal, to administer such Medicines, *a few days before and after Delivery*, as have been known to strengthen

strengthen the Constitution and to diminish the sensibility and irritability of the Habit? If so, nothing would so powerfully contribute to this end, as the liberal use of the *Peruvian Bark*, together with the Chalybeate Waters, particularly those of *Pyrmont* or *Spa*.—Where the Nervous System is extremely irritable, and thrown into disorder from slight, accidental Causes, the prudent use of *Opium* will also be attended with great advantage; as it will restore rest to the Body and tranquility to the Mind, by dispossessing it of those disquieting ideas which disturb and pervert the natural Secretions, and tend to excite a Fever:—It has been supposed, that this Medicine will suspend the bodily powers, and render nature torpid and sluggish in shaking off Diseases; but it appears too hasty a conjecture, for in Women of hysterical habits, who frequently suffer much from agitation of Mind, and where the

Pulse

152 PRACTICAL OBSERVATIONS

Pulse from thence becomes quick, weak and tremulous, there is not perhaps to be found, a more sovereign and effectual cordial in the whole *Materia Medica*.

It will also be necessary to caution the Patient against all such adventitious Causes as have been known either singly to produce this Fever, or to add to the influence of the Air in bringing it on ;—such as sudden terror or long-continued distress of Mind,—rising too soon from Bed after Delivery, Errors in Diet, or cold Air admitted to the Body in a full stream.—Her food should be simple, easy of digestion, and chiefly of the vegetable acescent kind ; her drink may be Wine and Water acidulated with Orange-juice, or any of the grateful Acids.—She should use gentle Exercise, and breathe a free open Air, guarding against all sudden changes from one extreme to another : The Bed-chamber after Delivery, should
be

be cool, and neither incommoded with much noise or a strong light ;—in a word, the Body should be kept still and quiet, and every thing should be carefully avoided which disagreeably engages the attention of the Mind.

How far some of those Rules and Cautions might be conducive to the preservation of Women, if duly regarded *before Delivery*, I cannot from Experience determine, as the Patients at the *Westminster Hospital* were always received in actual Labour ; and considering how much people in general are swayed by opinion and vulgar prejudice, I did not chuse to urge this matter too far in private practice, lest by its novelty, it should carry with it the appearance of an Experiment, to which, those of weak understandings are always averse, however safe and rational it might be in itself, or however useful it might prove in the conclusion.

The pernicious custom of binding the Body too tight, is also to be avoided, as it will produce difficulty of breathing, Head-ach and oppression at the Stomach.

Particular Odors will likewise occasion very bad effects, and have an inconceivable power on some particular Women of a delicate, hysterical habit; being sometimes known to bring on sickness at the Stomach, a Dilirium and Faintings.

I think it will be advisable for the Patient to suckle her Child, at least for the first three Weeks or a Month, altho' the principal danger seems to be over before the end of a Fortnight;—for, notwithstanding what *Hippocrates* mentions concerning the Wife of *Philinus*, who was seized with a *Rigor* on the Fourteenth day after Delivery, followed with an obstruction of the *Lochia* and some Symptoms of this Fever, her case does not appear to have been truly similar to that
under

under consideration ; a Rigor being common to other Fevers as well as that peculiar to Child-bed Women*.

Nothing will so soon dispose Women to this Fever, as breathing a putrid, confined Air, especially if it be warm and moist, for these qualities will destroy its elastic power, and not only render it unfit for respiration, but also more apt to generate Diseases of the putrid kind.

Peu gives a very striking and self-evident proof of this circumstance, having observed, that in Hospitals where Women were delivered in the Wards among the wounded, a great many of them died; so as to occasion a suspicion of the skill or attention of those who delivered them†: The circumstance being attentively considered, it was discovered, that this uncommon mortality was owing to the *putrid Effluvia* continually exhaling from the

U 2

wounds

* *Hippocrat. de Morb. vulgar. lib. i. pag. 976.*

† *Peu la pratiq. des accouch. liv. ii. chap. i. pag. 268.*

wounds of the sick ; and as a confirmation of this conjecture, it was observed, that as the number of wounded Patients increased, so did this contagious Fever among the Child-bed Women, and vice versa.

This circumstance will suggest a very useful hint, which ought to be duly regarded by all those who have the direction and superintendency of Public *Lying-in Hospitals* :—The Wards should not be over-crowded with Beds, the better to avoid the danger of breathing Air that is rendered impure by a great number of People confined in a narrow space, and also the cries of Children and the noise of such Women as may be in Labour ;—the different Wards should not only be kept exceeding clean, but also ventilated by a stream of fresh Air passing through them, as they become empty by succession, and afterwards, sprinkled with Vinegar ;—a method which was constantly observed at
the

the *Westminster New Lying-in Hospital*, during the epidemical Season :—They may also be fumigated with the fragrant Gums, as those of *Myrrh*, and *Gum Copal*, with the addition of *Cascarilla Bark* ; but above all, the steams of boiling *Vinegar*, to which, *Lawendar Flowers* have been added, with a small quantity of *Camphire*, may frequently be taken into the Lungs, as the most grateful and effectual preservative that perhaps is to be found.

Lind observes, that the admission of the purest Air or the most perfect ventilation, is not always sufficient to abate the activity, or dislodge the *infectious Matter* from the place of its residence ; he therefore recommends the proper application of *Fire* and *Smoke*, as the most certain and effectual means of extinguishing the source of the contagion :—He also advises the burning of Wood Fires, as it has been experimentally found, that the Smoke of
burn-

burning Wood not only tends greatly to abate its violence, but also to preserve the uninfected from its malignant power.

He directs the Wards, or infected Chambers of the sick, to be closely shut up, and then to be fumigated with *Brimstone strewed on Charcoal Fires*; and further adds, that, except the *Plague* itself, no Infections more pestilential and mortal, have ever been known to prevail any where, than those in some Ships; yet he never heard of any Ship which did not immediately become healthy, after being thus carefully and properly fumigated*.

Next to the Smoke of burning Wood, especially that of *Spruce*, or the terebinthinate kind, he esteems the fumes of Gunpowder, for purifying a tainted Air.

The *Matrons* of such Hospitals should take care that the Nurses do their Duty, and fre-

* If we are not misinformed, some very late Accounts from Abroad assure us, that the *Plague* itself was prevented by methods of the like kind.

frequently supply the Patients with clean, well-aired Linen; otherwise, the warmth of the Weather in the Summer Season, added to the heat of the Body, will occasion a corruption of the Lochia, which will taint the Air, and not only render it offensive, but highly noxious.

During the first Week or ten days after Delivery, Women should wear half Shifts and Skirts, for the greater convenience of changing them with ease, as occasion may require.

In all *Public Hospitals* there ought to be particular Beds or Couches, for the sake of delicacy and neatness, as well as to keep the rest dry and clean:—These *delivery-Beds*, as they are called, being placed upon casters, may be brought close to another Bed prepared for the reception of the Patient, into which she may be gently conveyed, after resting a little to recover her strength and spirits from the fatigue

tigue of Labour :—This method will afford exceeding comfort and refreshment to a Woman after Delivery, and will also contribute greatly to her recovery, by removing her from the wet Linen, which would subject her to take cold.

The Mattresses and Bedding should often be inspected, and frequently exposed to the Sun and open Air ; and all foul Linen should immediately be removed out of the Wards, together with the putrid, bilious fluids, rejected by the Stomach or Bowels.

When the Patients at the *Hospital* were helpless, and unable to sit up in Bed to take refreshment ; they were supported by a kind of *half-chair*, made for that purpose, and placed behind the back, which will be found extremely useful on such occasions.

SECTION IV.

The History and Treatment of the Disease further illustrated by particular Cases, with Animadversions and Remarks on the whole.

THE Reader will see that the following Cases were not set down with any intention to shew how successfully they were treated, but rather as Examples of the dangerous tendency of the Disease, which was oftentimes such as neither Art or Nature had power to subdue:—I have paid no regard to the caution of omitting some of those where it was fatal, or of inserting others where the event was favorable;—in short, I have no where put a mask on the face of the Disease, or suppressed the mention of a single circumstance which I thought could prove of the least use in being known; but have, at all events, de-

X

scribed

scribed it as I found it in the *epidemic Season*, and as it will be found by others, under the like circumstances, viz. dangerous in its nature and difficult of cure.

From what has been advanced, it appears, that the human body is so constructed, as only to sustain violence to a certain degree; and therefore, if the force of a dangerous Disease is added to that indisposition brought upon the habit by Delivery, it is generally then much more fatal than at any other time;—so that certain Maladies which might have been separately endured, become destructive by their united power:—In the *Small Pox*, for instance, taken in the natural way, about one in seven or eight will probably die; but supposing those affected with it to be Women at the *point of Delivery*, scarcely one out of the whole number will be found to recover.

C A S E

C A S E I.

Elizabeth Waters, a young Woman of a strong, healthy habit, aged twenty-one, was delivered in the *Westminster New Lying-In Hospital*, April the 7th 1768. On the fourth day after, she complained of the Head-ach, which she said, was owing to her being disturbed by another Patient in Labour, who lay near her in the same Ward :—Her Pulse was tolerably good, and neither very full or frequent, but as her Head-ach continued till the next morning, eight ounces of Blood were then taken from the Arm, which afforded her much relief.—She had Milk in her Breasts, and the *Lochia* were discharged in due quantity, without any Pain or Tension of the Belly. Two days afterwards, the pain in her Head returned with violence, attended with Thirst and Fever, for which she lost seven ounces more Blood :—She took a laxative

Mixture, which had its proper effect, and afterwards the saline Draughts every four or five hours, from which she seemed better, but as the pain in her Head still continued, I directed *Leeches* to her Temples the next evening, which gave her ease.

She was apparently much better for a few days, her appetite being good, and her aspect chearful, but soon after relapsed and was seized with the most severe and excruciating pains, like those of the acute Rheumatism, in her Limbs and Body: She became quite helpless, and was not able to turn herself in Bed without assistance.

I attended this Patient with *Dr. Brickenden*, one of the Physicians of the Hospital:—We directed the antimonial Powders, which she took as occasion required, but without much relief, as the pains continued, with a slow, lingering Fever,

for

for seven or eight days ; and as they abated, were succeeded by a great number of bluish discolourations on the skin, which were terminated by Abscesses in different parts of the Body : As they advanced slowly and did not point with tension and redness, but were soft and of a pale livid hue ; we directed the *Bark*, with Wine and good Nourishment to quicken the circulation and assist nature in bringing them forwards, as they plainly appeared of the critical kind ; but notwithstanding they were constantly poulticed twice a day, not one of them came to suppuration so as to break, even at the end of six weeks from the beginning of her Disorder ; She was therefore removed to the *Westminster Hospital*, where the Abscesses, in number Eighteen, as I was informed, were opened, and after remaining some weeks there, she at last recovered, and being
cured

cured, and discharged, came and returned thanks at the *Lying-in Hospital*.

C A S E II.

Elizabeth Becket, Aged twenty-six, and of a healthy constitution, after a difficult Labour which lasted several hours, was delivered of a dead Child at the *Hospital*, February the 18th, 1769.

She was affected with the Head-ach, and sick at Stomach, from the day of Delivery, but did not Vomit.

February 19.—Her Pulse being frequent and somewhat full and strong, and the Head-ach violent, I directed eight ounces of Blood to be taken away; an emollient Clyster was then administered, and she afterwards took the saline Draughts, with Sperm. Ceti, every five or six hours.—Towards the evening she had four bilious stools, and appeared better.

20th.—Her Thirst was excessive,—her Tongue white and dry,—she perspired but little,

little, and had three Evacuations by stool; she diluted plentifully with weak Tea, and took her Medicines as before.

21st.—Slept but little, her Eyes were blood-shot and prominent, and her Head-ach not abated;—her Skin was dry, and her Pulse being stronger than usual in such cases, eight ounces more Blood were taken away.

22d.—She slept the preceding night, her Head-ach was greatly relieved, and all the febrile Symptoms manifestly abated; notwithstanding she remained weak and helpless, and had involuntary stools for a few days after, but as her strength increased, this inconvenience wore off, and in about a fortnight's time from the first attack, she perfectly recovered.

The *Milk* continued till the fifth day, and the *loebial Discharge*, did not seem altered from its natural state.

I would not here have it inferred that these two Patients recovered because bleeding was directed, but rather from their having this Fever, when the Season was not *epidemical*; for it is to be remarked, that the attack is not then so violent, and all the subsequent symptoms are less severe: sometimes there is little shivering in the beginning and the Diarrhœa and bilious Vomitings are either inconsiderable or do not appear at all;—the Pulse is neither so quick or weak, and the Disease, instead of being terminated about the tenth or eleventh day, is often protracted far beyond that period, from *acute* becoming *truly* *chronical*, and then seldom proving fatal.

Eliz. Burges, was the first Patient seized with the *Child-bed Fever* in the *epidemical* Season;—She was delivered on the 6th of *December*, 1769, and died about twelve days after; but the particulars of her case I cannot distinctly remember.

C A S E

C A S E II.

Juliana Thompson, aged twenty-one, and of a delicate habit, having received a stroke on the Belly, was suddenly seized with Labour, and delivered in a Chair as she was coming to the Hospital, *December* the 7th, 1769.

She continued pretty well for the two first days, but was rather languid and dejected in her spirits, having had a slight uterine Hæmorrhage from the time she received the hurt to that of her being delivered.

December 10.—was feverish and thirsty, and complained of great Pain in her Head;—there was no appearance of Milk, and the *Lochia* were discharged in their natural quantity.—She took lenitive Elect. with Oil of Almonds, which procured her two or three Evacuations;—the Thirst and Fever were abated, and her Head-ach was much better.

170 PRACTICAL OBSERVATIONS

11th.—Continued better, and was able to sit up in Bed.

12th.—Her Face was florid,—her Cheeks beset with a deep crimson colour, and her Pulse was quick and weak; the Tongue looked clean, tho' her Thirst was intense; she diluted plentifully with Tea and Barley-water;—the saline Mixture with Sperm. Ceti, was given occasionally, and a Clyster of Beef-water directed to be administered:—Towards the evening, a difficulty of breathing came on, with oppression at her Breast, and a pain in her left Side.

When I visited this Patient with *Dr. Ford*, we directed the *Tartar emetic* in the third part of a grain to be given every four or five hours, and a *Blister* to be applied to her Side;—the emollient Clyster was also repeated.

She had six or seven stools in the night, and the next day appeared easier, but was

lan-

languid and weak, and her Pulse continued very quick;—The Blister did not rise.

As there was Sediment in her Urine, with signs of a Remission, we thought it advisable to try the *Bark* in decoction; but it purged her immoderately, altho' the simple Cinnamon-water was added, and therefore was left off.

The next day she complained of Pains shooting downwards from her Stomach to the Navel, for which a volatile Liniment was applied, but as it did not procure her much relief, we directed the *warm Bath* the day following, in the manner already mentioned at p. 123. a long flannel Gown being next her Skin, she was afterwards put into a warm Bed, and supplied with Beef-tea and other warm fluids, in order to encourage a gentle perspiration.

172 PRACTICAL OBSERVATIONS

Bladders half filled with warm Water, and wrapped in Flannels, were applied to her Stomach and Sides, where she still complained of Pain and Oppression, and the emollient Clysters were also continued, with gtt. xxx of the *Thebaic Tincture*.

The next day, her Belly began to swell, tho' the Purging still continued; she had partial, faint Sweats on her Breast and Face, and was now extremely weak tho' perfectly sensible, but could take nothing except nourishment for several days before her death, which happened on the 25th of *December*;—being the fifteenth day from the time of the febrile attack.

Margaret Walker, another Patient in the same Ward, was delivered on the 11th of *December*, and sickened soon after the former:—They both lay ill at the same time, and laboured under Symptoms so exactly similar, that it would be unnecessary

fary

fary to fet down the particulars of this last Cafe :—She died on the 21st of the fame Month, nine days after being seized with the Difease.

C A S E IV.

Mrs. Y. a lady near the *Abbey* in *Westminster* ;—young, and of a ftrong and healthy habit ; after a Labour perfectly natural, was fuddenly attacked with a violent fhivering Fit, the third day after Delivery, being the 1st of *January*, 1770 :—She was alfo affected with a thrilling, uncommon Sensation, as if a cold, wet Sheet had been applied round her Body.

She complained of the Head-ach, and was fick at Stomach ;—during the excefs of the febrile heat, her Pulse beat a hundred and thirty times in a Minute, and was more full and ftrong than ufual in this Fever ;—her countenance was florid,
and

and much altered from its natural state, having an unusual stare with her Eyes.

Small portions of the *emetica Tartar*, viz. the fourth part of a grain, were given with the saline Mixture, every four hours : She diluted plentifully with Barley-water and Balm-tea, but did not perspire.

The second day after the attack, a violent bilious Purging came on ;—the antimonial Powders were then given by longer intervals,—the saline Mixture was discontinued, and emollient Clysters were directed :—She took Rice-water, and the white Decoction for common drink.

The Fever and Diarrhœa continued very violent for three or four days, her belly swelled, and she frequently complained of much pain at the bottom of her Stomach and towards the Navel: Sometimes there seemed to be obscure signs of a Remission in the morning, but towards the evening, the Fever again returned with violence.

As

As she apparently grew worse, and as I was, at this time, ill and unable to give her due attendance, I desired that Dr. *Hunter* might be called in, which was accordingly done.—He directed eight ounces of Blood to be taken away,—the Clysters to be repeated, and a Bladder, filled with scalded Bran, to be applied warm to the Umbelical Region.—The next day, I met Dr. *Hunter* and Dr. *Hugh Smith*: The saline Draughts, with $\mathfrak{z}\text{ss}$ of the *Confect. Damocratis*, were directed every six hours, and in other respects, much the same method was pursued as before.

When Dr. *Smith* visited the Patient with me the day following, we found her delirious, and therefore, instead of the *Confect. Damocratis*, $\mathfrak{z}\text{i}$ of the *Pulv. Contrayer. C.* was added to each saline Draught, which was ordered to be continued as before:—Four spoonfulls of the
Tincture

Tincture of Roses were given in the interval, and Clysters of Chicken-water were directed to be administered frequently.— The two following days I was prevented from seeing her; during which, she took Medicines of the warm cordial kind, but without Perspiration, or any abatement of the febrile Symptoms.

A few days before her death, she was delirious,—her Eyes were blood-shot and filled with involuntary Tears; at the same time, a *miliary Eruption* appeared very thick on her Breast and Body, and her Stools, which were frequent and very foetid, came away insensibly.

Leeches were then applied to her Temples, the Clysters were repeated, and her strength was supported by Nourishment and Wine, but all without a salutary effect; for on the twelfth of *January* she died; and several hours before her death became perfectly sensible.

The

The *Lochia* were discharged in due quantity, but there was no Secretion of *Milk*.

The marks of Putrefaction in this Patient before death, were very evident:—The smell of the room several days after she was buried being intolerably offensive, notwithstanding it had been thoroughly cleansed and fumigated with Frankincense.

Purgative Medicines, which are found so extremely beneficial in the secondary, putrid Fever after the Small Pox, cannot here be employed to advantage; because of the tenderness of the Bowels and the excessive loss of strength from the preceding Diarrhœa; so that the *Bark*, with *Opiates* and frequent nourishment, seem the most likely to afford relief, where that is in the power of Medicine; but unfortunately, the state of the Patient is gene-

178 PRACTICAL OBSERVATIONS

rally at this time such, for the reasons already given, as excludes all human assistance.

Where the stools are excessively putrid, it might be worth the while to try the effects of Fluids, which contain a large quantity of *fixed air*, given in Clysters; as they have been found powerfully to resist Putrefaction, agreeable to some late hints in *Dr. Priestly's* curious Tract on the Method of impregnating Water with fixed Air.

Elizabeth Tomkins, also died of this Fever, the 15th of *January*, 1770.

C A S E V.

Mary Evans, aged twenty-nine, was delivered *February* the 5th, 1770, without any uncommon circumstance attending her Labour, which was easy and natural.

Her Habit of Body was apparently good, but being crooked and narrow chested,

ched, she was subject to an habitual difficulty of Breathing.—She took an anodyne Draught, with Sperm. Ceti, and passed a good night after Delivery.

February the 6th.—Perspired gently, and was free from Pain and Fever.

7th.—At seven in the morning was attacked with a slight shivering Fit, which lasted about fifteen minutes, but was not succeeded by any violent degree of feverish heat;—she took the antimonial Powders every three or four hours, and fell into a gentle Perspiration, which seemed to relieve her;—an emollient Clyster was also directed.

8th.—Rested the preceding night, and continued tolerably easy;—she had one bilious stool in the morning,—was weak and languid, but free from Pain, and got some sleep.

9th.—At nine in the morning she had a shivering Fit, which was relieved by drink-

ing warm fluids and the application of hot Flannels to her Extremities and Sides;—in a few hours the cold Fit in a slight degree returned, and was succeeded by a Fever, and partial Sweats on her Breast and Temples;—she had some rest the former part of the night, but at two o’Clock was waked by violent *Gripings* and *Tormina* in the Bowels, followed by nine or ten bilious stools, after which she had ease.

10th.—About twelve at noon she was seized with a great difficulty of breathing, and in the time of Inspiration, was affected with intolerable acute Pain, which struck down from her Breast to her Navel, but there was no tension or pain in the Belly, nor any Symptom that could strictly be called Uterine, the *Lochia* being neither fœtid or deficient in quantity:—Her Pulse at the same time was quick, and unequal; but, considering her great difficulty of breathing, six ounces of
blood

blood were taken away, and the following Mixture was given occasionally ; a broth Clyster with gtt. xx of Thebaic Tincture, was also directed, and she took Rice-water or decoct. alb. for common drink.

R

Lact. Ammoniac. ℥vii

Sperm. Ceti solut. ℥ii

Elix. paregoric. ℥iii

fiat Mistura cujus sumat Cochlearia duo
subindè urgente dolore vel dyspnœâ.

After bleeding, her Pulse became somewhat stronger, and its strokes were more distinct and free ; the pain at the Navel and difficulty of breathing were a little abated, and she passed a tolerable good night with refreshing slumbers.

11th.—In the morning she was weak, but free from Pain or much Fever, and breathed with considerable ease ;—about three in the afternoon, she became fever-

ish

ish again,—and in the evening her Pulse was quick and almost imperceptibly weak, her Limbs were cold, and partial, clammy Sweats overspread her Face and Temples.

I directed two spoonfuls of the following Mixture to be given every two or three hours,

R

Spec. e Scord. cum Opio. ʒi

Aq. Cin. simp. ʒvi

—Nucis Moschat. ʒi

Syr. e Cort. aurant. ʒss fiat Mistura,

An anodyne Clyster was directed as before:—Her Extremities were kept warm with hot Flannels, and she passed a restless night, and was delirious by turns:—

At four in the morning, she had four black foetid stools, which were voided without Pain.—At seven, she was perfectly sensible, and so continued 'till the hour of ten, at which time she calmly expired, being
the

the fifth day from the attack of the Fever.

The *lochia* Discharge was natural, and she had Milk at the usual time, which left her soon after the febrile attack.

D I S S E C T I O N.

After making an Incision into the Abdomen, from the Navel to each anterior Angle of the Os Ilium, and turning down the muscular Flap over the Pubes ; about five ounces of *white, curd-like Pus* covered the surface of the Intestines ;—it did not run out when the abdominal cavity was laid open, not being so fluid as common Matter, but of a much thicker consistence : On further examination, I found that the greatest part of the *Omentum* was melted down, and formed this *purulent Concrete*, and that the small portion of it which remained, was much inflamed, and slightly adhered to the Intestines.—About a pint
and

and a half of a putrid Fluid, like Whey, was found in the cavity of the Pelvis, mixed with concreted Matter, and bits of black, grumous blood, which seemed to have escaped from the eroded vessels of the *Omentum*.

The *Uterus* was contracted to the size of a Swan's Egg, and shrunk down below the brim of the Pelvis:—On cutting into its cavity, small flaky pieces of the false Chorion were found adhering to its surface, but it did not contain any kind of Fluid; in short, this part, as well as the Bladder was perfectly sound, and without the least mark of Inflammation, or any other morbid affection.

The substance of the *Liver* was also found, but appeared pale, bloodless, and as if it had been par-boiled; and the Gall Bladder was full of blackish Bile.

The *Stomach* and *Intestines* were in their natural state;—the first contained about
half

half a pint of a watery blackish fluid, which smelled like rancid Bile, and in the last, was found twice that quantity of a dark green fluid, somewhat like that in the Stomach.

The *Spleen* was large, but sound.

The Sternum being raised, the Lungs appeared of a livid hue, but on cutting into their substance, neither Pus or Tubercles were found, nor any signs of Inflammation, only the left Lobe, at its posterior and superior part, slightly adhered to the Pleura.

The Veins on the Neck and Breast on the left Side, were enlarged to three times their natural diameter and were filled with Blood of a bluish colour.

When Respiration becomes extremely difficult and painful, in Diseases of the Thorax or Abdomen, especially those of the inflammatory kind, nothing affords such

A a speedy

speedy relief as bleeding ;—for if the Breath is drawn in with excessive pain, the Lungs cannot be sufficiently inflated, and therefore the blood will not be freely discharged from the Heart through the pulmonary Artery ;—hence great oppression and Anxiety at the Præcordia, which, if not speedily removed, may produce a mortal suffocation ; but when *Matter* is already unluckily formed, as in the preceding Case, it will then plainly appear, that the Patient is past the assistance of art, and that neither bleeding or any thing else could avail.

As this Disease is principally seated in the *Omentum*, and uniformly produces an Inflammation of that part (*Epiploitis*) I think it will strongly enforce the early loss of Blood, together with the immediate application of *Blisters* to the Sides, or even to the umbelical Region ; to prevent, if
pos-

possible, a morbid affection of the Viscera, which, when once begun, is generally found to be fatal in the conclusion.

C A S E VI.

Ann Hewatson, aged twenty-six, and of a delicate Habit, was delivered *February* the 5th, 1770.—Her case was somewhat laborious, and the birth of the Child was succeeded by a discharge of grumous blood from the Uterus:—The *Placenta* came away without any assistance, about an hour after Delivery:—She was easy in the Night, and had refreshing sleep.

6th.—Being inclined to sleep, took a *Sperm. Ceti Emulsion* without any *Opiate*;—perspired gently,—had a good night with natural rest, and waked free from Pain or Fever. The lochial Discharge was large in quantity and fœtid;—but the Belly was soft and without Pain.

7th.—Continued easy, and had a moderate secretion of Milk.

8th.—About ten in the morning, after a breakfast of Tea, without any evident cause, she was suddenly attacked with a *Rigor*, which shook her whole Body like an Ague-fit; the shivering lasted above half an hour, gradually becoming less and less intense from its onset.

She took the emetic Draught already mentioned, which operated mildly :—Towards the evening, the antimonial Powders were given by due intervals :— She was extremely feverish, thirsty, and restless at night, but was somewhat relieved by a free perspiration, which came on about twelve o'Clock.

9th.—Had four bilious, frothy stools, preceded by violent pains and gripings in the Bowels :—An emollient Clyster was injected.—Her Pulse was quick and weak, and the febrile Symptoms violent.—She had a very restless night, but only one Evacuation by stool, and without Pain.

10th.

10th.—In the morning had nine or ten blackish stools, mixed with Mucus, which were extremely offensive and attended with great pain:—Her Pulse was excessively quick,—she breathed laboriously, and as it were by jerks, and complained of great oppression across the Breast and Stomach, and of pain striking down under her Shoulder-blade, when she drew in her Breath:—Eight ounces of Blood were taken away, and a Starch Clyster with gtt. xxx of Tinct. Thebaic, was administered: She only now took Rice-water, with a small portion of Brandy in it, as every thing else purged her immoderately. Towards the evening, she seemed a little better,—her Pulse was not so frequent, and the pain and feverish Symptoms were somewhat abated.

11th.—Hot and restless, with faint Sweats on her Breast, Neck, and Face.—

The

190 PRACTICAL OBSERVATIONS

The emollient Clyster was repeated, without the Opiate; after which, notwithstanding, she had some sleep.

12.—The Clyster came away with a bilious stool,—she was manifestly much worse, her Pulse being very quick, and her Thirst intense;—she breathed laboriously, had a fixed crimson colour in her Cheeks, and was also much troubled with a Cough and viscid Phlegm, which she was unable to expectorate, but found relief by taking the following Mixture :

R

Sal. Absinth. ʒi

Succ. Limon. ʒiſs, peracta, effervescentiâ affund.

Aq. Hyſſop. ʒvi

Elix. paregoric ʒii

Syr. balsamic. ʒiii

Fiat Mistura cujus sumat Cochlearia duo subindé pro re natâ.

13th.

13th.—She was supported by a cordial Julep when faint, together with light nourishment, and Wine given by spoonfulls.

14th.—Breathed with great difficulty, her Pulse was very quick and weak,—She had partial Sweats on her Stomach, Breast, and Face, attended with a coldness of the Extremities, great langour, and all the Symptoms of approaching death:—She died about two in the morning,—being the eighth day after the attack.

At the time of the shivering Fit, which happened on the third day;—this Patient had plenty of Milk in her Breasts, which afterwards suddenly disappeared and was totally gone off in the evening, her Breasts being then loose and empty: The defect of Milk, is therefore the consequence of the morbid cause.

There is however one circumstance, which, altho' it seems to controvert this opinion, I cannot help mentioning, viz.
these

those who were seized with this Fever, were not subject to Abscesses of the Breasts; and of those who happened to have such Abscesses, I have never known one die; neither are they subject to a Diarrhœa, or much symptomatic Fever, altho' the pain attending a suppuration of the breast, is often very acute.

The putrid discharge of the *Lochia* in this case, appears merely accidental, and only owing to a corruption of the coagulated blood retained in the Uterus, from the Access of Air, like that which came away soon after Delivery.

Phæbe Hill, aged Nineteen, was also violently seized with this Fever on the eleventh of *February*, and contrary to my expectation, recovered, and was discharged in perfect health on the 3d of *March*.

She was blooded early and liberally, and treated much like the former Patient, but I did not take Minutes of her Case.

C A S E

C A S E VII.

Elizabeth Gardner, aged thirty-two, was delivered in the Hospital the 11th of *February*, 1770.—Her Labour was natural, and her habit of Body strong and healthy, altho' she had been troubled with a violent Cough for several weeks before delivery.

The 12th, her Pulse was full and frequent, attended with great Thirst, Sick-ness at the Stomach, and Pain in her Head and Bowels ;—she took the saline Mixture, with Sperm. Ceti, and an emollient Clyster was administered :—She also drank plentifully of weak Tea and Barley-water, but did not perspire, and passed the night without sleep.

13th.—I visited this Patient along with *Dr. Ford* :—Her Pulse being exceeding quick, and more full and strong than usual, attended with excessive Thirst,—a violent

B b

Head-

Head-ach and dry Skin ;—we directed ten ounces of Blood immediately to be taken away :—A lenitive Electuary was afterwards given, and also an emollient Clyster, which produced two or three lax stools :—She diluted plentifully, but did not perspire, and passed a restless night.

The secretion of *Milk* was moderate, and the *lochial Discharge* natural.

14th.—In the morning had some refreshing sleep, with a gentle perspiration ; her Thirst and Fever being somewhat abated : She had three Evacuations by stool, but still complained much of an intolerable shooting pain in her Head, especially at the time of coughing :—Eight ounces more blood were taken away, which was not near so fizy as that first drawn.

15th.—Much disturbed by her Cough in the night,—perspired but little, and had

no sleep, tho' her Head-ach was something better.

16th.—In the evening, her Pulse was extremely quick,—her Thirst immoderate, and all the febrile Symptoms increased: She was sick at Stomach, and had three bilious stools, with severe gripings in her Bowels:—The *antimonial Powders* were given every three or four hours;—about two hours after taking the second, she threw up a large quantity of viscid Phlegm, mixed with Bile, and in the night had eight or nine black stools, the last of which was very foetid, and mixed with blood and mucus.—She was delirious by turns, very restless, and had partial, faint Sweats on her Breast and Face.

The Vitel. Ovi, with mucilage of Starch, was dissolved in Rice-water, and injected as a Clyster; and she took the following Draught.

B b 2

R.

196 PRACTICAL OBSERVATIONS

R. Sperm. Ceti solut. ʒfs
Pulv. e Tragacanth. C. ʒi
Aq. Cin. Simp. ʒifs
Tinct. Thebaic gtt. xv.
Syr. e Mecon. ʒi fiat haustus.

17th.—Her Stomach and Bowels were much relieved,—she slept in the night and wak'd refreshed;—her Pulse was weak but equal, and she perspired moderately.

18th.—Better in all respects, but complained of great forenefs in the Bowels at the time of coughing:—She took the anodyne Draught at night, and the starch Clysters were continued with light nourishment.

19th.—She was weak, but continued easy,— her Pulse was regular, and she perspired gently.—Instead of Medicines, she now took Calf's-foot Jelly and nourishing Broth, to repair her strength.

20th.—Gained strength, and from this time, gradually continued to recover,
till

till the 9th of *March*, at which time she was discharged the Hospital in perfect health.

Ann Williams, who was delivered in the Hospital on the 14th of *February*, was seized with this Fever, and recovered under the like treatment.

Elizabeth Cousenitt, of a sickly, consumptive Habit, also had the Fever the 23d of *February*, and died the 3d of *March*:—There was no secretion of *Milk*, but the *lochial Discharge* was natural.—She was treated in the usual manner, but not bled.

C A S E VIII.

Ann Simms, aged twenty-two, and apparently healthy and strong, was delivered on *Tuesday* the 6th of *March*;—her Case was somewhat laborious, the Child's Head being large, and detained several hours within the bones of the Pelvis:—An emollient Clyster was directed in the evening,
and

198 PRACTICAL OBSERVATIONS

and she took an anodyne Draught:—She passed a restless night, and without the least perspiration.

7th.—Feverish and thirsty,—her Pulse quick and somewhat full, and her Skin dry.—She took the saline Mixture, and diluted plentifully with nitrous drink; a Clyster of Beef-water was also given in the evening:—She had a very indifferent night and but little rest.

8th.—Had some Sleep the preceding night and seemed a little better;—She had Milk in her Breasts, and being costive, complained of the head-ach:—a cathartic Clyster was administered in the evening, which procured two Evacuations, and her Head was easier.

9th and 10th.—Somewhat feverish, and restless, tho' free from pain.

11th.—continued very restless;—her Pulse was quick, her Tongue white and dry,

dry, and her Thirst intense, without any perspiration :—At night, she took a saline Draught, with ten grains of *Nitre* and gtt. xv of *Thebaic Tincture*, but had scarcely any rest.

12th and 13th.—The febrile symptoms continued, and tho' she diluted plentifully, her Skin remained parched and dry.—Six grains of *James's Powder* were then administered, which puked her twice, and afterwards procured her three stools :—At night I directed her another Powder and an emollient Clyster, with gtt. xxx of *Thebaic Tincture* :—She had some sleep in the night, but no free or equal perspiration.

14th.—In the morning apparently better, and disposed to sleep, but towards the evening was sick at Stomach, and threw up a large quantity of bitter, glairy fluid; in the night she was seized with severe pains in her Bowels, which were followed
by

200 PRACTICAL OBSERVATIONS

by seven or eight bilious stools, and afterwards she had some sleep.

15th.—Her Pulse was quick,—her Skin dry, and her hand tremulous;—her looks were wild and staring, and her cheeks beset with a deep red;—she breathed laboriously, and complained of great pain in her Side, and Belly towards the Navel:—At night she had six black watery stools; after which, an anodyne Draught and a Starch Clyster were directed:—She seemed relieved and slept for several hours.

16th.—The Pain in her Belly and Side was but little abated,—she was extremely hot and restless, and could not Sweat; I directed three spoonfuls of the following Mixture to be given, which produced no perspiration altho' she took it every two or three hours.

R

Sal. Volat. ammon. ʒi

Succ. Limon. recent. express. ʒiſs misce

Aq.

Aq. Alex. simp. ℥vi

Tinct. croci. ℥iii

Syr. ejusd. ℥ss fiat Mistura.

17th.—Much worse in all respects ;—the Pulse being exceedingly quick, and almost imperceptibly weak ;—cold, clammy Sweats overspread her Breast and Face, which was now pale and death-like, and about twelve at noon she expired.

The *Lochia* were discharged in their natural quantity, and she had *Milk* in her Breasts till within a day or two of her death.

D I S S E C T I O N.

When the Body was opened the next day in the evening ;—the inferior lateral portion of the *Omentum* was found much inflamed, its Vessels being turgid, and as it were injected with Blood, but the greater part of it was destroyed by a *suppuration* ; what remained, adhered to the small Intestines, and also slightly to each

C c

other,

other, where their convolutions came in contact.

The *Uterus* was contracted to the size of a large fist, and lay at the bottom of the Pelvis ;—the *Fundus Uteri* seemed to partake of that general Inflammation, which had apparently first affected the *Omentum*, and afterwards, superficially overspread the *Intestines*, the *Mesentery* and contiguous parts ;—but on cutting into its substance, it was perfectly firm and sound, altho' it had a livid appearance towards the Cervix and Os internum ; which was probably owing to the violence sustained by those parts in the time of Labour.

In the cavity of the Pelvis, was found above a pint of *Whey-coloured Fluid*, with three or four ounces of *thick Matter*, which did not uniformly mix with it, but floated in it like Curds in Whey, together with several bits of black, coagulated blood.

The

The *Liver* was found, but remarkably pale, and the Gall-bladder was turgid with a large quantity of *Olive-coloured Bile*,—in consistence, equal to that of Honey, and with difficulty, squeezed through the cystic duct.—The Stomach contained about half a pint of a black, oily liquor, resembling that which was voided by stool.

The contents of the *Thorax* were found, and without any morbid appearance, except a slight adhesion of the right lobe of the Lungs to the Pleura.

C A S E IX.

Ann Cook, aged twenty, and of a delicate habit,—after an easy Labour, was delivered in the Hospital the 13th of *March*, 1770.

The same evening she complained of sickness at her Stomach, with pain in her Bowels, and passed a restless night.

14th.—Continued sick at Stomach;—took the *antimonial emetic Draught*, and threw up a large quantity of a bilious roa-

py fluid from the Stomach, also had one lax stool; after which, a broth Clyster was injected with thirty drops of *Thebaic Tincture*.—She passed a tolerable night, perspired moderately, and had some refreshing sleep.

15th.—Free from pain in the Bowels, and had a good night's rest.

16th.—Sick at Stomach, and vomited a large quantity of poraceous fluid;—her Pulse was quick and her thirst excessive: She took the *antimonial Powders* every four or five hours, but perspired little and had a restless night.

17th.—In the morning complained of great sickness, and a burning heat at her Stomach, with a violent head-ach; and threw up near a Tea-cup-full of dark-green Liquor, which seemed to be almost *pure Bile*:—She had also five bilious stools.

At night she was suddenly seized with an acute pain in her Side, and great oppression

pression at her Breast ; being likewise almost suffocated with tough Phlegm, which she could not bring up:—Her Pulse was exceeding quick and somewhat weak, and her countenance ghastly ;—but as she breathed with vast difficulty, I directed seven ounces of blood to be taken away, and that she should draw in the steams of warm water into her Lungs at each Inspiration :—She afterwards took one of the antimonial Powders, which occasioned her to vomit twice, and gave her two stools.—She was exceeding weak, but breathed with a good deal more freedom and ease : An emollient anodyne Clyster was injected, and she was ordered a spoonfull or two of warm spiced Wine when faint.

18th.—In the morning she breathed with ease, and was free from the load at her Breast,—her Pulse beat regularly, but was extremely languid :—Bladders with hot Water wrapped in flannels, were applied]

206 PRACTICAL OBSERVATIONS

plied to the soles of her feet ;—she took light nourishment often, and now and then a spoonfull of spiced Wine.

19th.—She had refreshing slumbers the preceding night, and gained strength ;—nothing was now given but frequent nourishment

20th.—Continued better ;—directed the following Draught to be taken twice a day, which greatly increased her strength.

R. Decoct. Peruv. Cort. \mathfrak{z} iss

Aq. Cin. Spt. \mathfrak{z} iii

Spt. Lavend. c. gtt. xxx

Confect. Alkerm. \mathfrak{z} i fiat haustus.

In about a week's time she was much recovered, and went out of the Hospital the 2d of *April* in perfect health.

C A S E X.

Philadelphia Ford, aged twenty-eight, was delivered the 14th of *March*, 1770, and was well till the third day, when she complained of great pain in her
Head,

Head with lassitude and inability to turn in Bed :—She had a florid countenance, a brown dry crust on her Tongue, and an unquenchable Thirst :—Her appetite left her, and she had not Milk enough to give suck. — The Medicines usually administered on such occasions, had but little effect ; but all the febrile Symptoms were much relieved by the appearance of a red cutaneous swelling on the joint of her great Toe : — In a few days, another swelling of a livid colour appeared below her Hip ; they both were poulticed and fomented, but did not suppurate ; —the last threw off a black mortified slough, and discharged a sanious Ichor.—I directed her a Decoct. of the *Bark*, with *Tinct. Aromat.* and by allowing her Wine and good Nourishment, she recovered.

Ann Deuse, of a thin, weakly habit, died of this Fever, notwithstanding various
Reme-

Remedies were tried for her relief:—She had a natural Labour, and remained well for the first three days;—inadvertently she sat up on the fourth day, and found herself not well towards the evening:—On the fifth, she was seized with a *shivering Fit*; the next day complained of Pain in her Belly and Side, and on the 29th of *March* she died, being the sixth day after the attack.

She had Milk in her Breasts, and the *lochial Discharge* was natural.

Bleeding in this case, was not thought eligible. I have not known any Instance besides this, where the Disease proved fatal in so short a time, when it commenced so late after Delivery; being in general, then the most favorable.

The Body being opened, almost exactly the same morbid appearances presented as in the preceding Cases;—the *Omentum* was destroyed, and a large quantity

quantity of *Matter* and *purulent Serum*, collected in the *Abdomen*.—The *Intestines* were superficially inflamed, but the *Uterus* and all the other *Viscera* were perfectly sound.

Rebecca Day, of a healthy, robust habit, after a natural Delivery, was seized with the Head-ach and Sicknefs at her Stomach; two days after, ſhe had a *miliary Eruption* on her Breaf and Body, but without relief, for all the febrile Symptoms gradually increafed, and ſhe died the 25th of *April*, being the tenth day after Delivery.

The *lochia* *Discharge* was not defective, neither was there a want of *Milk*, till after the attack of the Fever.

The Body was opened, but as the appearance of the *affected parts* was much the ſame, and only differed in degree from thoſe already mentioned, a recital of the particulars would be unneceſſary.

C A S E XI.

Harriot Trueman, young and of a strong, healthy constitution, *May* the 2d, was delivered of a *monstrous Child*, which presented with the arm;—so that the Case was preternatural in a double sense.

As this Patient was of a plethoric Habit, and subject to a Cough, I directed seven ounces of blood to be taken away, before I attempted the Delivery, to prevent in some measure, the danger of Inflammation, which might arise from the violence applied in turning the Child.

After delivery, an emollient Clyster was directed, and a saline Mixture with *Sperm. Ceti* and *Syr. e Mecon.* of which, she was to take three spoonfulls every four or five hours, as occasion required:—She was free from Pain and had a good night.

3d.—Perspired gently,—continued free from pain and Fever,—her Cough less violent, and she passed her Water with ease;—
the

the Mixture was continued, and a Clyster as before, given in the evening :—She remained easy during the night, and rested well.

4th. — Continued perfectly easy, and passed a good night :—The *lochial Discharge* was natural, and she had no pain in the region of the Uterus.

5th. — About three in the afternoon, she was seized with a difficulty of breathing, with tightness and oppression across her Breast and Stomach :—Seven ounces of blood were immediately taken away, which was exceedingly fizy.—The strokes of her Pulse were weak, quick, and indistinct after bleeding; but soon became less frequent, and more ample and strong ;—she found herself much relieved, and could then breathe with freedom ;—was disposed to a gentle perspiration, and had refreshing slumbers in the night :—

The Mixture and emollient Clyster were repeated.

The secretion of *Milk* was moderate.

6th.—She continued easy,—had a natural Evacuation by stool, and slept by intervals.

7th.—At four in the morning, her difficulty of breathing and Cough returned; she was sick at Stomach,—vomited up a roapy, bilious fluid, and had five *black stools*.—Her Pulse was weak, frequent and intermitting;—her Breasts subsided, and the Milk suddenly disappeared.

I directed a Powder, with a third part of a grain of the *Tartar emetic*, and a scruple of the *Pulv. Contrayer. C.* to be repeated every four or five hours after, if the first had no sensible operation by Sweat or Vomiting and also an emollient Clyster.

She passed a restless night without perspiration,—her Belly began to swell,
and

and she had several involuntary bilious stools.

8th.—Her Respiration was frequent and laborious,—her Pulse quick and weak,—her Skin dry, and she complained much of pains in her Sides and across her Belly near the Navel, at the time of drawing in her Breath.

I directed Fomentations to her Belly and Sides,—the Powders to be repeated, and a starch Clyster to be injected in the evening, with gtt. xxx of the *Tinct. Thebaic.*

She took Rice-water with a small quantity of Brandy, for common drink, and a spoonfull of spiced Wine when faint.

The involuntary purging still continued violent, and she had no rest.

9th.—Complained of pains in her Breast and Belly,—her difficulty of breathing increased,—her Pulse was quick and almost imperceptably weak ;—she was delirious by turns, had cold, clammy Sweats on
her

her Neck and Face, and about four the next morning she expired.

D I S S E C T I O N.

When the Body was opened, the greatest part of the *Omentum* was suppurated, and converted into *thick Matter*; the remaining portion, being much inflamed, and slightly adhering to the folds of the *Intestines*.—The cavity of the *Pelvis* and *Abdomen*, contained about three pints of *putrid Serum*, together with clots of concreted Pus and small pieces of coagulated blood.

The *Uterus* was much contracted and shrunk down to the inferior part of the Pelvis;—its substance was found, tho' the Os Tincæ was somewhat livid, which appearance not being considered as morbid, has already been taken notice of.

Scarcely any marks of Inflammation appeared on the *Intestines* or *Mesentery*:

tery :—The *Liver* was apparently sound, and the *Gall-bladder* full of *yellow Bile*, which had pervaded its coats and dyed the contiguous parts of a Saffron-hue, but this I did not look upon as a morbid appearance.

The *Stomach* contained about a pint of a *blackish Fluid*, like that voided by stool, and which had the appearance of putrid Bile.

On raising the Sternum, two ounces or more of *Matter* was lodged upon *Mediastinum* ; and the *Thorax* contained a small quantity of the same kind of Whey-coloured fluid as that found in the Abdomen : The *Lungs* were apparently sound, only the left Lobe adhered slightly to the Pleura, at its posterior part.

The Extravasation of purulent Fluid in the Abdomen, by hindering the free play of the Diaphragm, will in some measure
account

account for the difficulty of breathing, particularly as the Lungs were still further oppressed by the same kind of fluid in the cavity of the Thorax.

As the blackish fluid found in the Stomach resembled putrid Bile, I mixed a small quantity of it with Vinegar, but could not perceive any effervescence, neither did the Vinegar change it green; but this perhaps might be owing to the natural properties of the Bile being altered by putrefaction.

Hippocrates in his Aphorisms, takes notice, that *black Excrements*, resembling black Blood, are to be looked upon as a bad Omen; and that *black Bile*, rejected either upwards or downwards at the beginning of a Disease, is a mortal Sign; which Observation is verified by repeated Experience in the advanced state of Diseases, as well as at their beginning*.

The

* *Hippocrat.* Aphorism. Sect. quart. Aphor. 21 et 22.

The colour of the Excrements passing through the Alimentary Tube, principally depends upon the quantity and quality of the *Bile* ;—thus, where there is a defect of it, the stools are pale and the Body costive; and on the contrary, when it abounds, they are yellow or greenish, and generally very frequent.

Black, foetid Stools, such as were observed towards the end of the *Child-bed Fever*, almost certainly denote an *internal Mortification*, and therefore, 'tis no wonder that they were so often followed by a fatal conclusion; but such a Mortification cannot affect the colour of the Excrements except by means of the Bile, which, after an Absorption of the corrupted Fluids into the Blood, will at last become putrid, black, and acrimonious.

There was something very singular in this Woman's Child, which was *monstrous*:

E e

It

218 PRACTICAL OBSERVATIONS

It had no Thumbs;—the parietal Bones were wanting, and not above two ounces of Brain was found in the cavity of the Skull:—The upper part of the Scalp adhered strongly to the internal surface of the *Placenta*, so that when the Child was extracted, this part was pulled along with it, tho' luckily, it was not attended with any degree of Flooding.

Elizabeth Pool,—young, and of a healthy constitution,—was delivered the 15th of *May*, and soon after affected with the Symptoms of this Fever, but in a degree less acute than usual:—Her Case was much like that of *Elizabeth Waters*, for tho' she laboured under a slow, lingering Fever for a long time, her appetite remained; but notwithstanding she was deprived of the use of her Limbs for several days, yet the severe pains of which she complained, were not, like those of the
for

former, followed by Abscesses in the muscular parts :—On the 16th of *June*, she was sufficiently recovered to go out of the Hospital.

About this time, as near as I can recollect, I was called to a Gentlewoman at *Clapham*, who was seized with this Fever; and notwithstanding she had been very properly treated by her *Apothecary*, and took every thing that could be devised for her safety, she died about the tenth day after the attack.

C A S E XII.

Mrs. P—, a lady in *Holborn*, aged twenty-eight, and of a delicate habit of Body, was delivered by her Midwife on *Saturday* morning, the 7th of *July*, 1770.

The birth was not attended with any dangerous or uncommon circumstance ;—she was easy after Delivery, and rested well at night.

8th.—Towards evening, complained of the Head-ach, but had several hours sleep the following night.

9th.—Waked in the morning with an *acute pain* in her right Side,—her head-ach was worse, and about three in the afternoon she had a violent *shivering Fit*, with coldness of the Extremities, and great internal heat across the Breast and Stomach :—I found her Pulse exceeding quick, her head-ach violent,—her Tongue white and dry, and the pain in her Side extremely acute and deep seated ;—she breathed laboriously, and had no perspiration except on the Breast and Face.

I directed eight ounces of blood to be taken away, and one of the *antimonial Powders* to be given soon after, which was to be repeated every two or three hours, if the first had no sensible effect.—An emollient Clyster was administered, and Bladders of warm Water were applied to the
soles

soles of her Feet, and Sides:—She passed a restless night, without any abatement of the Pain or difficulty of Breathing.

Two of the Powders were taken, the first of which created a Nausea, but did not prove emetic, nor produce any considerable perspiration.

The Blood was not so fizy as I expected.

10th.—The Pulse being full, hard, and frequent,—her Skin dry, and Respiration difficult and painful, eight ounces more blood were drawn;—the Powders were repeated every four or five hours, and a *Blister* was applied to the affected Side in the evening :—She drank plentifully of the common Emulsion with *Nitre*, to prevent the Stranguary, and to relieve her difficulty of making Water, which had been troublesome to her from the beginning.

11th.—Had no sleep the preceding night, and as both the pain in her Head
and

and difficulty of breathing still increased, she was again blooded in the night, to the quantity of six ounces, as I had previously directed, in case the Symptoms became urgent.

She was much relieved soon after this last bleeding, the Pain abated, and she could then breathe with much more freedom and ease;—her Pulse became more soft and less frequent, and a free and equal perspiration broke out all over her Body.

At this time she began to be troubled with a Cough, and was much oppressed with white viscid Phlegm, which was expectorated with great difficulty :—She had two stools, with a large Discharge of Fœces, which came away with the second Clyster.

The last drawn blood was uncommonly fizy, and the *gelatinous Crust* on its surface, extremely thick and tenaceous.

She

She had *Milk* in her Breasts, which were drawn twice a day, and the *lochia* Discharge was natural.

As she perspired freely, the Powders were discontinued, and the *saline Draughts* with *Oxymel Scillit.* were given every five or six hours.

The Blister rose well ;—the Emulsion was continued, and the emollient Clyster was ordered to be repeated as before.

About nine at night all her feverish Symptoms returned ;—her Pulse was exceeding quick, her Skin dry, her Thirst intolerable, and the pain in her Side and difficulty of breathing were so violent, that her *Apothecary* was called up in the night, and took away six ounces more blood :—One of the *antimonial Powders* was also given, after which, she again began to perspire, with an abatement of all the feverish Symptoms, and had two or three hours refreshing sleep,

224 PRACTICAL OBSERVATIONS

12th.—Something better,—but in the evening was attacked with a deep-seated violent pain in the other Side, between the Breast and Axilla, so as almost to prevent her from breathing;—her Cough was also troublesome, and she expectorated with much difficulty;—four ounces more blood was drawn, and the following Draught prescribed.

R

Sal. Volat. ammon. gr. xv

Succ. Limon. ℥i

Aq. alex. simp. ℥i

—Spt. cum. Acet. ℥i

Tinct. Thebaic. gtt. xii

Syr. e Mecon. ℥i

Misce & fiat haustus vesperi exhibendus.

She drank plentifully of thin diluting liquors with *Nitre*;—the Clyster was repeated as before, and by intervals she took the following Mixture.

R.

R.

Sperm. Ceti solut. ℥ii

Lact. ammon. ℥vii

Elix. Paregoric. ℥iii. fiat mistura.

She had an exceeding bad night, but slumbered a little between whiles.

13th.—Apparently better, — but complained of severe rheumatic Pains about her Back and Loins :—Her Cough was more and more troublesome, and greatly interrupted her rest, but was relieved by the Mixture with *Gum Ammoniacum*, to which a small quantity of the *Oxymel. Scillit.* was now added.

White Wine Whey was ordered to be given her in the night to support her strength, and she took a Decoct. of Bread with Currant Jelly for nourishment.

14th.—Had two or three hours refreshing sleep the preceding night, and the feverish Symptoms were somewhat abated

F f

but

but as there was not yet the least Sediment or separation in the Urine, which was high coloured, I still referred the use of the *Bark* and directed the anodyne Draught at night as before, which always eased her Cough and procured her sleep.

15th.—Being *Sunday*, about two in the morning, her relations thought her in great danger, and particularly requested me to see her, which I did accordingly;—Her Pulse was quick, and tremulous,—her Extremities cold, and her Face and Breast were bedewed with a clammy Sweat.—She breathed laboriously and by convulsive jerks, and at the same time complained of great weight and oppression across her Breast;—tho' perfectly sensible, she had a wild, eager countenance, a trembling hand, and apparently all the symptoms of instant death.

I gave her four spoonfulls of a strong cordial Julep,—ordered Sinapisms to her Feet,

Feet, her Extremities were rubbed with hot Flannels, and Cloths dipped in Brandy, were applied to her Stomach.

A few hours after I was gone, she revived, but grew restless and almost frantic, insisting upon cold Water to drink, which was given her :—The next day I was acquainted she was still alive; when I visited her about one in the afternoon, she was perfectly sensible, but so weak and languid that she was scarcely able to speak.

I directed a cordial Julep to be given when faint, and the following Draught with the *Bark*, to be taken every two hours, or as often as her Stomach would bear, but as she had several involuntary stools, I ordered five grains of the *Pil. e Styrace* to be instantly given, which restrained the looseness, and procured her some hours sleep before the Bark could be prepared.

228 PRACTICAL OBSERVATIONS

R.

Decoct. Peruv. Cort. ℥iss

Pulv. subtiliss. ejusd. ʒss

Aq. Cinn. Spt. ʒiii

Syr. e Mecon. ʒi

fiat haustus alternis horis exhibendus.

By eleven o'Clock at night, she had taken four Draughts, and had very little return of the Fever, but as her Skin was dry and her Thirst intense, I allowed her to drink plentifully of Toast and Water, which she particularly desired, and swallowed with great eagerness, after which, she gently perspired towards the morning, and growing cooler, she began the Draughts as before.—The Urine was Amber-coloured, but without Sediment or separation.

16th.—Better in all respects, but very weak, and her rest much disturbed in the night by the Cough :—Draughts continued

ed as before, and by intervals Wine and light nourishment were given often and in small quantities.

17th.—Continued free from Fever, and able to sit up,—she had three stools,—was much disturbed by her Cough, and complained of a sore Throat.

Directed *Pil. e Styrace* three grains, and the Draughts only to be given three times a-day.

There was no remarkable change till the 21st, at which time she was almost unable to swallow, her Throat being much worse, and the Tonsil Glands slightly ulcerated;—her Cough was troublesome, and several *miliary Eruptions* appeared in her Body.

The following Draught was given every four or five hours, and her Throat was fumigated with the steams of hot Vinegar poured on Lavender Flowers, which gave her great relief.

230 PRACTICAL OBSERVATIONS

R

Decoct. Cort Peruv. ʒiſs

Extract. ejusd. moll. ʒi

Elix. Vitriol. dulc. gtt. xx

Aq. Cin. Spt. ʒiii

Confect. Alkerm. ʒi . misce & fiat
haustus.

Her strength was supported by nourishment of easy digestion as often as her Stomach would dispense with it, and a little spiced Claret was given to her whenever she pleased.

23d.—She was removed into the Country (*Clapham*) for the benefit of the Air, and in a few days was so much better in all respects, as to leave off her Medicines, and only took a Tincture of the *Bark*, and *Cardamoms* as a Stomachic, in a strong infusion of *Tansy*.

This Fever was complicated with the *Pleurisy* in a high degree,—a Case, of all others the most dangerous; but as
pleuritic

pleuritic Symptoms do sometimes accompany a morbid affection of the *abdominal Viscera* in this Disease, perhaps it might reasonably be asked, whether the *Diarrhæa* and *Inflammation of the Omentum*, which so usually succeeded the *Rigor*, were not here prevented by *early and repeated Bleeding*.

From what may be observed in the foregoing History, it does not appear eligible to wait for a distinct Intermission of this Fever, lest a severe attack of the febrile Paroxysm should in the mean time carry off the Patient :—I think a Remission of the Symptoms, especially if attended with any Critical Evacuation, is, in general, sufficient to justify the liberal and immediate use of the *Bark* ;—but where they are at first manifestly inflammatory, if Bleeding and Evacuations have not preceded, I have seen it given without any good effect.

C A S E

C A S E XIII.

Sarah Evans, about twenty-one years of age, was delivered in the Hospital on *Monday* the 19th of *November*, 1770; she had a natural Labour, and was well the two first days after Delivery, but on the third day was seized with a Fever, which the *Matron* believed was owing to a surprise, as the febrile Symptoms appeared very soon after.

As this Patient was of a delicate, irritable habit, and lax fibres, I did not think it proper to direct bleeding, particularly as her Skin was moist and her Pulse quick and very weak.

She took a Mixture with *Spt. Mindereri* and the *Tinct. Thebaic*; emollient Clysters were also directed to be frequently administered:—After the Fever had gradually increased for a few days, she complained of a difficulty of Breathing and a
 pain

pain in the side of her Belly, towards the Navel :—Warm Flannels were applied to the part affected, and Bladders of hot Water to her feet.

She drank Beef-water and weak Pimento Tea for common drink ; and being extremely languid, she was allowed a small quantity of white Wine and light nourishment by turns.

On the 29th of *November* she was still weaker,—the Heart almost ceasing to do its office, and the circulation being at the lowest ebb :—The next morning she calmly expired without any signs of pain or the least convulsive struggle.

D I S S E C T I O N.

On opening the Body, the evident marks of Inflammation appeared, particularly in the *Abdomen* :—A great part of the *Omentum* was destroyed and converted into *Matter*, and what remained was become gan-

G g *grenous* ;

234 PRACTICAL OBSERVATIONS

grenous;—its diseased membranous Expansions here and there overspread the *Intestines*, and slightly adhered to their surface, which was also inflamed, particularly at their convolutions; those parts, from the additional effect of pressure, being as it were, superficially soldered together: That portion of the *Omentum* which is inserted round the great curvature of the Stomach, was also considerably inflamed.

The *Uterus* had a natural appearance, and was perfectly sound, as well as all the parts peculiar to it.

The *Liver* was also unaffected, except its peritonæal coat, which being dissolved by the Inflammation, lay on its surface in a tender, gelatinous state: The *Gall-bladder* was turgid with *Bile*.

The *Mediastinum* was inflamed, but the *Lungs* were perfectly sound and free from adhesion to the *Pleura*.

The

The *Whcy coloured, putrid Fluid*, contained in the cavity of the Abdomen, was nearly the same in quantity and appearance as that in the former Cases.

Where the Pulse was extremely soft and weak, and the circulation languid, it is difficult to account for so sudden and great a degree of Inflammation as to produce a collection of *Matter*, or any inflammatory affection of the Abdominal Viscera; but so it was, and therefore, in all such Cases, where bleeding seems improper, I think it would be requisite, immediately to apply *Sinapisms* or a *Blister* to the *umbelical region*.

C A S E XIV.

Hannah Jeffreys, of a strong, healthy constitution, the fourth day after Delivery, which was natural, was seized with a *shivering Fit*, succeeded by the Head-ach and great sickness at the Stomach, with six bilious stools;—she was affected with a uni-

versal langour and frequent Sighings, with great dejection of Spirits;—was very restless and thirsty, and had a smart, quick Pulse.

A Clyster with Beef-water was given, and she diluted plentifully with warm Balm-tea, but could not perspire.

The next morning, she had two purgative Evacuations, and laboured under great anxiety and oppression at the Breast :—Broad, *purple-coloured Spots*, which rose a little above the surface of the Skin, soon after appeared all over her Body;—they were very thick on her Breast and Face, but were not attended with any mitigation of the Symptoms, except for an hour or two in the beginning.

She took one of the *antimonial Powders*, which was repeated every three or four hours, without any sensible Evacuation whatever :—Being no better in the evening,—the eruption appearing *livid*, and her Extremities being cold;—a cordial
Julep

Julep was given her now and then,—*Blisters* were applied to the inside of her Arms, and *Cataplasms* to her Feet ;—the emollient Clyster was repeated, and she was allowed white Wine Whey for common drink.

The two following days all the febrile Symptoms increased, together with the difficulty of breathing, altho' the *Blisters*, which had been applied, produced their proper effect ; and thus growing gradually worse and worse, she died at four in the morning on the 5th of *May*, 1761, being the ninth day from that of her Delivery.

The Causes from whence those *Petechiæ* are said to happen, are so very different, as to make a difference in their treatment which is very essential to the Patient's safety ; for instance, if they arise from a putrid dissolution of the Blood, they will require the use of the *Bark*, with *Acids*, and all such Medicines as confirm its texture, and resist

238 PRACTICAL OBSERVATIONS

resist the putrefactive tendency which prevails in the habit ;—but if on the contrary, they are produced by too great a degree of the circulating power, which occasions a rupture of the small arteries, and an extravasation of the sanguineous globules ; then the former Remedies are to be avoided, and such as diminish the action of the Heart and Arteries, will afford the most relief ; viz. *Bleeding* and *Laxatives*, with plentiful Dilution and a cooling Regimen.

The first Case is attended with exceeding danger, and very often proves fatal :—Here, the Pulse is generally quick and weak, and the loss of strength great and sudden ; on the contrary, in the second Case, the Pulse is hard and full, the Artery vibrates more strongly, and the *spots* may sometimes be found by the touch, to rise a little above the surface of the Skin, which is usually hot and florid ;—but it must be

con-

confessed, that some particular Fevers are so indistinctly marked as to their species, and their Symptoms so various and equivocal, that it is not a little difficult to know with certainty from what cause they arise.

We are also told, that in Diseases which are *highly putrid*, the Body has been observed to remain uncommonly warm for a long time after death, and that the Limbs, instead of becoming stiff and rigid, continue soft and flexible ; and this extraordinary circumstance, in a certain degree, I have known more than once to happen.

This last, was the only Case where the *Omentum* was neither suppurated or become gangrenous ;—there was indeed, some signs of slight Inflammation, and a considerable quantity of fluid in the *Abdomen*, which looked like the *Serum* of the Blood, but it was not purulent, as in the former Cases :—Hence it is probable, that a gradual accumulation of fluid
in

in the *Abdomen* commences before death, as the *Lymphatics* lose their absorbent power, from a mere defect of the *Vis Vitæ*; but where there is likewise an Inflammation of the *Viscera*, then the quantity of this fluid will not only be considerably increased by a *morbid Exudation* from the inflamed parts, but will also soon become purulent and corrupted, whenever the Disease ends in a Mortification.

With respect to the number of Patients delivered, and likewise of those who died, in the *Westminster New Lying-in Hospital*, the account, as appears by the Hospital Books, stands thus*:—From the 20th of

* This Hospital, supported by Voluntary Subscription, was opened for the reception of Patients, so lately as the middle of the Year 1767, and therefore, may as yet be considered in its Infant State:—The Expence of raising the Building, which is a hundred Feet in front, was at first, a great deduction from the annual Income, consequently, the number of Patients admitted, was proportionally less; but as this Charity, from its general Utility, has hitherto met with great Encouragement from the Public, and as the Hospital, in which are *ten Wards*, is large enough to contain

of *April*, 1767, to the 30th of *November*, 1769;—out of two hundred and eighty-five, delivered, three had the *Child-bed Fever*; of whom, *Eliz. Waters* and *Eliz. Becket* recovered, and *Susannah Vernon*, who had *Twins*, died; also *Ann Moody*, of the *Small Pox* the day after *Delivery*.

From the above date to the 15th of *May*, 1770, (being the *epidemical Season*) out of sixty-three delivered, nineteen, had the *Child-bed Fever*, besides others more slightly affected with it; of which number, eleven died in the *Hospital*, and two more out of the *House*, who were removed at the request of their *Friends*, namely, *Frances Williams* and *Mary Gammon*.

Elizabeth Kibblewhite, also died of an *Inflammation* in her *Bowels*, during the above period.

H h

From

tain *Seventy Beds*; the *Governors* hope, through the further *Assistance* of the public-spirited and humane, soon to complete the whole, and to extend its benefits according to the *Plan* originally proposed.

242 PRACTICAL OBSERVATIONS

From the 15th of *May*, 1770, to the 29th of *September*, 1772, out of *three hundred and five* delivered; two died, viz. *Sarah Evans*, and *Hannah Jefferys*.

This Fever was also *epidemical* in *London* in the Year 1760, of which, twenty-four died in the *British Lying-in Hospital*, from the 12th of *June*, to the latter end of *December*;—there being no instance of any such mortality in so short a time, till the Year 1770, when it was again extremely fatal.

SECT.

S E C T I O N V.

Of the Nature and Cause of uterine Hæmorrhages, and their Treatment before and after Delivery.

UTERINE Hæmorrhages and Convulsions, being two of the most dangerous and alarming Maladies which can happen to pregnant Women; I am inclined to hope, that the Observations contained in the two following Sections may become useful; especially, as they are drawn from experience, in the course of several Years practice, and as few Authors are to be found who have treated professedly or practically on those subjects.

A Uterine Hæmorrhage or Flooding, is a preternatural Discharge of Blood from the cavity of the Uterus, arising from a separation of the *Placenta* from its internal surface, which in general, may be looked upon as its immediate cause; but

the remote causes may be various:—They may proceed from external violence, as blows, or falls, or the over-exertion of the Body in lifting heavy weights;—inflammatory Fevers,—the violent passions of the Mind, or whatever will preternaturally increase the momentum of the Blood on the uterine Vessels, may also be productive of this Discharge.

Nothing will so much contribute to the true knowledge of uterine Hæmorrhages, as a due attention to the peculiar structure of the *Placenta* and *gravid Uterus*, and their attachment to each other;—this will not only more clearly point out from whence the Blood proceeds, but also the degree of danger to the Mother and Child.

The *Placenta* may be looked upon as a kind of apparatus or medium of intercourse, formed by Nature for carrying on
the

the circulation between the Fœtus and Mother; and is not only made up by one umbilical Vein and two Arteries, which divide and subdivide till they become infinitely small; but also by a considerable quantity of *cellular substance* every where interposed among the ramifications of those Vessels:—This cellular substance is abundantly supplied with vessels from the Uterus, but they are to be considered as a System distinct from that of the umbilical Vessels, with which they have no communication; for, the *subtilest Injections* have never been found to pass into the one, by filling the other;—the first can only be injected from the Uterus,—the last from the body of the Fœtus.—Hence it appears, that there is a *two-fold circulation* going on in the Placentary Mass, and that altho' there is a continuation of Vessels, and a *circulation of red Blood between the Uterus*
and

and Placenta, there is none between the Mother and Child, by means of the umbilical Vessels.

Indeed it has been matter of dispute, whether the ultimate branches of the placentary Vein, anastomose with those of the Uterus, so as to transmit red Blood from the Mother to the Child; or whether they strike root in the Uterus, and from thence absorb a milky Fluid for the nourishment of the Fœtus, which is afterwards converted into Blood by the circulating power of its Heart and Arteries, in the same manner as blood is generated by the Chick in Ovo.

Arantius, a learned Professor in the University of *Bologna*, I think, was the first who denied the circulation of red Blood between the Mother and Child, by a continuation of Vessels passing from the one to the other; and the rather, as he observes, that there is no kind of proportion between the innumerable branches
of

of the placenary Vessels, compared to those of the Uterus, to render their *Anastomosis* in the least probable.—“ *Illud tandem hanc vasorum unionem minimè concedi posse attestatur, quod nulla sit vasorum uteri cum innumeris umbilicalium radicibus, & capillamentis proportio, eoque magis quod uteri vasa per matricis propriam substantiam potius sanguinem effundant, quàm ad internam superficiem suis osculis pertingant*.*”

The late celebrated *Dr. Monro*, was of the same opinion:—He imagined, that the extreme branches of the umbilical Vein, took up the lymphatic part of the Blood from the uterine Sinus's, in the same manner that the *lacteals* absorb Chyle from the cavity of the Intestines†.

Perhaps it may be urged, that altho' the umbilical Vein only receives a nutritious
fluid

* *Arant. de human. Fœt. p. 24.*

† *Edin. Med. Essays, Vol. II. p. 133.*

fluid from the Uterus, yet the Arteries must return their red Blood to it, otherwise it would become redundant; but seeing that there is a free Anastomosis between these Vessels, in the substance of the Placenta; the greatest part of that arterial blood which was supposed to be carried back to the Uterus, is, in fact, taken up by the umbilical Veins and returned to the Child* :— Indeed, the most accurate Anatomists now seem to agree, that the ultimate branches both of the umbilical Arteries and Veins, reach the convex surface of the Placenta, and proceed no further.

If we may compare Vegetables with Animals, it seems most likely, that the Child in the Womb is at first nourished by the same absorbent power as Roots in the Earth; or like *parasite Plants*, which draw their nourishment from the body in-

to

* According to *Robault*, only a seventh part of the arterial Blood is returned by the umbilical Arteries to the convex surface of the Placenta.

UTERINE HÆMORRHAGES. 249

to which they are inserted † :—Perhaps it may also be a probable conjecture, that the uterine Vessels which enter the cellular substance of the Placentā, may there deposit a nutritious Lymph, which is afterwards absorbed by the extreme branches of the umbilical Vein, for the service of the Fœtus.

From this reasoning, drawn from the the structure of the parts, a circumstance, which has often appeared unaccountable, because it was imperfectly understood, will become more obvious and plain, viz. Why the Child may survive in Utero for a considerable time, and without being deprived of Blood, altho' the Mother is almost exhausted and brought to the point of death by a profuse discharge of that Fluid ;—for the blood, in flooding Cases, is immediately discharged from those very

I i

Vessels

† Vide, *Parsons's Analogy between the propagation of Animals and Vegetables.*

250 NATURE *and* TREATMENT of

Vessels which spring from the Uterus, and enter into the cellular substance of the *Placenta*; and not from the extreme branches of the *Funis umbilicalis*;—the first being parts peculiar to the Uterus, the last proper to the Child.

The *false Chorion*, investing the exterior surface of the *Placenta*, is also numerously supplied with those *uterine Vessels*; and it may be laid down as a practical rule without exception, that whenever a large quantity of this tender *vascular Membrane* comes away, attended with pain and a sanguineous discharge, it infallibly denotes a separation of the *Placenta* from the Uterus, and the Patient will therefore necessarily *miscarry*, notwithstanding every attempt to prevent it;—this reddish flaky substance, being as it were, the very bond of union between those parts.

Harvey asserts, that when the Mother was even extinct and almost stiff with cold,

cold, he had often found the umbilical Arteries beating, and the Fœtus vigorous and strong :—He also denies the Anastomosis of Vessels between the Placenta and Uterus.

“ *Imò vero in ejusmodi Cæsonibus, mem-*
 “ *brana chorio etiamnum obvolutis, sæpe re-*
 “ *peri (matre jam extincta & plane rigida)*
 “ *arterias umbilicales micantes, fætumque*
 “ *vegetum. Quare hand verum est spiritus a*
 “ *matre per Arterias ad fætum pertingere :*
 “ *Nec magis verum vasa fætus umbilicalia*
 “ *cum uteri vasis per Anastomosin con-*
 “ *jungi *.*”

A new-born Child will live for many hours after the birth without nourishment, for it then exists by a circulation of its own, and being replete with blood and juices, stands in no immediate need of an additional supply ;—in like manner, it will continue alive for a given time in Utero,

I i 2

when

* Harv. Op. a Colleg. Medic. Londin. edit. p. 590.

when cut off from all communication with the Mother ; that is, after a separation of the Placenta : But altho' it there receives no red Blood, it must necessarily languish and die at last from the want of Lymph, or that nutritious something which is essential to life ; like a tender Plant, which cannot long subsist without the use of Water, or refreshing showers*.

Such Fluxes of blood as happen after Delivery, may be brought on by the violent extraction of the *Placenta*,—by the distention of the Uterus in Twin-Cases, from a second Child, or by a defect of its contractive power, from a general weakness of the solid system.

Uterine Hæmorrhages are more or less dangerous, in proportion as the Patient is advanced in the time of her pregnancy :—In the first two or three Months, the Embryo enjoys little more than vegetable life ;

* Vide, Greg. Nymman. de Vita Fœtus in Utero.

UTERINE HŒMORRHAGES. 253

life ; the Vessels connecting it to the *Uterus*, being very small, consequently, the blood is then discharged by such slow and insensible degrees, that there is generally time to supply the loss, by replenishing them with nourishing Fluids, so as to keep up the circulation.

When this is the case, the Patient will often sustain the loss of a large quantity of blood, without much diminution of strength; but on the contrary, when the Discharge is great and sudden, the event is frequently fatal; and the rather if it happens in the last months of pregnancy, when the uterine Vessels are become large and replete with Blood.

The vast profusion of this Fluid, gives so sudden a check to the circulation, that there is not a sufficient quantity returned to the Heart to keep it in due motion ; so that its action either languishes for a time,
and

254 NATURE *and* TREATMENT *of*

and the Patient faints, or wholly ceases, and she expires in a *Syncæpe**.

Floodings from violent bruises or falls, are generally of the worst consequence, for the Patient is then not only in danger simply from the loss of blood, but also from the nature of the injury itself:—They are also extremely fallacious and fatal in the last months of pregnancy, for they will frequently cease for a time, and remove the appearance of danger, but as often suddenly return, and sometimes carry her off before there is time to effect the Delivery, which is the only expedient, in such Cases, that can possibly save her life.

When the Uterus is emptied of its contents, it contracts, and gradually becomes less in bulk, especially if the vital powers

* According to *Haller's* Doctrine, the motion of the Heart principally depends on the irritability of the right Auricle, which is stimulated into motion, by the influx of Blood from the *Vena Cava*.

powers of the Body are not much impaired by the preceding discharge, consequently the current of blood in the branches of the *hypogastric* and *spermatic Arteries* will begin to meet with resistance, and its momentum on the bleeding Orifices of these Vessels being considerably diminished, the Flooding will either abate or totally cease ; so that a dextrous Operator will sometimes be able to do more for the safety of the Patient by manual operation, than could possibly be effected by the most skilful application of Medicines.

When any part of the Placenta has been separated from the Uterus, it will never afterwards adhere, as appears after Delivery ; for that precise quantity of it which was disunited, is plainly pointed out, by being covered with black, coagulated blood : Hence the reason is obvious, why those Hæmorrhages, which disappear for a time, are so extremely dangerous by their sudden
return ;

return; for they do not cease because there is a reunion of the divided Vessels, but because the circulation languishes, from the profuse loss of blood, so that the Patient faints; during which interval, its impulse is diminished, and the Vessels, being freed from their distending power, will not only gradually contract from the natural cohesion of their parts, but the Blood being almost in a state of rest, will coagulate, and as it were, seal up their bleeding Orifices.

Here it is necessary to remark, that pernicious and destructive method of giving *heating Cordials* or *spirituous Liquors*, with a view to revive the Patient; to which, many have unhappily fallen victims, yet 'tis still so prevalent, especially among the lower class, that it never can be sufficiently discountenanced, or its danger too fully pointed out:—Many Women, during their *fainting Fits*, are plentifully
sup-

UTERINE HÆMORRHAGES. 257

supplied with warm spiced Wine or Caudle; with the addition of Brandy, which will increase the motion of the Blood and again force open the bleeding Vessels; and thus they will alternately continue to flood and faint till the hour of death:—The design of such proceedings may be good; but the consequence will be fatal.

Altho' nothing is more difficult than to root out prejudice from ignorant Minds; yet, he who will conform to vulgar errors at the expence of his Patient's safety, and is afraid to oppose them lest his own interest should suffer, acts below the dignity of his profession and the principles of an honest Man.

If the most unintelligent of mankind was asked, whether a Person over-heated with strong Liquor, or one half chilled to death with cold, would bleed the most profusely on receiving a wound in any part of his

K k

body;

body ; surely, he would reply, the former : The case is similar in respect to *Uterine Hæmorrhages*, yet, such is the prevalence of custom, that the method of giving *Cordials*, as they are called, is still obstinately followed, contrary to all experience, as well as reason and common sense.

Those, who consider the Origin and distribution of the *hypogastric* and *spermatic Arteries*, which branch off from large Trunks and numerouslly supply the Uterus, must needs perceive with what rapidity the Blood passes through those Vessels ; particularly the first, which are very large in the gravid state ; and consequently, how soon the Patient may be exhausted in profuse Floodings, especially in plethoric Habits, or where the action of the Heart and Arteries is increased by spirituous Liquors or a heating Regimen*.

Under such circumstances, the best Cordials are those Fluids which will replenish

* Vide, *F. Wilson's* accurate Experiments on the Blood.

UTERINE HÆMORRHAGES. 259

plenish the empty Vessels, without heating the Body ; and therefore, Broths prepared from animal Substances, Jellies, and the like, are, of all others, the fittest to afford expeditious Nourishment, as they will soon be assimilated and converted into blood, without much assistance from the Stomach or vital Powers, which at this time are much impaired.

To subjoin particular Histories of flooding Cases, would prove of little use to a practical Reader, since profuse discharges of Blood happening in the last months of Pregnancy, are generally such, as no Medicines have power to remove ; for as long as the Uterus remains in a state of distension, so long will its Vessels continue to pour out Blood, especially where a large quantity of the *Placenta* is separated from it ; and therefore, it would be very unsafe to expect from Medicines what can only be brought about by a

speedy Delivery, which produces a *mechanical change* in the structure of that Organ by removing its contents.—But altho' this is the principal Expedient, and the most effectual Remedy in such Cases, yet, unfortunately, it does not always secure the Patient from future danger; for the force and energy with which the Uterus contracts, being in proportion to the bodily strength, rather than the length of time the Patient has been delivered, whenever that is greatly diminished, the Flux of Blood may still continue; and this is the reason why a Flooding before Delivery, does sometimes, also prove the cause of the like Discharge afterwards.—In the several Bodies which were opened, when the *Child-bed Fever* proved mortal, I had a good opportunity of ascertaining this fact, and constantly found that where the Patient was strong, and not invaded with the Fever till later than usual,

usual, there, the Uterus was greatly diminished in bulk; but on the contrary, where she was naturally weak, or rendered so by a sudden attack of the Disease, it then became inert, and was found less firm and contracted.

Puzos particularly takes notice, that when the Uterus contracts imperfectly after Delivery, the consequence is dangerous; and also remarks, that altho' the Patient is delivered by turning the Child; she often dies in consequence of the violence applied, or by a continuance of the Discharge :—He asserts, that Floodings are most profuse when the Labour-pains are the weakest, and therefore concluded, it would be right in such Cases, to procure pain artificially, by dilating the Os Uteri, which puts the Uterus into a state of contraction, by which the Child is at last expelled.—This he calls the happy medium between the natural Delivery, and

and that which is forced, by violently turning the Child; and assures us, that by this method he had been extremely successful.

I remember an Instance of the good effect of this method, in a Gentlewoman to whom I was called in *York-Buildings*, about two years ago:—From Sunday evening till the Tuesday following about twelve o’Clock, at which time I was desired to visit her, the Flooding had continued profuse.

She was attended by her Midwife, and had drank plentifully of Port Wine, in which a hot Iron had been quenched to render it the more astringent, as I suppose:—Her aspect was pale and death-like, and she frequently fainted;—her Pulse was almost imperceptible, and she seemed sinking very fast.

The full time of her reckoning was expired, but as her strength was much exhausted, the Labour-pains were inconsiderable,

UTERINE HÆMORRHAGES. 263

derable, and the Os Uteri but little dilated. I immediately broke the Membranes, that the resistance to the languid contraction of the Uterus might be less, and supplied her plentifully with *Veal Broth*, made moderately strong, but without any Salt or Spices:—Of this Nourishing Fluid, given cold, she swallowed a Tea-cupful, or as much as her Stomach would bear, every quarter of an hour, having taken nothing of the like kind before.—The cold, fresh Air, was also freely admitted into her Chamber, which seemed to give her new Life, for she found her strength and spirits, as well as her pains, increase very fast; and by dilating the Os Uteri, they at last became so strong as to effect the Birth before the Evening; without the danger or trouble of turning the Child, which, notwithstanding the vast discharge of blood, was
born

264 NATURE and TREATMENT of

born vigorous and strong, as already particularly remarked elsewhere.

A curious example of the efficacy of nourishing Fluids in sustaining life and restoring the strength, even when the assimilating powers of the body, were not sufficient to convert them into blood, is mentioned by *Lower* in his Book *De Corde*; viz*. *Adolescenti sedecim annos nato cum magna sanguinis copia (qua de causa non refert) perbiduum continuo erumperet, neque medicamentis aut arte ulla cohiberi potuit; jusculis eum reficere & recreare amici & astantes curarunt; cumque ea valde avide expeteret atque assumeret, fluxus subinde concitator quoque factus est, & tandem res eo devenit, ut massa sanguinis fere tota emissâ, quicquid jam efflueret, dilutum & pallidum, sanguinis neque naturam neque speciem præ se ferret, ipsi jusculo quod toties hauserat quam sanguini similis: Atque eadem forma*
per

* *De Corde*, Cap. ii. p. 63.

UTERINE HÆMORRHAGES 265

per diem unum aut alterum duravit hic aqueus fluxus, constante interim Cordi motu suo, donec fluxu demum consopito Juvenis paulatim integræ salutis restitutus est, & exinde in virum robustum & quadratum accrevit.

In order to know whether *topical Applications, Medicines, or manual Operation*, will the most effectually relieve the Patient in Uterine Hæmorrhages, their various causes are to be attentively considered, together with the several circumstances of the Case; also her habit of Body, and the different state of the Uterus before and after Delivery.

In those Fluxes of Blood which happen during Labour, and at the full expiration of Pregnancy, it will be proper to break the Membranes; for the Uterus will contract after the discharge of the Waters, and the Floodings will therefore be diminished; particularly, as the bleeding Vessels will then be brought into contact with the body of the Child, as it were, by compress

and bandage : But as this method only procures relief to a certain degree, if the symptoms become urgent, and the Labour does not quickly advance, the Patient ought to be delivered as soon as possible.

When the Child's Head for a time shuts up the Os Uteri, the Patient may continue to lose blood profusely into the cavity of the Womb, altho' none externally appears; this may be suspected when her Pulse sinks, attended with great Faintness and sudden loss of Strength, without any evident cause, and will best be known by pressing up the Head in the absence of the Labour-pains, so as to let the confined blood escape.—Such Cases are extremely dangerous and fallacious, where the Operator is not on his guard.

Sometimes the *Placenta* has been found to present loose at the Os Uteri, and at other times to adhere to that part ; in both which Cases, especially the first, a Flood-

ing

ing will happen, attended with great danger, and therefore will require a speedy Delivery, which may be effected either by the *Forceps* or turning the Child, as appears most eligible from different circumstances ; for as the whole placentary Mass is separated from the Womb, the least delay would prove fatal to the Patient.

Those Hæmorrhages which happen where the Child has long been dead in Utero, are also attended with the most imminent danger, because as there is then no longer any circulation in the *Placenta*, it will at length separate from the Uterus, and the Patient will be almost in the same situation as where it presented loose, altho' it does not carry with it an appearance so alarming.

January the 20th, 1765, I was sent for to *Mrs. G.* a Gentlewoman in *Piccadilly*, who was seized with a Flux of Blood from the Uterus, near the full time of Preg-

nancy; as it was not profuse, and her Strength and Spirits were good, I waited for some hours in expectation of stronger Pains, but as the Discharge seemed to go off, and she was disposed to sleep, I left her, and desired to be called if it returned with violence, or when the Pains became stronger.—When I returned to her the next day, they were inconsiderable, and the Os Uteri very little dilated, but tho' she continued to lose blood, her strength seemed but little impaired: In this situation she remained several days, during which time she took a decoction of the *Bark*, with the *Tinct. Rosar. r.* and a few drops of the *Tinct. Thebaic.*

At last the Discharge became intolerably putrid, and was soon after followed by a large Secretion of *Milk*, which flowed from her Breasts by the slightest Pressure:—The Flooding now began to increase very much;—she grew weak and faint,
and

UTERINE HÆMORRHAGES. 269

and certainly would soon have sunk under the Discharge, had she not been speedily delivered.

The Child had probably been dead about three Days before the Secretion of Milk, which began as soon as the *Placenta* was separated from the Womb; for then the Hæmorrhage was observed to increase.—The same Circumstance may happen when the Fœtus in Utero is weak, and the absorbing power of the *Placenta* from thence in part destroyed; agreeable to what is laid down by *Hippocrates* in his Aphor. viz. *Mulieri in Utero gerenti, si multum Lactis ex Mammis flexerit, infirmum Fœtum significat**.

In strong habits, where the uterine fibres are tense, the Flooding generally stops, and the *Placenta* is easily excluded soon after Delivery, being before separated in part from the Womb; but on the
con-

* Sect. v. Aphor. 52.

contrary, when the Patient is very weak, a much longer time is required for its coming away ; and if it should be unwarily extracted before the Uterus has had sufficient time to contract, or where it afterwards continues loose and inactive, a mortal Hæmorrhage may chance to ensue. — Indeed it sometimes happens that the loss of Blood is profuse, even after Delivery, where the Placenta remains, under which circumstance it may be proper immediately to take it away :—Here the Action of the Uterus is so extremely languid, that it has not Power either to expel the Placenta, or the large quantity of coagulated Blood collected in its Cavity :—A fatal Instance of this Kind occurred to me in the year 1770, in the Case of Mrs. W— near Westminster-Bridge, to whom I was called about an hour and a half after she had been delivered by her Midwife.

The

UTERINE HÆMORRHAGES. 271

The internal use of Medicines, as far as I have observed, ought never solely to be depended upon in such Cases; for altho' they may afford some Relief in a certain time, the Patient would generally bleed to death before they could take effect; and therefore immediate recourse must be had to topical Applications; such as *Oxycrate* or *sharp Vinegar*, in which thick linen Compresses have been dipped, and which are to be applied cold to the Belly and Loins, and renewed as soon as they grow warm, otherwise they will relax rather than constrict.

Gentle Pressure on the Belly, by means of a broad circular Roller, will also prove of service, by obstructing the rapid course of the Blood through the Uterus, and also by assisting its languid contraction.

The Patient should be kept cool, and if necessary, exposed to the *Cold Air*, even in the midst of Winter, by opening the Doors and Windows, so as to let it be equally

ly

272 NATURE and TREATMENT of

ly diffused round her Chamber; — her Drinks should be given cold, and acidulated with *Lemon-juice* or mineral Acids; and if ever the use of *Styptics* can prove of service, perhaps it may be here, where the Uterus, altho' empty, has not the power of being restored to its former State. — I have found a strong *Decoction of the Bark* and *Elixir of Vitriol*, together with a small quantity of the Tincture of Cinnamon to make it grateful, more efficacious than any thing which I have seen tried.

The Form may be varied at Discretion, and if necessary, the Extract may be added, viz.

R. Decoct. Peruv. Cort. ʒi

Extract. ejusd. moll. ʒi

Tinct. Rosar. rub. ʒss

— Cinn. ʒiij

Confect. Alkerm. ʒj fiat haustus pro re nata exhibendus,

When

UTERINE HŒMORRHAGES. 273

When the Discharge is attended with much Pain or Irritation of the Uterus, five or more drops of the *Thebaic Tincture* may be joined with each Draught ; or what will produce its Effect with more certainty, a liberal dose of the *Pil. e Sty-race*, or the *Extract. Thebaic* —the first may be given from two to six grains, and the last from half a grain to a grain and a half, which may be repeated if occasion requires ; especially, where the habit is not plethoric, and when the symptoms are extremely urgent.

If all these methods fail, and the Patient is in immediate danger, the *Aqua Aluminosa Bateana*, or a weak solution of the *Colcothar of Vitriol* injected into the cavity of the Uterus as a Styptic, will probably restrain the Discharge, by coming into immediate contact with the Orifices of the bleeding Vessels ;—but those Re-

274 NATURE and TREATMENT of
medies are only applicable after Delivery,
when it is empty and remains un-
contracted.

Hoffman tells us, he succeeded in stop-
ping a profuse *uterine Hæmorrhage*, which
had withstood every other method, by
passing up *Pledgets of Lint*, dipped in a
solution of the *Colcothar of Vitriol*, as high
into the Vagina as possible; and as the Pa-
tient afterwards conceived and had a hap-
py Delivery, he observes, that the Func-
tions of the Uterus were not in the least
injured by the styptic power of this
application.

Levret hit upon a very odd but ingeni-
ous expedient in stopping a violent Flood-
ing after Delivery, which otherwise would
soon have proved fatal:—He introduced a
piece of *Ice* into the Uterus, which being
struck with a sudden chill, immediately con-
tracted, and put a stop to the Hæmorrhage.

The

The most extraordinary Instance of a Flux of Blood from the Womb, which I have ever heard of, fell under the observation of the late *Dr. Cole*, who, some years ago, practised Midwifery in *London* with great reputation: On opening the Body, the whole surface of the *Placenta* was found adhering to the Uterus, but a great part of the *false Chorion*, investing the membranous Bag which contains the Child, was separated from it; and consequently, an infinite number of those Vessels with which it is supplied from the Uterus being torn asunder, the effusion of blood was so great as to prove mortal:—From what cause this accident was brought about, I have not been able to inform myself.—Those slight discharges, which have sometimes been known to go off, and allow the Patient to proceed the full period of gestation, have been imputed to the loss of blood from the *false Chorion* of

the Bag only, and not to a separation of the *Placenta* itself; and indeed, notwithstanding what has already been said, I am still inclined to think so; for whenever any part of the last is disunited from the Uterus, there is the greatest reason to suppose it will never again adhere; altho' *Noortwyk*, in his History of the gravid Uterus, has asserted the contrary*.

Some Floodings have occurred, which were attended with very uncommon circumstances; for Instance, the celebrated *Albinus* mentions a Case, where only the central part of the *Placenta* being loosened, a large quantity of coagulated blood was lodged between it and the Uterus, as it were in a Bag; and consequently, not a drop was externally discharged, so as to foretell the danger.

Sometimes the Blood has been found to proceed from the Vagina, and at other times from a Rupture of the large Vessels
run-

* *Noortwyk* de Uter, gravid. p. 28.

running on the concave surface of the Placenta, or even in the Funis itself; which must necessarily soon prove fatal to the Child, but will not proportionably endanger the Mother.—The preternatural shortness of the Funis, or its being twisted round the Child's Neck, have also been supposed to bring on a Flooding; for if it then moves powerfully, the Placenta may be torn from the Uterus.

Whatever subjects the body to violent motion, or agitates the Mind, should be carefully avoided; as it has already been shewn in treating of the *Child-bed Fever*, at page 90. how much the force of the circulating blood on its Vessels is increased by the action of the Muscles: Coughing, Sneezing, —a Tenesmus, or other efforts which lay stress on the Womb, all tend, in a certain degree, to destroy its union with the contained parts, especially,

im-

278 NATURE *and* TREATMENT *of*

immoderate exercise in the last months of pregnancy, when the Child is large and ponderous.

The Passions of the Mind, especially sudden Terror, have also frequently been known to produce this disorder; a very remarkable Instance of which is related by *Salmuth*, as follows*.

Archiatri Anhaltini, D. S. K. conjunx puerpera lactat infantem sub noctem. Per jocum à mulieribus quibusdam ex convivio domum tendentibus fores & fenestræ nimis impetuosè pulsantur. Illâ hinc admodum perterrita, totoq; corpore contremiscente, repente excitatur profluvium mensium, in annum integrum perdurans, & adeo quidem copiosum, ut per stragula etiam deflueret, atque ex eo ipsa tandem moreretur.

Some years ago, I was desired to visit a Gentlewoman near *Berkley-Square*, who was seized with a Flooding from the over-hasty
extrac=

* *Salm.* Obser. Med. Cent. 3, xlix.

UTERINE HŒMORRHAGES. 279

extraction of the *Placenta*, by which she was reduced to the last degree of weakness:— I desired that she might be kept extremely quiet, and supplied with frequent nourishment ;—I also directed a mixture with *Tincture of Roses* and the soft Extract of *Bark, &c.* of which she took two spoonfuls as often as her Stomach would bear ; In a short time she found herself much recovered, but towards the morning, by only turning herself hastily in Bed, the Discharge immediately returned in great abundance.—I was again called, and found her to all appearance, at the point of death, but by the application of thick Compresses dipped in cold Vinegar, to the Belly and Loins, together with the same method as before, she at last perfectly recovered.

Excessive Anger or sudden Fear produce a Spasm, or contraction of the vascular System, by which the blood is driven from the surface to the centre of the Body, as

is evident from the paleness of the Face, which is instantly followed by a throbbing and palpitation of the Heart ;—soon after the Countenance becomes florid, from the reaction of the Heart and Arteries, which throws out the Blood to the surface again : Hence, during the Spasm, the venous Blood is violently driven to the right Auricle of the Heart, and consequently, the velocity of the arterial Blood discharged from the left Ventricle into the *Aorta descendens*, will be considerably increased, as well as that circulating through the Arteries of the Womb; from which the Placenta may be forced away and a Hæmorrhage may ensue.

This tumult in the body, seems to be produced by the nervous Influence which affects it, like a slight electric shock :—Accordingly, Women of delicate Constitutions, whose nervous System is extremely irritable, are, of all others, the most sub-

UTERINE HÆMORRHAGES. 281

subject to those complaints; and I have likewise observed, in such habits where the Patient was not pregnant, and the *Uterus*, therefore, not susceptible of the Impression, that Pains in the Bowels or a Diarrhœa have often been brought on, and sometimes a dangerous Fever, particularly when the former did not happen.

Bleeding and *Styptics*, together with the liberal use of *Opium*, and the application of *Ligatures* to the extremities of the Body, are the Remedies which have been principally depended upon, and directed in their turn for the cure of *Uterine Hæmorrhages*; and therefore, it may perhaps prove of some use, to examine their several Effects, especially, as it has been too much the custom of one Author to copy and adopt the methods of another, and to recommend them from hear-say, or on the authority of his Predecessors, rather than from the test of his own Experience; to the

great detriment of true Medical Knowledge.

By attending to the Circulation, it will become evident, that *Bleeding* can seldom be proper, except in the beginning of those Floodings which happen before Delivery, and when they arise from a Plethora,—an inflammatory Fever, or external Violence : —Sometimes, indeed, if the Patient should be threatened with this Malady, after any violent surprize, it may also be requisite ; but as in general, weakly, hysterical Women, who have been observed to bear the loss of blood with inconvenience, are the ofteneft thus affected, it should be directed with great caution ; especially, as *Opiates* and the *warm Bath* will answer much better, by soothing the Nerves into a state of Tranquility. Besides, it has been proved that the contraction of the Uterus after Delivery, upon which the abatement of the Discharge chiefly depends, will be
in

UTERINE HŒMORRHAGES. 283

in proportion to the bodily strength ; and therefore, an additional loss of Blood from the Arm at that period, would further endanger the Patient, both by diminishing the action of the Womb, and by giving so sudden a check to the circulation, as to occasion dangerous Faintings, or perhaps a mortal Syncœpe.

Styptic Medicines have been supposed to restrain internal Hæmorrhages, by entering the Blood and constringing the Orifices of the bleeding Vessels, and have therefore been accounted salutary and efficacious in those complaints ; but upon how unjust a foundation, I appeal to common Experience.

If Styptics produce their effect by contracting the Vessels, they must also increase their action on the contained blood ; for it will be nearly the same thing, with respect to the velocity of the blood, whether its Vessels are preternaturally filled,

when their diameters were the same as before, or whether their diameters are preternaturally lessened when their quantity of blood remained the same ; or in other words, when the same quantity of blood is contained in a narrower space, its Vessels will from thence become the fuller.—For example, if a certain quantity of any Fluid was forced through two flexible Tubes, of different diameters, but of the same length, and in the same given time ; its velocity in the smallest Tube would necessarily be greater than in the other :—Hence it becomes manifest, that if styptic or astringent Medicines act by contracting the Orifices of the bleeding Vessels, they must also first act universally on the whole vascular System ; and if so, that by lessening the diameters of the several Vessels, their action on the contained blood, will be increased, which must also necessarily ~~increase~~ the Flooding.

If

UTERINE HŒMORRHAGES 285

If it should be alledged that they act by coagulating the Blood, and not by bracing its Vessels ; or that, like *Opium*, they produce their effect by the mediation of the Nerves of the Stomach, without entering the blood at all :——It is to be remembered that whatever thickens the Blood, will, most probably, also constrict its Vessels ;—in short, by what means soever they affect the Habit, 'tis plain, that a Hæmorrhage can only be stopped either by such things as contract the ruptured Vessels, or diminish the force of the fluid passing through them :—The first of these effects have already been considered, and the last must needs be denied, since what occasions *Thirst and Fever*, cannot properly be said to lessen the circulating power, but to increase it.

No wonder then that *Hoffman* asserts, he has often seen Uterine Hæmorrhages increased by Styptics, but also obstinate

com-

286 NATURE *and* TREATMENT *of*
complaints of the Chronical kind, such as
Chachexy, Dropfy, or hectic Fever,
brought on by their preposterous use.—
Agreeable to what is advanced by that ex-
cellent practical Physician, I have seldom
ever known the *Pulv. Styp.* the *Tinct. Sa-*
turnin. or other powerful Astringents,
given in such Cases without an increase of
the Hæmorrhage, or some other bad ef-
fect:—That they will generally render
the body costive, and often create great
Thirst,—Head-ach, and other febrile Symp-
toms is certain; but the chronical com-
plaints, with which they are charged,
were more probably owing to the pro-
fuse loss of Blood happening at the time
they were administered, than to the subse-
quent injurious qualities of those Medi-
cines; however, the following Instance,
as well as several others which it would
here be unnecessary to mention, will shew
that they are not void of danger, and
there-

therefore ought to be directed with the utmost caution.

In the year 1770, a lady in *Stanhope-Street, May-Fair*, of a very delicate, va-
litudinary Habit, had been long subject to
the *Fluor albus*, as well as an immoderate
flow of the Menfes at undue periods,
which had very much reduced her strength;
—By the advice of an eminent Physician,
she took the *Sacch. Saturn.* in a Bolus,
twice a day, and continued it upwards of
a week; but did not find that it either re-
strained the Discharge, or had any good
effect respecting her bodily Strength; on
the contrary, it at last brought on an ob-
stinate Constipation of the Bowels, at-
tended with such racking, cholic Pains and
oppression at the Stomach, as obliged her
to keep her Body almost double :—Being
called, I desired her Physician might be
sent for, but as he was then out of town,
I directed for her, Draughts with *Manna*

288 NATURE *and* TREATMENT of
& *Ol. Amygd* together with *emollient Clysters*
and the *warm Bath* ;—she also drank warm
Veal Broth by intervals: after two or three
lax stools, she was much easier, but as
the forenefs of her Bowels continued, she
took an *Emulfion* with *Sperm-Ceti*, for a few
days, which removed it; and afterwards,
by the use of a strong decoction of the
Bark, with an *Injection* and the chalybe-
ate Waters, she was entirely freed from the
Fluor Albus and all her other complaints.

Internal Hæmorrhages, will often at last
entirely cease, without the assistance of any
Medicines whatever, especially when pro-
fuse; for as the power of the Heart on the
circulating blood will then be greatly di-
minished, its momentum on the bleeding
Vessels will be rendered considerably less;
and it has already been remarked, that
they will naturally contract when freed
from their distending power :—From this
circumstance; there is reason to think that
effect

UTERINE HÆMORRHAGES. 289

effect not being owing to such Medicines, which have a contrary tendency, but to a certain change in the circulation, from the mere loss of strength.

Instead therefore of bracing the vascular System, it would be more proper to recur to the use of those things which have a power to relax, and as it were, to suspend its action:—Such Medicines are called *Sedatives*, and are supposed not only to lessen the circulating force, but to produce a more equal distribution of the Blood, and to occasion the derivation of a larger quantity from the interior Vessels to the Surface of the Body:—Hence the uterine Arteries will be relieved from their distention, and the Flux of Blood proceeding from thence, consequently less.—To this end, the fourth part of a grain of *emetic Tartar* may be given, and repeated by due intervals, so as only to excite a slight Nausea, without

O o

Vomit-

Vomiting ; also the *saline Draughts*, with *Nitre* ; or the *Sal Sedativus of Hombergh*, from five grains to a scruple :—In what manner such Medicines operate, 'tis difficult to determine ; but that they often have a salutary effect, is clear from experience.

How far the effect of *Opiates* may be depended upon, or under what circumstances they are pernicious in flooding Cases, it will next be necessary to enquire. From some Experiments made by Dr. *Alston* on Frogs, it appears, that *Opium*, taken internally, will for a time, retard the Blood's motion, by diminishing the vital powers of the Heart ; and this circumstance, so far as it regards those small aquatic Animals, is still further confirmed by that learned and incomparable Physiologist the late Dr. *Whytt* :—Such Experiments are pleasing and curious, but the Inferences arising from them, when applied to
the

the human Body, are not so conclusive and satisfactory, as they may at first appear ;—for Instance, many substances which produce a mortal effect on one species of Animals, are not found to be injurious to another ; and the same Animal is very differently affected by the same thing at different times : Would it not, therefore, be a more certain way to determine the effects of *Opium* on the human body, by attending particularly to its operation when given to such bodies only ?

In some Cases, where it was necessary to direct *Opiates* for Women, at the beginning of Labour, to remove their unprofitable Pains and procure Sleep, I have been surpris'd to find they had a very contrary effect, and that the Pains were evidently much increased.—Dr. *Young*, who wrote professedly on *Opium*, is the only Author which I know, that takes notice of the same thing :—His Observations are founded

upon long and extensive Experience, which he candidly confesses, often contradicted the Opinions he had adopted from Theory; in consequence of which, he frequently changed his methods of Practice; and 'tis much to be wished that an example so laudable, was more universally followed:—Indeed, the greatest part of his Book, appears to be a true History of the effects of this extraordinary Medicine; and as he rather relates what he saw, than what he expected to see, his authority is the more to be regarded.

The illustrious *Baron Haller*, in his Dissertation on the irritable parts of Animals, observes, that altho' *Opium* destroys the peristaltic motion of the Intestines, and the irritability of the body in general, it leaves the force and motion of the Heart unimpaired.—What I have seen of its effects on the human body, exactly corresponds with this remark; for tho' it may
suf-

UTERINE HŒMORRHAGES. 293

suspend some of the Secretions, it rather *quicken*s the Blood's motion, than retards it: For Instance, a moderate dose of it will strengthen and inlarge the Pulse,—the Eyes sparkle,—the Countenance becomes florid, and a Heat and Itching of the Skin succeeds; but what appears most extraordinary, those Pains which have sometimes been increased by it, in a small quantity, have been speedily removed by giving a more liberal dose:—In short, I have clearly seen internal Hæmorrhages rather increased than lessened by its use, and therefore, I think it ought not to be given, except in Cases of necessity; as its effects are evidently similar to those of volatile Medicines, or strong Cordials.

In the beginning of those Floodings which arise from a Plethora,—a Fever, or external violence, especially where the *Pulse is hard*, and the Skin dry, both *Opiates* and *Styptics* are highly pernicious:—

Bleed-

294 NATURE *and* TREATMENT of

Bleeding, Laxatives, and spare Diet, with a cooling Regimen, are best adapted to answer the intention of cure.—The judicious *Hoffman*, therefore, with great reason, directs the liberal use of *spring Water*, with *spirits of Vitriol* and the *Syrup of red Poppies*, as a Medicine more salutary than the most boasted Specifics :—On the contrary, in the decline of those Discharges, where the *Pulse is weak*, and the *Circulation languid*, from the loss of much Blood, it will be proper to keep the Patient in a horizontal Position, lest she should faint.—A *Decoction of the Bark*, and even cordial Medicines, may also, sometimes, be administered ; especially, after Delivery, where there is always less danger of the Flooding's return ;—the resistance to the contraction of the Uterus, being then taken away. —Nourishment should be given often, and in small quantities, that the empty Vessels may be replenish

plenished by degrees ; otherwise, as the Stomach is weak, and the assimilating powers of the Body much impaired, the Patient might fall into a *Dropsy*, *Consumption*, or *hectic Fever*.

The Antients applied *Ligatures* to the inferior Extremities, for the relief of uterine Hæmorrhages ; from which it may be concluded, that they knew more of the circulation than we have been apt to imagine ; for, 'tis plain they had recourse to this method with a view to retard the venous Blood in its return to the Heart, and consequently to abate the circulating force ; but this Practice does not seem to be rational, neither is it found experimentally useful ; but on the contrary, dangerous and pernicious.

Let us suppose, for Instance, that a column of blood is driven down the *Aorta decedens*, by the action of the Heart, and that it is distributed to the lower Extremities

mities by the division and subdivision of the *iliac Arteries*, by means of which, the *Uterus* at last receives its Blood :—The extreme branches of all these Arteries have corresponding Veins, which take up their blood by *anastomosis*, and after uniting and re-uniting, they form the *Vena cava*, or one large Trunk, which returns the blood from the inferior parts of the Body, to the right Auricle of the Heart ; but, if from any compression of the Veins, the reflux of their blood is prevented, they cannot then freely receive it from the Arteries ; consequently, the *hypogastrics* and *spermatics* which supply the *Uterus* with blood, will, from thence, become over-charged and distended, and the Patient will flood the more abundantly ; as the following ingenious Experiment will clearly demonstrate.

Dr. *Hamilton* of *Edinburgh*, being called to a young Woman who had laboured
under

under an obstruction of the *Menses* for near seven Months, from catching cold, and finding that various remedies had been tried in vain; directed longitudinal Compresses to be applied tight upon the *crural Arteries*, by means of a Tourniquet, which after remaining about twenty Minutes, rendered the Pulse quicker;—in half an hour, she began to perceive a sense of weight and fullness in the region of the Uterus, and in an hour and a half after the first application of the Ligatures, the *Menses* began to flow.

If it should be alledged, that the effect here produced, was owing to the compression of the *Arteries* and not the *Veins*; it may be replied, that the means made use of to compress the first, must necessarily have the same effect on the other:—But, setting this reasoning aside; if simple pressure on the *crural Arteries* has been known to bring on the *Menses*, after a long ob-

struction, by impeding the course of the Blood, and throwing a larger quantity on the *uterine Vessels*; so would the same degree of pressure when applied to the *Veins* themselves; which may be looked upon as so many reflected Arteries, void of pulsation, because of their distance from the Heart, which cannot extend its Influence beyond the *anastomoses* of these two Orders of Vessels.

Having laid before the Reader such general Remedies as have been thought most conducive to the relief of that dangerous *Malady* under consideration; and pointed out the pernicious tendency of a heating Regimen, or the exhibition of cordial Medicines; I shall now endeavour to shew the good effect of a *contrary Method*, both as supported by reason, and Experience; at the same time confessing, that the perusal of Dr. *Stephenson's* ingenious Essay on the effect of Heat

Heat and Cold on human Bodies*, and afterwards, what I had read in the Commentaries of the celebrated *Baron Van Swieten*, in a great measure, first suggested to me the Propriety and Expediency of such Practice.—The first of these Authors, has very sensibly refuted the absurd Doctrine of *Derivation and Revulsion*, and shews, that the *Pediluvium*, or application of warm Water to the Feet, the effect of which was supposed to depend upon those principles, is owing to a cause directly contrary to that hitherto assigned; as the following Experiment will clearly evince.

Dr. *Stephenson* caused two Youths to put their Legs into warm Water, and whilst they continued there, he counted their Pulses by a Watch measuring Seconds, according to the different degrees of heat in the Water, which was gradually increased and applied from time to time:—At eight o’Clock

P p 2

in

* *Edin. Med. Ess.* Vol. VI. p. 871.

300 NATURE *and* TREATMENT *of*

in the Evening, the Pulse of the first, beat sixty-six ; and that of the second, eighty-four.—As the heat was increased, they began to breathe quicker,—their Countenance became florid,—the Veins of the Face and Hands were much distended, and the Pulse increased in proportion ; in the first, it beat eighty, and in the second, ninety-eight Strokes in a Minute.—In the above Experiment, both their Pulses, which in the beginning, were soft and small, became very full and hard ; and not only the parts immersed in Water, but the whole body was swelled:—The Pulses of the Wrists and Temples also beat fuller and quicker, as well as those Arteries derived from the *Aorta descendens* ; and consequently, there could be no *Revulsion*.—The Legs being then removed out of the warm Water ; in about half an hour's time, all the above Symptoms of fullness went off, and the Pulse in
each

UTERINE HŒMORRHAGES. 301

each, gradually returned to its former state.

From these Premises, the Doctor, with reason, concludes ; that the Blood passing through the Vessels of the Legs, being heated by the *Pediluvium*, imparts its additional warmth to the general Mass ; which being rarified, takes up a larger space in the Vessels, and circulates with more rapidity than before ; and thus every part of the Body is affected with a sense of fullness : Hence, he infers the great danger of this application in *Hæmorrhages* from the Nose or Lungs, or in Disorders of the Head or Breast, arising from Plenitude ;—Cases where it was often formerly applied, and must as often have been destructive to the Patient.—What is antient or modern, is not therefore right or wrong ;—tho' this is not the only Instance where things however preposterous and absurd, have
derived

302 NATURE and TREATMENT

derived such a sanction from antiquity, as to render them the standard of future Practice.

Van Swieten, in treating of the Diseases of Virgins, expresses himself in the following manner.

Cum autem pedes & crura ab iliaticis arteriis externis sua vasa accipiant, uterus ab hypogastricis non tantum, sed ab iliaticis externis etiam, & variis inter se anastomosibus communicent (uti in tabulis Eustachianis (1) videri protest), facile patet, quare, per balnea laxatis pedum vasis, & dein per frictiones accelerato motu in iisdem, major copia sanguinis derivetur versus aortum, ubi in Iliacas dividitur, adeoque & magis tunc urgeantur uteri vasa ; sicque sperari possit, illorum extrema ita dilatari posse, ut menstruum fluorem dimittant.

Simul notandum est, practicis observatis constare, calorem pedum prodesse menstruantibus ; frigus autem nocere ; imo quandoque

subito

(1) Tab. xiii.

subito menstrua supprimi, si admodum friges-
cant pedes ; quod saepias observavi ; praeci-
pue si pavimento marmoreo frigido pedibus
insistant diu. Solent enim ab hac causa sola,
contractis spasmodice intestinis, dolores colici
oriri molestissimi, in quibus magnum leva-
men sentitur, si pedes incaluerint, imprimis
per frictiones. Omnia enim abdominis visce-
ra male afficiuntur, dum pedes intense fri-
gent ; adeoque mirum non est, & uteri vasa
stringi, sicque supprimi fluorem menstruum.

The Experiment mentioned by the first Author, is a clear and satisfactory illustration of the effect of *Heat* on the human Body ; and the practical Observations of the latter, as appears by the above Quotation, as sufficiently demonstrate the action of *Cold*, in constringing the Vessels of the Uterus, and suppressing the Menses, even when applied to the Feet only ; from whence, the following Question arises ; viz. If the *topical application of Cold* to
the

the Feet, has been found to put an immediate stop to the habitual Discharge of Blood from the Uterus, in opposition to the powerful efforts of Nature ; is there not the greatest reason to believe, that the same application would prove singularly efficacious, either in restraining, or totally taking away that *Hæmorrhage* from the Womb, which is preternatural ; and where Nature, ever attentive to her own designs, is therefore also endeavouring to assist herself ?

Heat not only relaxes the Solids and dissolves the Fluids, as may be seen by its effect on those animal Substances, called Jellies or Glue ; but also rarifies the Air contained in the Blood, by which, the whole Mass will be expanded ; and by taking up more space in the Vessels, their diameters will be enlarged, which will lay an additional stress upon the whole solid System.—*Cold*, on the contrary, condenses
the

UTERINE HŒMORRHAGES. 305

the Air in the Blood, and confirms its texture, and even the hardest Metals, as appears by the *Pyrometer*, are contracted by the one and expanded by the other.

From these several circumstances, I would infer, that the application of *intense Cold* to the Body, is more to be depended upon, and will produce a more salutary effect in *Uterine Hæmorrhages*, than any thing else which can be devised; altho' I foresee an objection, which I would wish to obviate before I go further.—As Cold affects the Body by contracting the Solids, and repelling the Blood to the interior parts; it may be said, that its action will be equally pernicious with that of *Styptics*:—Admitting this reasoning as unanswerable; since I have always found it otherwise in Practice, I can pay no manner of regard to it; but the fact seems to be this;—when the Body is heated, the circulating power is increased, and the

Q q

Blood

Blood is not only rarified and rendered more fluid, but its Vessels being dilated, if they at last give way, will then discharge their contents the more freely ; but when it is suddenly chilled, altho' the application of *Cold* may contract and lessen the capacity of its Vessels, it condenses the Blood at the same time, so that in effect, they will not become fuller than before ; besides, as I have always observed, that the Flux of blood abated in proportion to the degree of Cold ; Experience, which ought to supersede all Theory, seems to shew, that the effect of Cold in condensing the Fluids, is far more than equal to its power in contracting the Solids ; or at least, that the danger already hinted at, is not to be feared.

Those Floodings which are attended with frequent and long-continued *fainting Fits*, very often prove mortal ; yet I have observed in some of those where the
Pulse

UTERINE HŒMORRHAGES. 307

Pulse was weak and intermitting, and who were apparently sinking very fast, that by freely admitting the fresh, cold Air, they recovered as if inspired with new Life.— This does not seem difficult to account for, as the Heart has not power to propel the blood through the pulmonary Arteries, 'till the Lungs are sufficiently blown up with cold Air ; which, on account of its greater gravity, is much fitter for the purposes of Respiration, than the warm, confined Atmosphere of a Bed-chamber.

Every one who breathes with difficulty, can tell from his own Experience, what vast relief he finds in going from a hot Room, where the Air is too much rarified, into one much cooler, where it is more elastic and pure.—The frequency of a natural Pulse to the act of Respiration, is in general, as *ten to three* ; and the last is found to have a very sensible effect on the first, both as to its strength and quickness :

—Besides, as a considerable part of the whole Mass of Blood is continually passing through the Lungs; successive draughts of that *cold Fluid*, constantly applied to their interior Surface, will contribute greatly to cool and condense it; as nothing but the thin membranous expansion of the Air-Vessels is interposed, and as the Air in the Blood will, by alternate changes, always keep itself in *equilibrio* with that of the common Atmosphere.

According to *Arbutnot*, the internal Surface of the Lungs, is greater in its extent, than all that part of the Skin which is exposed to the Air; and therefore, the large quantity of this fluid received by Inspiration, added to that externally applied to the Body, will have a very great effect in condensing the Mass of Blood, and reducing it into a smaller space, so as to lessen the distension of its Vessels; and consequently, will not only tend to secure the Patient from the
danger

danger of a Syncœpe, but will also abate the Flooding.

Next to the free and unlimited use of *cold Air*, together with the application of Compresses, dipped in cold Vinegar, to the Belly and Loins; I have often, according to the Practice of *Hoffman*, directed large and repeated Draughts of *Spring Water*, with remarkable good success; for, out of near *Seven Hundred Women* delivered in the *Westminster Lying-in Hospital*, several of whom were seized with Floodings, both before and after Delivery; not one of them failed under this Treatment; as far as it was prudent to trust to it, or any other Means, independent of Delivery itself.

When the Patient is very weak and much exhausted, Beef-water or weak Broth taken cold, will be more proper than Water; and where the last is directed, it will be necessary to tincture it with the *Syrup*
of

310 NATURE *and* TREATMENT *of*

of red Poppies, or something of the like kind, to give it a medicinal appearance, which will render it the more acceptable : But, if notwithstanding, the Flooding becomes so profuse as suddenly to endanger Life ; her *Feet should be plunged into cold Water*, up to the Ancles, and may remain there as long as they are sensibly affected by the Cold ; after which, they may be taken out for a few Minutes, and then immersed in Water again.

So long as the strength continues, and the Pulse remains good, it will not be necessary to proceed to the Delivery with violence, but to wait, at least for a time, that the Os Uteri may relax and dilate by the effect of the Pains ; always remembering, that the indication of danger, is rather to be taken from the nature of the Symptoms than the quantity of Blood ; as it is incredible how much some have lost and yet survived, whilst others will
sink

sink under a very inconsiderable discharge.
 —*Mauriceau* remarks, that where the Orifice of the Womb was soft, thin, and equal, the Patient generally recovered; but if the contrary, she often died:—*Peu*, in his Practice of Midwifery, seems to be of the same opinion, and is so sensible of the great Danger of applying violent force to dilate the Os Uteri, that he pronounces it death to the Patient, from his own Experience*.

Delicate Women, who have lax Fibres, of all others, sustain the loss of Blood with most danger, being extremely apt to faint, and are subject to a violent Head-ach; so that uncommon attention should be paid to their safety:—In such habits, especially after Delivery, and in Cases of extreme weakness, *Hartshorn* *Jellies*, with Rhenish Wine, and those things which give Nourishment to the Body, and Consistence to the Blood, may be advantageously di-

* *Peu*, pratique des accouch. Chap. xv. p. 516.

312 NATURE *and* TREATMENT *of*

directed :—An Infusion of the *Cortex* with Cinnamon, in French Claret, and the addition of a little fine Sugar, will also make a very grateful and generous Cordial, without heating the Body.

In long-continued fainting Fits, where there was danger of a total Stagnation of the Blood, I have sometimes directed the following volatile Liniment with great advantage, to be rubbed upon the Pit of the Stomach, in the quantity of a Teaspoonful ; over which, a hot Flannel should afterwards be immediately applied.

R. Ol. Amygd. $\mathfrak{z}\text{iss}$

Spt. Volat. aromat. $\mathfrak{z}\text{ij}$ misce & fiat
Linimentum.

The Symptoms of immediate danger, are principally these, viz. the Eyes grow dim, and the Extremities cold ;—the Pulse becomes weak and intermitting, and the Patient frequently faints ;—Cold Sweats, with the Subfultus Tendinum, or
Con-

Convulsions succeed ; and the Hiccough is generally the last fatal Symptom, which shews that Death is near.

But notwithstanding some of those alarming Signs, for they seldom all appear ; as Delivery is the only Remedy which can give the Patient a chance for Life ; no one who is truly sensible of the duties of his Profession, will timorously desert her in the time of her utmost need ; but deliberately follow the Rules of Practice, and speedily endeavour to perform that by *Art* which *Nature* is unable to accomplish ; without any regard to the prejudices of the ignorant Vulgar, or that undeserved censure which so frequently follows, where the event is fatal.

Whenever a speedy Delivery becomes absolutely necessary, it should be attempted without delay, even during the *fainting Fits* ; for altho' such a proceeding may seem to carry the appearance of cru-

elty ;—the general relaxation of the Body which then prevails, will render the Uterus more torpid and inactive, and less liable to be stimulated into motion by the hand of the Operator ; consequently, as there will be more space for turning the Child ; both it and the Mother will suffer proportionably less :—Indeed, her loss of Strength will then concur with his assistance ; because where that is much exhausted, the Uterus becomes, as it were, unbraced and void of contraction ; which shews the folly and imprudence of those, who are ever teasing and persecuting the poor, languishing and half dead Patient, with their impertinent Admonitions ;—“ to
 “ bear down strongly, and make the best
 “ of her Labour-pains.”

In short, in all those Floodings which happen where the *Fætus still remains in Utero* ; when every other method has failed, and the danger is great, the Patient,

if

UTERINE HÆMORRHAGES. 315

if possible, should be *speedily delivered*; and whenever a profuse Hæmorrhage happens *after Delivery*, and obstinately continues notwithstanding the Remedies already mentioned have been tried, it will then become necessary to throw up *styptic Injections* into the Uterus, as the last and most powerful application that can be tried for the Patient's relief*.

As the present method of treating *uterine Hæmorrhages* often proves ineffectual; I have the rather been particular on this Subject, and the more desirous to propose another, which, I have great reason to believe, will succeed better:—But as no new Doctrine of importance, can be too sufficiently confirmed by Experience; I should think myself much obliged to such Gentlemen of the Profession, as would take the trouble to communicate to me, their *practical Observations* concerning the effect of Cold in such Cases.

R r 2

Besides

* Vide, *Pugh's Treatise on Midwifery*. Chap. v. p. 33.

316 NATURE *and* TREATMENT *of*

Besides the Hæmorrhages, incident to pregnant Women, there are two other sorts which occur more rarely, and are not attended with so much immediate danger ; the first may happen to *Virgins*, the last to Women about the disappearance of the *Menses*.

According to *Lamotte*, those Floodings to which young Women are subject, arise chiefly from a *Plethora*, and if the Uterus is in a sound state, are generally remedied by Bleeding, Laxatives, and an abstemious Diet.—In these Cases, we should be cautious not to injure the reputation of the Patient, from the suggestion that she is with Child, and that such a flux of Blood denotes a Miscarriage ; which sometimes has inadvertently been done.

The menstrual Flux, which now and then continues in plethoric Habits, for the first three or four Months of Pregnancy ; and also that Discharge of Blood which
natu-

UTERINE HŒMORRHAGES. 317

naturally happens after Delivery, from the separation of the Placenta from the Uterus, should be carefully distinguished from a real Flooding, by those who are inexperienced ; or who, from a want of attention rather than judgment, might chance to fall into mistakes of this kind.

Women about the Age of forty-five or fifty, and often much later, are sometimes troubled with a discharge of grumous, fœtid Blood ; especially those of plethoric Habits, who are very sedentary and indulge themselves to excess in eating and drinking.—When the female Constitution continues to generate redundant blood beyond the stated time of Nature ; and where the uterine Vessels, from the effect of age, become too rigid and compact to allow it to pass off that way ; great inconveniences to the health are the consequences of it ; tho' in general, they may either be relieved or cured by Bleeding
and

and Evacuations :—However when such complaints are of long continuance, attended with a slow Fever,—a sanious Discharge, and a painful forcing down of the affected part ; they then almost certainly denote a diseased Uterus, and frequently prove mortal in the end.—But altho' a perfect cure is seldom to be expected, yet the *Peruvian Bark* liberally administered, after gentle Evacuations, together with *Opiates*, when the Pain is violent, has frequently afforded very sensible relief :—A milk and vegetable Diet, with Nourishment of easy digestion, and moderate Exercise in a pure Air, will also tend to abate the severity of the Symptoms and prolong the Patient's Life.

S E C T I O N VI.

Of Convulsions, and the Acute Diseases most fatal to Women during the state of Pregnancy.

TH E Cause of Convulsions, is generally either seated immediately in the *Brain* itself,—the *Stomach*, or *Uterus*; with which the first becomes sympathetically affected by the mediation of the Nerves. They may also arise from the violent affections of the *Mind*, especially sudden Fear; and likewise from a *Plethora* or *Inanition*.—There are other more remote Causes of the Disease, which but seldom occur, viz. the Suppression of some long-accustomed Discharge, as Eruptions repelled from the surface of the Body,—the stoppage of the bleeding Piles,—or the application of any painful Stimulus to the nervous parts of the Body.

Con-

320 NATURE *and* TREATMENT *of*

Convulsions are either *idiopathic* or *symptomatic*;—the first are owing to some morbid Impression originally made on the *Brain* or *Genus nervosum*, and when derived from the Parent; are therefore termed *hereditary*:—The last arise from accidental Causes, which act suddenly on the Nerves, and with more violence than their natural Structure can bear:—Those which are hereditary or habitual, and which continue after Puberty, are generally incurable, tho' seldom mortal; and when they totally disappear about that period, it seems owing to a gradual change produced in the Body, by the effect of Age; which lessens its *Irritability*, and gives more strength and firmness to the whole solid System.

A remarkable alteration is likewise brought about in the female Habit, towards the first eruption of the *Menses*; for at that time, Convulsions have frequently

quently been known to cease, which before had resisted the most efficacious Remedies.

Hysterical Women, from the delicacy of their habit, and the great irritability of their Nerves, are, of all others, the most subject to this Malady; especially, during the latter end of their *first Pregnancy*:— This probably arises from the unequal or uncommon pressure of the gravid Uterus on the abdominal Viscera, which may obstruct the Vessels and prevent the free circulation of Blood in those parts; or else from the vast distension of the uterine Fibres, which creates a painful sensation, and by nervous Sympathy, throws the whole vascular System into a convulsive Spasm.— But, that the vast stress laid on the Uterus, by the increased bulk of the Child, is not alone sufficient to produce the Disease is evident; seeing, that gravid Women in general are not subject to it; and there-

fore, the *original cause* must have pre-existed in the Constitution, either from some former injury done to the *Brain*, or from a morbid Impression derived from the Parent; which remains dormant and inactive, 'till roused into motion by some such change as that arising from pregnancy.

As the Causes of Convulsions are various, so likewise is the intention of cure.—The Vessels of the Body can neither be filled or emptied beyond a certain degree, without occasioning a *Pletthora* in the one case, and *Inanition* in the other; both of which extremes are destructive to health, and may occasion Convulsions.—In the first, they arise from a painful distension of the nervous Parts; and in the last, from a defect of the circulating power, and that equal distribution of the Blood, which is necessary to carry on the several Secretions.

Convulsions from *Inanition*, are much more dangerous than those from a *Plettho-*

ra ; as it is much easier to empty, than to replenish the Vessels ; for, altho' Nourishment may be taken into the Stomach ; 'tis a considerable time before it can be converted into blood, especially where the assimilating powers of the Body have been much impaired.—When this Disease comes on after profuse Floodings, or other immoderate Evacuations, 'tis generally mortal ; and it is observed, that slaughtered Animals, having lost a certain quantity of Blood, fall into Convulsions a short time before death :—*Van Swieten* supposes, that this is owing to the uniform pressure of the Blood-vessels being suddenly taken off from the *Brain* ; but more probably, it happens because that *æquilibrium* is destroyed, which ought to subsist between the Solids and Fluids, towards a state of health ; and therefore, as soon as the quantity and impulse of the Blood on its containing Vessels becomes defi-

cient, the vascular System for want of resistance, begins to exert a kind of preternatural contractive power, and the whole bodily Frame is violently agitated or convulsed.

But notwithstanding what has been said, the above illustrious Author relates the following extraordinary Case, where the Patient recovered*.—*Novi gravidam, quæ placidissime dormiverat, dum in vicinia periculosum erat incendium: Sollicita Mater, mane accurrens, gratulabatur filicæ, quod blandus Somnus omnem timorem arcuisset.—Mox incipit tremere misera toto corpore, & angî, simulque totus lectus jam inundabatur sanguine, sequente animi deliquio, & convulsionibus; tamen a periculosa hac Uteri Hæmorrhagia convaluit, sed fœtum quadrimestrem abortiens perdidit.*

Medicines in such Cases, are in a manner out of the question; as nothing will so effectually restore the Strength, as the repeated use of nourishing Fluids, in small quan-

* Van Swieten, Comment. Vol. iv. p. 497.

quantities :—Broth Clysters may also be administered ; and if the Pulse should remain very weak and languid, a decoction of the *Peruvian Bark* may be given, with warm nervous Cordials, joined with an *Opiate*, such as the *Confect. Paulin.* &c.—Where the Symptoms are urgent, and the Circulation almost at a stand ; *Blisters* may be applied to the inside of the Arms, and Sinapisms to the soles of the Feet ; the Extremities may also be rubbed with hot Flannels, or immersed in *warm Water* ; the effect of which, has already been considered.

When Convulsions arise from a *Plethora*, which chiefly happens to such as are young, who indulge their appetite, and have a strong digestion ;—the Pulse is generally hard, full, and frequent ; which will require the immediate and repeated loss of Blood, together with the use of laxative Medicines and plentiful dilution :

The

—The *saline Draughts* with *Nitre*, may also be given, and the Patient should be enjoined to observe a light and abstemious Diet for some time after, for fear of a relapse.

When she is comatose during the intervals, and her head affected,—the eyes being prominent and blood-shot, attended with a Delirium, or much Fever; the use of *Opiates* are improper:—In short, they ought not to be given, except in cases of great urgency from Pain or want of Sleep; and even then, only after Bleeding and Evacuations.

It is of the utmost consequence to distinguish the true cause of Convulsions, before any Medicines are prescribed, or methods tried for the Patient's relief; as an error of judgment might prove of fatal consequence:—For Instance, copious Bleeding, which would relieve or cure Convulsions arising from *Plenitude*; would
instantly

instantly destroy the Patient, if they were brought on by *Inanition*; and *Emetics*, which would be proper when the Stomach was loaded with Bile or other **noxious** humours; would be highly **pernicious**, where they were occasioned by an ardent **Fever** or *Inflammation of the Brain*.

Those of strong, robust **Constitutions**, are seldom subject to **Convulsions**, except from very violent Causes; on the contrary, Children, and those of delicate **Habits**, are sometimes affected by the slightest Impressions on the Body or Mind; and it is remarkable, that what produces very extraordinary and alarming Symptoms in one, will not at all endanger another; each feeling the Effect of different Causes, according to their natural Temperament, and as their *Nerves* are strung to different Sensations:—But altho' Women and Children are more subject to this Disease than Men, in proportion as their habit is weak
and

and irritable, 'tis observed that they escape the danger of the Disease much better.—Convulsions, supervening violent Fevers, or an Inflammation of the Brain, are often mortal; but those which are followed by a Fever,—critical Eruptions on the Body, or the large discharge of putrid Bile from the Stomach or Intestines, generally end more favorably:—If they are of the hysterical kind, unattended by a *Coma*, *Dilirium* or *Fever*, and attack the Patient, by long intervals, so as to become habitual; they do not denote immediate danger; but sometimes occasion the Palsy, loss of Memory, or Idiotism; by gradually impairing the several vital Functions.

When this Disease is suddenly produced by *Terror*;—*Bleeding*,—the liberal use of *Opiates*, and the *warm Bath*; by dissolving the Spasm, and soothing the Nerves, will best answer the intention of Cure.

I attended a Lady in the year 1766, who was repeatedly attacked with Convulsions during her Pregnancy, which were first owing to a Fright, and to which she had been subject many years; being treated in the manner just mentioned, she went on the full time of her Pregnancy; after which, she was happily delivered, and recovered without any interruption.

Some Authors particularly recommend Bleeding in the Foot when the Head is affected; but the Doctrine of *Derivation and Revulsion*, as applied to bleeding, is not less inconsistent and irrational, than in what it relates to the *Pediluvium* or warm Bath for the Feet.—The opening of a Vein in the Foot, has been said to bring on the Menfes, when Blood drawn from the Arm, had no such effect; and this was supposed to happen in consequence of its accelerating the Blood's motion through the Vessels of the Legs

and *Uterus* ; which indeed, is a downright contradiction ; for when a Vein is opened in any part, the motion of the Blood through it, *pro tempore*, will rather be retarded than increased ; as it is evident that the *bleeding Orifice* cannot possibly transmit so much Blood, as the trunk of the Vein before its compression by the *Ligature*.—Admitting this as a fact, it will follow, that if the *Menfes* have been suddenly brought on by bleeding in the Foot, the Effect was produced in a manner directly contrary to what has generally been imagined, viz. to the compression of the Veins and Arteries by the *Ligature* applied to the Legs, and to the *immersion* of the Feet in hot Water ; both of which, as already remarked, increase the quantity and motion of the Blood passing through the *Uterus*.

Errors in Diet, or Food taken into the Stomach which may offend either in quantity

tity or quality, has been known to occasion convulsions; but these are seldom dangerous, and generally cease, as soon as the offending matter is removed, by giving an *Emetic* and Laxatives, after which an *Opiate* will be proper.

A *Retention of Urine*, by distending the Bladder and creating violent pain, may likewise be productive of Convulsions, especially in weakly, irritable habits; but here, as in the former Case, they soon go off, after the Bladder has been emptied by the *Catheter*; otherwise, the warm Bath should be directed, with Emulsions and Anodyne Clysters.

When the Neck of the urinary Bladder is compressed by the Child's Head, it may be gently raised above the Symphysis of the Pubes:—A Case of this kind, is mentioned in *Lamott's* Observations, where, from such assistance only, a large quantity of Urine was instantly discharged.

A Patient at the *Westminster Lying-in Hospital*, about two years ago, in the time of Labour, complained of excessive pain at the Pubes, which she was not able to endure without crying aloud:—She was seized with the *Subsultus Tendinum*, which occasioned the *Matron* to send for me: I found the Bladder distended with water, and raised above the Brim of the Pelvis, so that during her Labour-pains it was violently compressed between the Uterus and the Bones, even to the danger of bursting; being at that time equal in bulk to a Child's head, and hard as a solid Body.—I directed the Water immediately to be drawn off by the *Catheter*, after which she became easy, and was delivered soon after.—Another Case of the like kind, happened at the *Hospital* lately; where the Bladder, by its hardness and projection over the Pubes in the time of the Pains, was at first, taken for the Head of the Child.

Child.—the Patient was treated in the same manner as the former, and also recovered.

Where *cutaneous Eruptions* are suddenly thrown back into the habit; the *warm Bath* and gentle *Diaphoreticks* with Nitre, will bid fair to relieve the Patient; but should her Complaints arise from *Worms*; anthelmintic Medicines may be given; of which, *Plenck's* Preparation of Mercury, with Gum Arabic, is both efficacious and safe, if administered with due caution.

In strong *Convulsions* during Pregnancy, a speedy Delivery has been proposed, and recurred to as the principal Remedy; but Observation and Experience shew, that this Rule will admit of many exceptions, and ought to be regarded with great caution; especially by those who are young in Practice, and therefore influenced by fear, which naturally suggests the

the

334 NATURE *and* TREATMENT

the worst ; in consequence of which, they are often prompted to proceed with more haste and violence than is consistent with the Patient's safety.

It has already been remarked that the simple pressure of the *gravid Uterus* on the contiguous Viscera may interrupt the natural Functions of those parts, and occasion Convulsions ; and to such Cases, may be added those where that part is defective in its organical Structure ; and being either too small, or preternaturally firm and compact, cannot yield sufficiently to the increased bulk of the Child, without being violently distended and overstrained ; or else by an unfavourable position of the Fœtus, it may be bruised and compressed between the angular parts of its body and the bones of the Pelvis, so as to excite pain and bring on Convulsions ; especially, as the habit is at this time uncommonly irritable :—Under such Circum-

cumstances, a *speedy Delivery*, if the Patient is at, or near her full time, may procure her instant Relief; but on the contrary, whenever they arise from any cause which is *independent of the State of Pregnancy*; Experience, as well as Reason, evidently shew, that a Delivery thus violently brought about, contrary to the common course of nature, would not only prove *ineffectual*, but also highly dangerous.

Hoffman supposes that the *Duodenum* is often the seat of Convulsions, because of the discharge of Bile and Pancreatic Juice, into the Cavity of that Intestine; which from various causes, are wont to become putrid and highly acrimonious; consequently, they will produce great Pain and Tumult in the Body, if not soon evacuated by gentle Cathartics. — The retention of those *acrimonious Salts* and *rancid Oils*, which naturally ought to pass off by the Kidneys may likewise occasion this
Malady;

336 NATURE *and* TREATMENT

Malady ; as it has sometimes been observed to succeed a Flux of pale, lymphid urine, especially in Fevers ; in which, small portions of *emetic Tartar*, with the saline Draughts, or other Saponaceous fluids have been found to procure the most Relief.

Besides the several causes of convulsive Disorders already enumerated, there may be others, so latent and difficult to be found out, as to remain imperceptible to the nicest Observer ; which nevertheless act with great violence on the sensible and irritable parts of the human Body :—In such doubtful cases, or where the Patient is senseless and can give no information ; the indication of Cure must be taken from the general Methods of treating the Disease, together with her habit of body ; and the precipitate Administration of powerful Medicines ought by all means to be avoided ; for one that is afraid of
mistaking

mistaking his way, should rather abate than redouble his speed.—If the Patient is unable to swallow, which frequently happens, she should not be neglected on that account; for *Opium*, *Musk*, or other Medicines, may be advantageously given in Clysters.

Women who have been subject to the Disease, in former Pregnancy, should use every possible caution to avoid it; by *Bleeding*,—The use of *Opiates*, or such other Medicines, or Methods, as seem best appropriated to the Nature of their Constitution, before the approach of Labour.

Convulsions from their violence, or long duration, sometimes leave a *morbid Impression* on the Brain or Nerves; by which the intellectual Faculties are much impaired:—In such Cases, Blisters, Preparations of the Bark, with Aromatics, or the warm foetid Gums, have been found serviceable; together with the Chalybeate

338 NATURE *and* TREATMENT

Waters,—the Cold Bath, and moderate Exercise in a dry, pure Air.

The following Medicine may be prescribed and varied at Discretion, if requisite.

R. Pulv. subtiliss. Cort. Peruv. ʒi.

——radic. Valerian. Silv. ʒij

Chalyb. rubig. preparat.

Spec. Aromat. āa ʒi.

Syr. Caryoph. rub. q. s. ut fiat Elect. cujus sumat quant. Nucis moschat. bis terve in die superbibend. Cyath. Aq. Pyrmont. vel Spadan.

All the animal and vegetable substances, which are usually directed in Spasmodic Complaints, act by their powerful Effluvia, and in a certain degree seem to produce a narcotic Effect ; among the first are Musk, and Castor ; and of the last are Gum Asafœtid.—Camphor, Valerian, &c. but *Opi-um*, wherever it can be properly given, is by far the most sovereign Medicine, and much superior to all the rest.

Here

Here it is necessary to caution young Practitioners, who are generally *Enthusiasts* in Physic, not to imagine that the Names of Medicines, or the Class to which they belong, either sufficiently denote their true qualities, or point out their real use ; and therefore, not to depend upon them too much, however dignified with the appellation of *Antispasmodics*, *Specifics*, &c. many of them have not even power enough to do harm; which indeed is saying something in their Favour; since those which are good, are often abused, and then become the worst of all.—The proper means of making Remedies salutary, consists in distinguishing properly how they are to be applied :—Thus administered, there is much which they will do, but much more which it is impossible they should do, from the very nature of things ; and which therefore, it would be unphilosophical as well as unreasonable to expect.

I was favored with the following Case, by Mr. *M——n*, the Gentleman who attended and delivered the Patient; and have set it down, as near as possible, in his own words.

C A S E I.

Mrs. *D——an*, of *Swallow-Street*, aged about thirty, at her full time, and with her first Child; was seized on the 24th of *January*, 1764, with violent and universal Convulsions, in the beginning of Labour, whilst her pains were moderate, attended with a total deprivation of her Senses:—Being of a plethoric Habit, twelve or fourteen ounces of Blood were immediately taken from the Arm,—a Blister was applied to the Back, and the usual antispasmodic Medicines administered, but without any sensible benefit; the Convulsions increased in frequency and
vio-

violence ; recurring every five or six minutes without any intervals of respite :— At the accession of every Fit, the Child's Head was pressed down on the *Os Uteri*, as if a Labour-pain had been coming on, but was almost instantly retracted ;—it then grew rigid, and the agitation of the whole Body was so violent, that there was no possibility of obtaining any further information from the Touch :—In the mean time, the Arm, from struggling, bled to the quantity of ten or twelve Ounces more, but no Fainting ensued.—In this manner, when about eight hours had elapsed, and no Symptoms of amendment appeared ; it was proposed to bring the Child away by Instruments, and, for the satisfaction of her Friends, and the preservation of the Attendant's Character, to request Dr. *Leake's* Advice, and that he would be present during the Operation ; but as his Residence was distant,
and

and the first Messenger had mistaken the Street, upwards of an hour was lost, before he was apprised of it; and in the mean time, the *Convulsions* increased to such a degree, that her Death was every moment expected.—In the Intervals, which were now very short, no Pulse was to be felt, nor could she be perceived to breathe: Her Attendant therefore thinking that any further delay might be fatal, resolved not to wait any longer, but to proceed to the Operation alone.—During the recess of the Convulsions, he could perceive that the Os Uteri was dilated to a considerable extent, and the Head advanced below the Brim of the Pelvis :—After repeated trials with the *short Forceps*, finding he could not succeed, on account of the height and largeness of the Head, and the insufficient dilatation of the Os Uteri; he introduced the *Scissars*, perforated the Scull, and after evacuating its contents, extracted the

Bones

Bones of the Head; and then delivered her without much difficulty.—Just as the Operation was finished, Dr. *Leake* arrived, and seeing the state of the Patient, confirmed the unfavourable Prognostic which her Attendant had before made :—However, thinking it better to try the effect of doubtful Remedies, than to leave her to herself, he prescribed for her as follows.

R. Pulv. e Myrrh. c. ʒi

Mosch.

Sal. Succin. aa ʒss

Syr. e Cort. Aurant. q. s. ut fiat Bolus 4ta quaq. hora sumend. cum Cyath. Julep. sequent.

R. Julep. e Camphor. ʒvij

Spt. Volat. foetid. ʒij misce.

Sinapisms were also directed to be applied to the soles of her Feet.

On the third day from her Delivery, she began gradually to return to her senses, as if awaking out of a dream; but had
not

not the least recollection of any thing that had happened to her, or of any Pain she had felt since the time her *Accoucheur* first entered the Room.—In a fortnight's time, she was perfectly recovered, and since that time, has had several Children.

C A S E II.

August the 9th, 1765, I was sent for to see a Gentlewoman at *Camberwell*, who was convulsed ;—she was big with her first Child, and at the full expiration of her Reckoning :—Her Midwife was with her, and informed me that she had no Labour-pains, the *Os Uteri* not being at all dilated.—She was apparently of a strong habit of Body, and had been remarkably healthy during the latter end of Pregnancy :—The Fits, two in number, which had been violent, were gone off before I saw her :—Her Pulse was good, and she was perfectly sensible ; but could
give

give no manner of reason for her complaint ;—I ordered twelve ounces of Blood to be drawn, and a Cathartic Clyster to be administered ; after which, she took a Bolus, with *Musk and Opium*, and washed it down with the saline Mixture.—When I saw her the next day in the afternoon, she seemed in a manner quite recovered ; but had only taken her Medicines once.—She was delivered two days after and did well.

C A S E III.

October the 28th 1769, late at night, I was desired to visit Mrs. *A—d—n*, in *Cavendish-Square*, who was suddenly attacked with Convulsions, the third day after Delivery, without any apparent Cause : She was naturally of a very chearful, volatile Disposition, but subject to a *nervous Tremor* on the slightest occasion.—The convulsive Spasms were gone off before I

346 NATURE *and* TREATMENT

got there ; but her voice was tremulous and indistinct,—her eyes wild and staring, and her Intellects very imperfect ;—she swallowed with great difficulty, and her Face was much altered from its former appearance :—Her Pulse was quick, weak, and unequal ;—sometimes vibrating with uncommon velocity, and then suddenly becoming almost imperceptible and intermitting, for the space of one or two pulsations.—Her friends did not know that she had been disturbed, nor could I find by the Nurse, that any thing had been given to eat or drink which disagreed with her ; but as I had attended her before, and found that *Opiates* generally relieved her, I prescribed the following Medicines.

R. Pil. e Styrace gr. vj

Pulv. Castor. r. ʒss

Balsam. Peruv. q. f. ut fiat bolus minim. pro re nata exhibend. cum cochlear. duobus Julepi sequentis.

R

R. Julep. e Camphor. $\bar{z}v$

Aq. Puleg. simp. $\bar{z}iij$

Spt. Volat. foetid. $\bar{z}ij$ fiat Julepum.

Before seven in the evening, she had taken two of the Bolus's, and having had some refreshing sleep, waked sensible and seemed better ;—when I saw her at that time, her Pulse was also more full and strong, and as there appeared no signs of a relapse ; the application of a Blister was omitted, to which she seemed much averse : I desired that three spoonfuls of the *Julep* might now be given occasionally, without the Bolus's, except she was threatened with the Convulsions.

The next morning she was still better, having passed a good night ;—In the evening she complained of pain in her Stomach, but was free from feverish Symptoms, and perspired gently.—The *Emplastr.*

stomachic. was directed to the pit of her Stomach ;—her Feet were wrapped in hot Flannels, and the use of the Julep was wholly omitted.—She now continued recovering every day, but towards the end of the month, being subject to night Sweats, she took a decoction of the *Cortex*, with *Elix. Vitriol. dulc.* which restored her to perfect health.

C A S E IV.

Sarah Silby, of a strong athletic habit, was delivered in the *Westminster Lying-In Hospital* the 26th of August, 1771.—The Labour was natural, and the *Placenta* came away with ease about an hour after Delivery, as I was informed by the Gentleman who at that Time attended the Hospital; she appeared as well as could be expected till nine in the evening, when she complained of great Sickness and Oppression at her Stomach, and vomited

mitted a large quantity of *porraceous Bile* :
 As the Sickness did not entirely go off ;
 a grain of the *emetic Tartar* was directed
 to cleanse her Stomach more thoroughly ;
 but it did not produce any sensible effect.
 —About Midnight, she was attacked
 with violent *Convulsions*, which lasted 'till
 eleven o'Clock the next day ; during
 which time, she had eleven Fits ; and
 twice or thrice threw up Phlegm mixed
 with clots of blood ; but as she was
 senseless and comatose in the intervals, it
 was not possible to administer any kind of
 Medicine.

The 27th in the morning, her Pulse
 was hard and oppressed, her Skin hot
 and dry, and overspread with a deep yel-
 low, as if she had been ill with the
Jaundice.——The Tongue was very foul,
 and had been wounded by her Teeth
 in the Convulsive Paroxysms ; so that it
 appeared, the blood which she had dis-
 charged,

350 NATURE *and* TREATMENT

charged did not proceed from the Stomach, but only from her Mouth :—The Abdomen was tense and swelled, and she breathed with much difficulty.—Ten ounces of Blood were immediately taken from the Arm, and a *cathartic Clyster* was afterwards administered.—In the evening she was better ;—the Clyster had procured her three Stools, and lessened the hardness and swelling of her Belly.

I then directed one of the following Powders, to be taken every four hours, and an anodyne Draught to be given the last thing at night.

R. Tart. emet. gr. iſs

Magnes. alb. ʒiſs conterere & f. pulv.
in ſex portiones dividendus.

R. Aq. Puleg. ʒiſs

Spt. Volat. foetid. ʒij

Tinct. Thebaic. gtt. xxx

Syr. e Cort. Aurant. ʒj miſce & fiat
hauſtus.

The

The 28th in the morning, she was sensible and much relieved ;—her Pulse was more soft and equal ; the Powders had brought on a free perspiration, and the suffusion of Bile on her Skin, was less perceptible :—The Opiate had also procured her some refreshing Sleep ; but as I observed her Head was disordered and affected with a *stupor* ; *Leeches* were directed to be applied to her Temples in the evening.

29th.—Better in all respects, and perfectly sensible ; but complained of the soreness of her Tongue ; which was washed with Sage-Tea and Honey :—In the evening, she was a little feverish, and had muscular Pains in different parts of her Body, but remained perfectly sensible.—The antimonial Powders were continued.

30th.—The preceding Night's rest, and a free Perspiration, had remedied her yesterday's Complaints :—Nothing was now given but nourishing Food of easy digestion,

352 NATURE *and* TREATMENT

tion, by which, her Strength sensibly increased, and in a few days, she was perfectly recovered.

C A S E V.

That Part of the following Case, which relates to the different Circumstances of Labour, I took from the Minutes of one of my *Pupils*, who then attended in rotation, and delivered the Patient;—the rest is set down according to the best of my recollection.

Ann Philips, on *Thursday* morning, the 27th of *February*, 1772, about two o'Clock, was brought into the *Hospital*, with Symptoms of approaching Labour;—the Waters were discharged the preceding evening, but her Pains were inconsiderable; tho at last they became stronger, and returning by shorter intervals, brought the Head below the brim of the Pelvis, which

which was narrow :—About three o’Clock in the afternoon, her Pains were still more frequent, but of shorter duration ;—notwithstanding, the Head made some small advances, and continued to do so, ’till about eight o’Clock, when it was totally disengaged from the Uterus, and the Birth was expected at every Pain. —Her Pulse was now strong, full, and frequent ; as it had continued during the day ; when, after changing the situation of her Body, which was unfavourable, she seemed rather fatigued, and was suddenly seized with a *convulsive Spasm* of both her Legs, which quickly increased, and soon affected her whole Body :—Her Pulse, during the Fit, was small and very quick ;—she had seemingly great Anxiety and Oppression about the Præcordia ; and the Urine was discharged insensibly :—The Spasm continued about ten Minutes, when she was apparently quite recovered ;

her Pulse also grew stronger, but her pains were manifestly interrupted and much weaker.—The Convulsions returned by intervals of near an hour, and were of longer duration, 'till about twelve o'Clock, when she was delivered.——She was afterwards much better ; but her Fits again returned in half an hour with greater violence than ever ;—her Intellects, during the intervals, being also very imperfect.

Eight ounces of Blood were taken away, and the following Bolus directed to be given immediately after, and repeated as occasion should require.

R. Extract. Thebaic. gr. iſs

Mofch. ʒſs

Confect. Alkerm. q. ſ. ut fiat Bolus.

She was strongly convulsed in the night several times, and by seven o'Clock in the morning, had thirteen Fits, from the first attack ;

attack ;—about nine, she was better, but complained of much pain in her Head, and soreness all over her Body.

An emollient Clyster was administered, and her Temples were bathed with warm Vinegar, the fumes of which, she also drew up her Nose :—Her Head being affected, the *Opiate* was omitted, but about nine at night, it was repeated, lest there should be a return of the Convulsions.—The next morning, she was much better in all respects ;—had sound, refreshing sleep in the night, and perspired freely.—From this time, the symptoms of weakness gradually went off, and in a few days she was perfectly recovered.

C A S E VI.

I was favored with the Particulars of the following Case, by Mr. *H—t*, an *Apothecary* in Town, who practises Midwifery, and at

Y y 2

whose

356 NATURE *and* TREATMENT

whose request I was sent for, at the time the Patient was seized with Convulsions.

Mrs. *H*——, the wife of a Tradesman in *James-Street, Covent-Garden*;—about thirty years of age, of a robust, plethoric habit and perfectly healthy; being pregnant with her first Child, was seized with *Convulsions* at the expiration of her full time, and during Labour, viz, the 10th of *March, 1772*:—Her Pulse was full, and her Pains seemed natural, but so moderate, that she was not at first examined by the Touch:—In less than an hour, she was taken with a Reaching, without any apparent Cause, and complained of a pain in her Stomach:—A little warm Caudle was given her, which was instantly thrown up;—the pain at her Stomach became very violent, and the Vomiting increased; about half an hour after, she was seized with *strong Convulsions*, which ceasing by intervals, she vomited with great violence,

lence, and several times threw up a large quantity of a slimy Fluid mixed with Blood.

During this time, there were no signs of Labour, the *Os Uteri* being rigid and quite closed:—Every Paroxysm was succeeded by a seemingly profound Sleep, attended with Snoaring, or rather Snorting, together with a discharge of Foam from her Mouth, mixed with Blood.—She was in this situation when I first saw her:—Twelve ounces of Blood were immediately taken away,—a *Blistering Plaster* was applied to the Nape of the Neck, and *Sinapisms* to the Soles of her Feet:—I also prescribed a Bolus, with *Musk and Opium*, which being dissolved, was swallowed with some difficulty.—She continued speechless and insensible, as she had been from the first attack; but the Convulsions left her, and the Labour-pains grew stronger;—the *Os Uteri* then dilated, and the Child advanced at every Pain, insomuch that the Birth was
speedily

speedily expected:—On a sudden, the Pulse sunk, and her Strength being perceived to lessen every moment ; the Child, which was dead, was extracted by the *Forceps*, and in about three hours after she expired.

I could not perceive that the Tongue was wounded, as it frequently is in such cases ; and therefore, was afraid that the Blood discharged from the mouth, proceeded from a ruptured Vessel in the Stomach ; otherwise an *Emetic* would have been proper ; since the vast quantity of glairy *gastric Fluid* rejected, denoted something amiss in that part ; which, like the urinary Bladder, when irritated by a Stone ; or the Intestines when any painful Stimulus is applied, separate the same kind of Mucus in great abundance.

C A S E VII.

August the 12th 1772, at seven o'Clock in the morning, I was desired as soon as possible to visit a Gentlewoman at *Lambeth*,

beth, who was seized with Convulsions, and supposed to be in Labour.—Her first Midwife seeing the state she was in, and fearing, I suppose, that she would die, pretended business elsewhere, and left her.—The Midwife, who was afterwards sent for, being present, informed me that her Pains were very inconsiderable, and that the *Os Uteri* was but very little dilated.—Her Nails were black, and her Arms had repeatedly been drawn up with great violence towards her Body, as if affected with the *Cramp*:—She complained of intolerable pain in her Bowels, and was much oppressed with Wind at her Stomach, which was tense and swelled;—her Pulse was quick and irregular; and I was told besides, that she had long laboured under great Anxiety of Mind and dejection of Spirits, as well as bodily Pain. Her Extremities were ordered to be gently rubbed with warm Cloths, and afterwards

360 NATURE *and* TREATMENT

wards to be wrapped up in hot Flannels ;
I directed the following Draught, and also
an emollient Clyster to be administered.

R. Confect. cardiac. ʒss

Aq Menth. pip. simp. ʒiſs

Nucis Moschat. ʒiij

Tinct. Thebaic. gtt. xx

Syr. e Mecon. ʒj fiat haustus anody-
nus quamprimum exhibendus.

As she continued in great Pain, and
some Symptoms of *convulsive Spasms* ap-
pearing in the evening; seven ounces
of Blood were then taken away, and the
anodyne Draught was repeated : — She
discharged large quantities of Wind from
her Stomach, and was so much relieved
from her Pain, that she fell into a pro-
found Sleep, and was much better in all
respects the next morning; after which,
her Labour-pains came on, and being hap-
pily delivered about one o'Clock the same
day, she soon perfectly recovered.

Next

Next to uterine Hæmorrhages and Convulsions ; the *Pleurisy*,—*Dysentery*, and *Small-Pox*, deserve attention, as Diseases of a very destructive nature to Women during Pregnancy :—But as they have been fully and judiciously considered by Authors of the greatest eminence ; I shall only take a cursory view of them ; in order to shew how much their dangerous tendency is then increased, as well as to point out some little peculiarity of Treatment, which they require at that time.

As a firm and compact state of the Solids, are observed to produce *acute Diseases* ; so lax Fibres and a delicate Habit, dispose the Body to those of the *chronic Kind* :—Women, therefore, are found to be much less subject to the *Pleurisy* than Men ; and those who have a bad Digestion and a phlegmatic Constitution, are seldom affected with it at all ; according to that

362 NATURE *and* TREATMENT

Aphorism of Hippocrates :—*Qui Acidum eructant, rarò pleuritici fiunt.*

Altho' strong, masculine Women, who use hard Exercise, and where the Menfes have been deficient, are much oftener visited with it than others ; I have seen two or three Instances where those of a very *contrary habit*, were also violently affected*.——The production of the Disease, and its Symptoms, may therefore, probably sometimes arise from a defect of the *Vis Vitæ*, as well as from the excess of it ; —for Instance, where the quantity of animal Fluids is much lessened, in valitudinary, exhausted Women ; so is their strength likewise ; and consequently, four ounces of Blood, which shall accidentally become redundant, will render such Women as *plethoric*, and over-load their Vessels as much at one time, as double that quantity would have done at another, when they were stronger.

In

* Vide, *Child-bed Fever*, Sect. IV. Case XII.

In the beginning of the Disease, the Pulse is commonly hard, full, and strong; but when the pain in the Sides becomes acute, and Respiration very difficult, it then loses its firmness, and grows soft and weak;—and as the blood cannot now pass freely through the Lungs, they will begin to participate of the Inflammation; and the *Pleurisy* will be complicated with the *Peripneumony*.—Without this distinction, and a particular regard to the alteration of the Pulse; *Bleeding* would often be omitted, as improper, even when most conducive to the Patient's safety, by preventing a *mortal suffocation*; for she is often cut off from the difficulty of breathing, and the consequent obstruction to the course of the Blood in the Lungs, before the Inflammation has brought on any collection of *Matter* in the Thorax.

The indication of Cure, is therefore, rather to be taken from *Respiration*, than

the state of the Pulse, which manifestly depends upon the former.

Servius, who opened a great number of those who died of the *Pleurisy* at Rome, always found one of the Lobes of the Lungs corrupted; but the *Pleura* was either slightly affected, or altogether untouched by the Inflammation.

In most acute Fevers of the inflammatory kind, scarcely any thing is required, besides well-timed Evacuations, with plentiful Dilution; and therefore, Bleeding, gentle Laxatives, and the saline Mixture with Nitre, will here be proper; especially, when the Skin is dry and the Pulse hard and full:—Where the Patient is much relieved in the beginning, by a profuse Perspiration, and the Pulse becomes more soft and free; or where she is benefitted by Expectoration in the progress of the Disease; Bleeding does not seem necessary;

cessary ;—but it may be advantageously directed at all times, whenever a dangerous difficulty of breathing suddenly comes on ; —Under these circumstances, it is as safe and requisite in Women with Child, as others ; and even more so, in those who are young, and naturally of a plethoric habit of Body, and who are not advanced beyond the *fourth Month of Pregnancy* ;—for the *Embryo* being then small, and not requiring the whole quantity of redundant Blood ; provident Nature often finds means to carry it off, by the *Vagina*, lest it should over-fill the Vessels and incommode the Constitution.

Where Expectoration is suppressed, and a difficulty of breathing comes on ; *Baglivi* recommends the application of Blisters to the inside of the Legs ; and also mentions the remarkable good effects of warm, diluting Fluids, taken often and in small quantities.—For this purpose, nothing can
be

366 NATURE and TREATMENT

be better calculated than the *Decoct. pector.* with Nitre ;—and if the steam of warm Water is frequently drawn into the Lungs with the Breath, it will be found very beneficial.

Where the Pain is extremely acute in the time of Respiration ; swathing or binding the Thorax with a broad circular Bandage, will often procure great relief, by preventing the elevation of the Sternum, and the distension of the affected parts ;—for then, Breathing is principally carried on by a greater depression of the Diaphragm, at each Inspiration ; and consequently, that application would be highly improper in *gravid Women*, where the whole abdominal Cavity being taken up by the *enlarged Uterus*, the motion of the Lungs would, in a manner, be suppressed, and the Patient suffocated.—*Emetics*, for the same reason, should also be omitted, or given
with

with great caution ; especially in full Habits, before bleeding, or where signs of a *Dilirium* appear.

To promote Expectoration, either of the following Medicines may be directed, according to the degree of Inflammation, and the nature of the Symptoms.

R. Ol. Lini per exprefs. ʒiij

Spt. Sal. ammoniac. gtt. xx

Aq. Puleg. fimp. ʒifs

Oxymel. Scillit ʒj fiat haustus 5ta
quaq. horâ fumendus.

R. Sal. Absinth. ʒi

Succ. Limon. ʒfs

Sperm. Ceti solut. ʒfs

Aq. Hyssop. ʒx

Syr. balsamic ʒj fiat haustus.

The application of a *blistering Plaster* to the affected part, seems most rational after Bleeding, &c. but wherever the Pain is fixed, and so acute, as to occasion much difficulty of breathing in the beginning ;
it

368. NATURE *and* TREATMENT

it may then be directed with great safety and advantage, as I have observed several times.—In short, the Treatment of this Disease in *pregnant Women*, with some few exceptions, is nearly the same as in those who are not so; altho' the event is much more dangerous; according to that Aphorism of *Hippocrates*, viz. *Mulierem in Utero gerentem, ab acuto aliquo morbo corripì, lethale.*

Mrs. *M-y-les* of *Westminster*, aged thirty-two, and of a weakly Constitution; in the fourth Month of her Pregnancy, was seized with an *acute, inflammatory Fever*, supposed to have been communicated by her Husband, who was then recovering from a dangerous Illness of the like kind, which had confined him to his Room near three Weeks.—I was desired to visit her the 21st of *July*, 1772;—Her Pulse was frequent and somewhat full,—her Tongue foul, and her Thirst
immo-

immoderate;—she complained of the head-ach, which had continued violent from the beginning, and prevented her having rest.—Being ill near a week before I saw her, some Medicines had been given, and a Blister applied:—As I was informed there were signs of an Intermission towards the morning, I directed the following Draught.

R. Sal. Absinth. ℥i

Succ. Limon. ℥ss misce & affund.

Decoct. Peruv. Cort. ℥i

Aq. Cinn. simp. ℥iij fiat haustus 4ta quaq. horâ exhibendus.

Her complaints continued without much alteration the two following days; but on the twenty-fourth the Pulse was hard,—the Hands tremulous,—and her Eyes appeared bright and inflamed;—she was delirious by turns, and raved much in the night, which she passed without sleep.—Eight ounces of Blood were taken

A a a

from

370 NATURE *and* TREATMENT

from the Arm, and an emollient Clyster was administered ;—she afterwards took one of the following Powders, which was ordered to be repeated in three hours, if the first produced no sensible effect.

R. Tart. emet. gr. ij

Magnes. alb. ʒss contere & fiat Pulv. in sex partes dividend.

The 25th, the febrile Symptoms seemed to abate, and she was something better, having had refreshing sleep soon after bleeding, the preceding day :—The Powder first given, proved gently emetic, and afterwards produced a moisture on the Skin ;—her Pulse being also softer ; the Draught, which was first prescribed, was again repeated every four or five hours.

On the 27th, she was still more cool and free from Fever, but extremely weak and languid ;—the Pulse was more soft and regular, and the Urine deposited a copious Sediment :—I then prescribed the
fol-

following Draught, and desired that weak Broth and light Nourishment, might be given as often as her Stomach would bear.

R. Decoct. Peruvian Cort. ℥iss

Extract. ejusd. moll. ℥i

Aq. Cinn. fpt. ℥iij

Syr. e Cort. Aurant. ℥i fiat haustus
4ta quaq. hora exhibendus.

She continued this Medicine upwards of a Week, and gradually gaining strength every day, at last perfectly recovered without *Abortion*; being, at this time, in the ninth Month of her Pregnancy, and near the expiration of her Reckoning.

A preternatural intestinal Discharge, is usually called a *Diarrhœa*, but when mixed with Blood, and attended with Pain or Fever, 'tis then termed a *Dysentery* or *bloody Flux*:—This Disease may arise from an obstructed Perspiration;—corrupted Food, or strong, drastic Purgatives;—it may also be communicated by

372. NATURE *and* TREATMENT

Infection ; or brought on by sharp Humours, which vellicate the interior surface of the Intestines, and determine the blood in too large a quantity to their tender Vessels.

There have been some few Instances where the Blood was observed to proceed from the Intestines, without any Pain or loss of Strength ; and where the sudden suppression of this Flux, produced very dangerous Symptoms, viz. a Vertigo, Epilepsy, or even Madness:—It may therefore be reasonably supposed, that such Evacuations were truly *critical*, and supplied the want of some other Discharge ; as that of the bleeding Piles, or perhaps, the redundant Blood, which is sometimes carried off by the Vessels of the Vagina, in the first months of Pregnancy. — Where the Stools are sanious and foetid, attended with Pain, Fever, and Tenesmus ; it would be no less improper to put an early stop to the Discharge.

It

It is not difficult to distinguish between the hæmorrhoidal Flux, and dysenteric Blood; as the first is generally evacuated with inconsiderable Pain, which is local and confined to the Rectum; whereas, in the Dysentery, the Pain is often very acute and universal:—Besides, in the Hæmorrhoids, the Blood is voided first, but in the other Disease, it is either mixed with the Stool, or comes away after it.

When the pain in the Bowels is violent and excruciating, but not soon followed by Stools; it may always be looked upon as a very *dangerous Sign*; which shews that the small Intestines are affected; and if the Patient is not soon relieved, or particularly if a difficulty of Swallowing and Hiccough come on; it denotes a *Mortification* of the parts, and shews that death is at hand.

When the Disease is long protracted, the Intestines lose their retentive and absorbent

forbent Power ; and the Food taken into the Stomach, instead of being digested and its finest parts converted into Chyle, for the nourishment of the Body, is hurried through the inflamed Intestines ; which, being stripped of their Mucus and excoriated, are affected with Pain and Tormina, from the Acrimony of their Contents : —Hence, as the blood is deprived of attemperating Fluids, the secretion of *Urine* and *Perspiration* becomes defective ; and the Patient will be nearly in the same situation as one after long Fasting ; consequently, from the rancid Acrimony prevailing in the Body, the Disease, towards its conclusion, like most others, will become of the putrid kind.—In this disordered state of the female Habit, the *Fætus in Utero*, being robbed of its Nourishment, will die ; and the *placental Vessels*, which derive their Energy and absorbing Power from it, will now separate from the Womb,

like

like a withered Vegetable, and the Patient will miscarry.

Altho' the Cause of this Disease is different ; the Treatment of it is so similar to that of the obstinate Diarrhœa attending the *Child-bed Fever*, that I shall not trouble the Reader with a repetition of what is there laid down on that subject; but only observe, that in those Cases where, from the Patient's excessive pain, one might have been tempted to direct *Opiates*, they have seldom procured lasting ease; especially in the early state of this Disorder; but on the contrary, often increase the oppression at the Stomach and pain in the Bowels, by lessening their expulsive motion and locking up those corrupted, offending Humours, which ought to be carried off.—Therefore, *laxative Medicines* which pass without much irritation, together with Rice-water for common Drink, and the frequent use of emollient

376 NATURE *and* TREATMENT

lient Clysters, or those made with Starch, &c. where the Mucus of the Intestines is abraded, will generally be found to afford relief.

Where the habit is plethoric, and much Pain or Fever attend; the Cure should commence with the loss of Blood, otherwise, it will not be absolutely necessary: —Gentle Emetics, such as the following, may then be given two or three times; not constantly, but only by intervals of three or four days, as the strength will permit.

R. Tart. emet. gr. v

Magnes. alb. ʒss

Aq. Alex. simp. ʒvi

Syr. simp. ʒiij fiat Mistura cujus sumat Cochlearia duo, ut urgeat occasio.

When the above Medicine does not act as an Emetic, it generally proves gently cathartic, or opens the cutaneous Pores; which

which will be found greatly to assist in the cure ; the sympathy between the Skin and Bowels being very remarkable ; as may be observed in consumptive Habits ; for the habitual Diarrhœa which then often attends, is almost constantly better or worse, as the colliquative Sweats are more or less.—During the intervals, either of the following Medicines may be given twice a day, or oftner, according to the nature of the Symptoms or violence of the Discharge; and if the Patient is much harraffed with pain and can get no rest ; thirty or forty drops of the *Thebaic Tincture* may occasionally be added to the Clyster.

R. Pulv. Rhei. gr. viij

Confect. cardiac. ʒi fiat Bolus.

R. Pulv. Gall. Alep.

——Nucis Moschat. aa ʒss

Syr. e Mecon. q. s. ut fiat Bolus.

B b b

When

378 NATURE *and* TREATMENT

When the Disease is not attended with Pain or Fever, it then principally arises from weakness and relaxation of the Bowels; and therefore, Opiates and mild Astringents may be directed;—The following Bolus, or something of the like kind, may be given twice a day, with a Tea-cup-full of *Aq. Calcis*, to which, Milk may be added in the quantity of a third part.—A flannel Shift may also be wore next the Skin, and the Feet ought to be kept extremely warm,

R. Pulv. e Succin. c. gr. x

Confect. cardiac. ʒi fiat Bolus.

A Lady in *Great Queen-Street*, near twenty-one years of age, and of a very delicate habit of Body; in the seventh Month of Pregnancy, was affected with a Diarrhœa, from Anxiety of Mind.—Tho' she took Opiates and other Medicines, it continued, almost without intermission, till the middle of the eighth Month; when the pain in her Bowels became very violent;

violent; and Blood with Mucus, came away with the Stools :—She was also oppressed with great sickness at her Stomach, and often threw up large quantities of roapy, yellow Phlegm mixed with Blood. —She had very little appetite, or natural rest,—complained much of the head-ach, and laboured under a slow Fever and hectic Heats, after taking the least nourishment :—Her Pulse was very languid and unequal ; and in short, she was reduced to the last degree of weakness.

The *Opiates*, which I at first directed, scarcely procured her any Sleep or lasting ease; neither was the frequency of her Stools abated; being constantly disturbed seven or eight times in the night, and during the twenty-four hours, had sometimes sixteen or eighteen motions, tho' at last nothing was voided but a red, glairy Substance, which looked like flakes of half-putrified Flesh.

380 NATURE *and* TREATMENT

—I then prescribed the following Powders, one of which, she took in a little Rice-water twice a day, for two or three days successively ;—they were then omitted for a day or two, and afterwards begun again :—The first powder made her sick, but did not prove emetic, and altho' they always checked the Looseness, it never totally went off till within a few days of Delivery, at which time she was better in all respects, and free from Pain.

R. Tart. emet. gr. ij

Pulv. Contrayer. c. ʒi sedulè contere
& in sex partes dividendus.

Opiates and Absorbents were given in the intervals, without much relief ;—Starch Clysters were also administered, and her common drink was Rice-water, with the addition of Gum Arabic, which agreed with her better than any thing else.

The

The third day after Delivery, the Purg-
ing commenced with as much violence as
ever, attended with excruciating pain in
her Bowels ;—the Stools being very fœ-
tid and mixed with Blood as before.—The
next day, the Pain was still excessive,
and the Purging continued :—Her Nails
began to turn black,—she was seized with
a shivering Fit, and immediately fell into
Convulsions, which lasted upwards of an
hour ; her Body being agitated at diffe-
rent times with great violence.—As the
Fit went off, and she seemed much better,
I was not sent for till the eighth day, at
which time the Purging returned, and the
acute Pain in her Bowels threw her into
another Fit, which for a time, deprived
her of all Sense.—*October* the 16th 1772,
I directed Starch Clysters, with twen-
ty drops of Tinct. Thebaic. to be gi-
ven twice a day, but in small quantities
and only milk-warm ;—her Body and
Limbs

Limbs were wrapped up in warm Flannels ; and as I observed that nothing relieved her so much as the Powders she had before taken ; they were again repeated twice or thrice a day, without making her sick :—She was better after the second Powder ; both the Pain and frequency of the Stools, being sensibly abated.—To avoid the danger of a relapse, the Powders were continued once or twice a day for upwards of a Week ; and with care and proper Nourishment, she gradually recovered.—Towards the end of the Month, she took the following Draught night and morning, for ten days, which assisted her greatly, by strengthening the Bowels and increasing her Appetite, and at last was restored to her former state of Health ; but from catching Cold, or other accidental Cause, is still apt to be slightly affected with her former complaint.

R.

of CONVULSIONS, &c. 383

R. Cort. Peruv. Pulv. ʒss
Fol. Rosar. rub. ficc.
Cort. Cinn. aa ʒi
Aq. bullient. ʒx post macerat.
idon. cola.

R. hujus colat. ʒifs
Tinct. Japonic. ʒiij
Confect. Alkerm. ʒi fiat haustus
Nocteq. Manè exhibendus.

The late illustrious *Baron Van Swieten*, in the fifth and last Volume of his *Commentaries*,—a Work which will render his Name venerable to the latest Posterity; remarks the following Circumstances, from his own Experience, in what relates to the *Small Pox*, viz. that the Method of Preparation usually observed, before the artificial communication of this Disease, may be omitted without danger;—for at the *Orphan-house*, situated in the suburbs of *Vienna*; tho' there was not any variation in the Diet of those *inoculated*, from that
of

384 NATURE *and* TREATMENT

of the rest; no harm or inconvenience was perceived to follow:—But it is to be observed; that they all breathed the open Air for the whole day, and slept in spacious and lofty Bed-chambers, which were well perflated.—Hence arose the Opinion which now prevails with some;—that those who labour under the *natural Small Pox*, will recover as easily as others who are *inoculated*; without much regard either to Diet or Medicine, provided that they sufficiently enjoy the salutary Influence of the *fresh Air*.

The Treatment of this Disease, is now so well understood, and so rationally pursued, that little can be said on the subject which has not already been taken notice of by others.—According to the calculation of Dr. *Jurin*, several years ago; about one in six died by the natural Small Pox, but of those who were inoculated, scarcely one in forty-eight:—If
the

the calculation is just, it appears that this destructive Malady, is rendered much milder by the present Method of Treatment; since the number of those who die, compared to those who recover, is happily now very small; even in the natural sort, except they happen to *Women with Child*; or during an unhealthy season of the year, where they become complicated with other *Diseases of the epidemical kind*:—This favourable circumstance, seems principally owing to the application of the same Treatment in the natural Small Pox, which had been found so remarkably beneficial in those communicated by Inoculation.

An abstemious, laxative Diet, will be proper in the beginning; such as that of roasted Apples, ripe Oranges, or any other cooling Vegetables of the solutive kind; also Milk-pottage, or Gruel sweetened with Honey.

C c c

In

386 NATURE *and* TREATMENT

In Adults, and those of strong Habits, Bleeding is generally necessary; being so far from retarding the Eruption, that it appears more kindly after that Evacuation:—One of the following Powders will then be necessary, and may be given for two or three nights successively, as occasion may require.

R. Calomel ppt.

Sulph. præcipitat. aa gr. x

Tart. emetic gr. i contere & fiat
Pulv. subtiliss. in sex portiones dividend.

As soon as the Eruption appears, if the inflammatory Symptoms run high, and it seems to rush out too hastily; the following cathartic Draught should immediately be given, especially, if the previous use of the Powders has not sufficiently emptied the Bowels.

R. Infus. Sen. limoniat ʒij

Mann. calab. ʒiij solv.

Spt. Lavend. c. ʒi fiat haustus.

During

During the Symptoms of the *eruptive Fever*, the Patient may drink as much *cold Spring Water* as her Thirst requires : —At this time she ought, by no means, to be confined to her Bed, or a warm Room, but should gently walk out into the fresh, open Air ; taking care at her return, not to expose herself to it in a full stream, by sitting between open Doors or Windows ;—and however strange this Practice might at first appear, 'tis now sufficiently justified, by the constant and daily success which attends it.

This Method was first followed and recommended by *Sydenham*, who was often unmercifully censured for venturing to depart from the common Practice ;—but being convinced by repeated Experience of its salutary effect, and aiming at nothing so much as the Public good ; he submitted to undeserved reproaches, and thought himself sufficiently repaid by a conscientious

discharge of his Duty, and the benevolent feelings of his own Heart.—Whatever additional success attends the present Practice, is therefore chiefly and originally owing to the sagacious and *incomparable* Sydenham; but surely, those who have since been the means of boldly opposing popular Errors, and permanently establishing that Method which contributes to the preservation of thousands, also deserve their proper share of Praise.

By the liberal use of cold Water, and the Influence of *fresh Air*, the Sick find themselves revived in a very extraordinary manner;—the frequency and fullness of the Pulse is observed to abate,—the Thirst grows less, and the symptomatic Fever being in a manner extinguished; a free Perspiration usually succeeds, accompanied with a favourable Eruption; after which, nothing more seems necessary, but only to forward the maturation of the
Pustles,

Pustles, by supplying the Patient plentifully with Milk and Water, Tea, or any thing of the like kind :—At this time, the Body ought to be kept cool and temperate, by emollient Clysters, and also by gentle Laxatives, as the state of the Bowels may require.

Where the variolous Eruption is complicated with a thick *miliary Rash*, it will be proper to lessen the degree of the cooling Regimen, and to allow the Patient White-wine Whey, or weak Broth, instead of cold Fluids.

A *Phrenzy* happening the third or fourth day after the Eruption, is a very alarming Symptom :—*Bleeding* and emollient Clysters may be directed, and the Patient should be kept cool ;—*Leeches* may also be applied to the Temples, and the following Julep may be taken occasionally ;—also Barley-water with the addition of Nitre, for common drink,

R.

390 NATURE *and* TREATMENT

R. Aq. font. purifs. ℥vij

Spt. Nitri dulc. ℥iij

Syr. Violar ℥fs fiat Julepum

Purples on the Skin, denote great danger; especially if the Pock is confluent; but where *bloody Urine* is voided at the same time, the Disease is mortal:—Those appearances are not always the genuine Symptoms of the Disease, but often arise from a hot Regimen, and too great a degree of the circulating power:—As the first are owing to a putrid dissolution of the Blood, they are much more dangerous than the other, and therefore, a distinction should be made as to their Treatment. —In those of the *putrid kind*, such Medicines may be given, as resist putrefaction and incrassate the Blood; as a *Decoction of the Bark* with the *Elixir of Vitriol*, or the *Tincture of Roses*;—but in the *inflammatory sort*; Bleeding and Laxatives with nitrous Drinks, may be directed.

Towards

Towards the height, about the eighth or ninth day; the secondary, putrid Fever, which may soon after be expected, is to be prevented by *Purgatives*, if possible; therefore the same cathartic Draught which was given in the beginning, may now be repeated every other day, or as the Strength will permit.—*Opiates* are now proper, especially after the operation of the Purge, or when the Patient is restless, or in pain;—but should a Delirium or difficulty of Breathing come on, they should be wholly omitted.

Where the Circulation flags, and the Eruptions, instead of maturing and growing fuller, seem to flatten and look pale; *Snake-root*, *Saffron*, and such-like warm Medicines, have been recommended; but as far as I have been able to observe, nothing has equalled the good effect of *emetic Tartar*, given at first in such a quantity

392 NATURE *and* TREATMENT

ty as to prove gently emetic, and afterwards, to act as an Alterative only.

Some direct the Limbs to be blistered at this time, and others do not scruple to give *cold Water*; and indeed, considering its salutary effects in the beginning, such a step does not appear altogether exceptionable; particularly if it is earnestly desired by the Patient.

Where the *salivation*, which usually attends the confluent Small Pox, suddenly stops, the Patient generally dies about the eleventh or twelfth day; especially, if the Face and Hands do not then begin to swell, or where some other Evacuation does not immediately follow:—To encourage the Spitting, the Head may be held over the Fumes of warm Water, and the following *Gargarism* may frequently be used.

R. Aq. hordeat. ℥ij

Sal. Ammon. crud. ʒij

Mell. ʒss fiat Gargarisma.

Those who are seized with the *Small Pox* in the pregnant State, have generally much more easy and expeditious Labours than other Women :—However extraordinary this circumstance may appear, I have seen it verified in many Instances ;—and indeed, never yet found it otherwise in any Case, where the Labour was strictly natural :—It cannot be owing to the general weakness and relaxation of the Body ; in consequence of which, the Child meets with less resistance in the Birth ; for if so, the *Uterus* would participate of the effect, and its expulsive force being diminished, the Labour, instead of being soon over, would probably be rendered more tedious and lingering.—In the *Micellan. Natur. curios.* may be found several Instances of Women dying gravid, who were afterwards delivered of living Children ;—*Horstius* also relates a History of this kind ; and *Raynaud*, in his Book *de ortu Infantum*

394 NATURE and TREATMENT

contra Naturam, is full of such wonderful Stories ; which are fitter to entertain old Women and Nurses, than rational Men ; yet the celebrated *Hoffman*, who does not seem behind hand with any of them in credulity, attempts seriously to account for such extraordinary Births, by the *Expansion of putrid Air*.

Several years ago, I was sent for to a Tradesman's Wife in *Mount-Street, Berkley-Square* ; who was taken with Labour just at the height of the *Small Pox* ; but being then at some distance, she was delivered without any assistance, before I got there, and died the next day.

July the 12th 1767, *Ann Moody* was admitted into the *Westminster Lying-in Hospital*, with symptoms of Labour, and being otherways very ill, was allowed to remain longer than usual before Delivery : The *Small Pox* appeared soon after her admission, but as the Eruption was at first
taken

taken for a Rash, I was not acquainted with it 'till several days after:—She was delivered of a dead Child, about eight Months old, the ninth day after the Eruption, without much pain or the usual efforts of Labour:—The Pustles were of the confluent kind, and very thick on the Skin; together with *Purples*; for which a *Decoction of the Bark* with *Elixir of Vitriol*, was given, but without effect, for she died delirious, the day after Delivery.

January the 14th 1768, *Esther Grace* was admitted into the *Hospital*, and delivered the third day after, of a living Child, and at her full time: Tho' her Pains were very inconsiderable, the Birth was so quick and easy, as to require no kind of assistance:—The next day, the *Small Pox* appeared.—She was carefully removed in a Chair the fifth day, and died three days after; being the eighth from the time of the Eruption.—The Child was nursed

396 NATURE *and* TREATMENT

and taken care of in the Hospital, but died at eight days old, tho' without any Eruption on its body, or other Symptoms of the Small Pox.

February the 8th 1770, I attended Mrs. Ch—n, at *Lambeth*, who had the *Small Pox* in the fifth Month of her Pregnancy:—She was young, and of a strong, healthy Constitution; but very full of the Eruption, which was rather of the confluent than distinct kind.—As I was called to her in the beginning of the Disease, it was treated by the cooling Regimen already mentioned;—the Weather being at the same time intensely cold:—The *Spitting*, which had assisted her greatly, began to diminish very much, a little after the height; and about the twelfth or thirteenth day, she was exceeding ill;—the symptoms of the secondary Fever, were then very violent, and she was unable to speak or swallow, except with much difficulty.—

ficulty.—Nothing at this time relieved her so much as the *purging Draught*, which she took every other day :—As her strength and spirits were always better, and the bad Symptoms evidently less violent on the days she took the Purge, I directed it to be made weaker, and repeated it for three days successively :—She now recovered daily, and at the end of three Weeks, was able to take the Air; but what appeared rather extraordinary, was, that altho' she had escaped *Abortion* during the Disease; she miscarried about a month after her first going abroad.

About the same time, viz. *February* the 25th 1770, I was desired to visit Mrs. P——r, in *Britannia-Row*, near the *Hospital*, who then laboured under the Small Pox, in the eighth Month of her Pregnancy.—Her Midwife informed me that she was delivered soon after the Eruption appeared, with so much precipitation,
that

398 NATURE *and* TREATMENT

that the Infant fell on the Floor, as she was assisted in getting off the Close-stool. —I saw her the ninth day from the Eruption, which was large in quantity and of the worst confluent kind ;—*broad, purple Spots* almost every where overspread that part of her Skin where the Pustles were wanting ;—there were besides, several small Vesicles on her Breast, filled with a yellowish Fluid, like the Serum of the Blood, and some with a *bloody Ichor* :—She was also delirious, but as her Water came away involuntarily I could not tell whether the Urine was bloody or not ;—indeed, I never saw the Disease attended with more malignant Symptoms ; and tho' there was no hopes of her recovery ; I directed the following Draught, and desired that the Fluids which she was able swallow, might be acidulated with Lemon-juice.

R.

R. Decoct. Cort. Peruv. ℥iſs
Extract. ejusd. ℥i
Elix. Vitriol. acid. gtt. xxx
Tinct. Cort. Peruv. ℥iij
Confect. Alkerm. ℥i fiat haustus al-
ternis horis exhibendus.

She died the next day about twelve o'Clock, being the tenth from the first appearance of the Eruption.

October the 21st 1772, *Elizabeth Lee* was delivered in the *Westminster Lying-in Hospital* of a living Child, in the eighth Month of her Pregnancy :—As the *Small Pox* appeared on her Skin the next day, she was carefully removed to her own Apartment by her Friends, where she recovered ;—the Disease being mild, and the Eruption of the distinct kind.—The Child was seized with it a fortnight after, but I had no opportunity to inform myself whether it lived or no.

400 NATURE *and* TREATMENT

I have never yet seen any Instance where the Infants were born with the *Eruption*, neither does it usually appear immediately afterwards, tho' many of them die in a Week or ten days.—As the Small Pox generally brings on *Abortion*, it is to be observed that the Children come before their due time; and therefore go off, before the Infection has had sufficient time to produce the Disease; and as their bulk is proportioned to their age, it may be one reason, why the Delivery in such Cases, is more easy and expeditious.

Notwithstanding what has already been said, Examples may be found in the *Philosophical Transactions*;—*Bartholin's medical Epistles*, &c. where the body of the newborn Infant has been found overspread with the variolous Pustles; which, considering the Intercourse between the Mother and it, during the uterine Gestation, is not to be wondered at.

A very curious and uncommon Case is related by *Van Swieten*, as it happened under the observation of *Dr. Watson* in *London*, viz. a Woman who had been for some time pregnant, and who long before had the *Small Pox*, was very assiduous in attending her servant maid, who then laboured under that Disease:—In due time, she was happily delivered, and brought forth a healthy female Child; where evident marks of its having had the Eruption, appeared on the Skin.—When this child's Brother was inoculated four years after, *Dr. Watson* had leave from the Parents to inoculate her likewise; but the operation was attended with very different effects in those different subjects; for the Eruptions appeared in the Boy, who soon happily recovered from the Disease; but the Girl, after drooping for two Days, became very well again, and remained totally free from it.

A Case something similar to this is also mentioned by Dr. *Mead* in treating of the Small Pox. He supposes that where the Child is born before the perfect maturation of the Pustules in the Mother, it will then more probably escape the Disease; and also that the Danger arising to Women at this time, who suffer Abortion, will be in proportion to the loss of Blood, after the separation of the *Placenta* from the Uterus: But there does not seem sufficient reason to adopt this last opinion;—for even what he himself afterwards asserts, does not seem to correspond with it, viz. that the Small Pox has generally been found the most mild, when it succeeds some considerable Evacuation, whether natural or artificial.

Van Swieten informs us, that the celebrated *Boerhaave* attended a Lady in the sixth month of her Pregnancy, who laboured under the worst kind of the con-

fluent

fluent Small Pox ; notwithstanding which, she proceeded to the full period of her time, and was then delivered of a healthy, male Child, which had not the least Vestige or appearance of the Disease.

From the above extraordinary circumstance, arising from the peculiar structure of the *Placenta*, and its power to absorb such Juices from the womb, as were salutary and nutritious, even when the whole Mass of the Mother's Blood was tainted with *variolous Infection* ; one would be inclined to believe that *hereditary Diseases* are not so frequent as generally imagined : The Property with which this animal part seems endowed, is beautifully illustrated by what may be observed in *Vegetables*, where two Plants of different qualities, both draw their nourishment from the same Pot of Earth ; the one, for instance, a *deadly Poison* ;—the other, friendly to the human body, or perhaps an *Antidote*

to the former;—and this is still further exemplified in grafting small branches of one Tree into the Stem of another; for the Juices of the last, will from thence be so far divested of their natural qualities, by passing through different Strainers, as only to produce the same kind of Fruit, with that of the Tree from which such Branches were taken.

T H E E N D.

P O S T.

P O S T S C R I P T.

The following Gentlemen, besides many others, who either went Abroad, or settled in different parts of the Country, which I cannot recollect, attended my *Lectures*, at the times already mentioned; most of whom took *Notes*, and therefore, to such I refer for a confirmation of the Facts mentioned in the *Introduction* to the preceding Observations.

MR. C. M. Thode, Surgeon to the Empress of *Russia*, *Petersburgh*.

Mr. Crowther, *Leadenhall-street*, *London*.

Mr. John Blake, *Bristol*.

Mr. William Slater, House Apothecary to the Dispensary, for the relief of the Poor, *Aldersgate*, *London*.

Mr. Richard Newland, *Chichester*, *Suffex*.

Mr. Edward Yale, *Catherine-street*, *London*.

Mr. Robert Hobson, *Bernard-Castle*,
County of *Durham*.

Mr. Charles Lightfoot, *Whitby*, *Yorkshire*.

Mr. William Cartwright, *Wenlock*, *Salop*.

Mr.

Mr. Joseph Dawson, *East-Indies*.

Mr. Thomas Tubb, *Lamborn, Berkshire*.

Mr. Thomas Parkinson, *Kirkham, Lancashire*.

Mr. William Harff, *Covent Garden*.

Mr. William Sexton, *Southampton Buildings, Chancery Lane*.

Mr. John Causer, House Surgeon to St. George's Hospital, 1771.

Mr. Robert Pope, *Staines, Middlesex*.

Mr. Lewis Poignand, *Duke-street, Westminster*.

Mr. Thomas Hammond, *Dover, Kent*.

Mr. Jeremiah Wilkinon, *Scarborough*.

Mr. John Marsh, *Halfmoon-street, Piccadilly*.

Mr. J. Rackham, *Bungay, Suffolk*.

Mr. Thomas Inman, *St. Osyth, Essex*.

Mr. Edward Weeks, near *Battle, Sussex*.

Mr. H. Dickinson, House Surgeon to the *Westminster Hospital*, 1770.

Mr.

Mr. Edward Ford, *Bristol.*

Mr. James Bromley, *Rocheſter, Kent.*

Mr. P. Weaver, *Hermitage, Tower-hill.*

Mr. D. Raven, *Hatfield Peveral, Eſſex.*

Mr. J. Dutton, *Mancheſter.*

Mr. Thomas Brittain, *Rugely, Staffordſhire.*

Mr. Thomas Parker, *Glouceſter.*

Mr. Thomas Owen, *Rye, Suffex.*

Mr. James Scaife, *Carlisle, Cumberland.*

Mr. William Younge, *Shiffnal, Shropſhire.*

Mr. James Bumpſtead, *Caſtle Heddington,
Eſſex.*

Mr. William Young, *Georgia, America.*

Mr. ———Druitt, *Winburn, Dorſetſhire.*

Mr. Thomas Shute, *Briſtol.*

Mr. James Travers, *Military Hoſpital,
Granada.*

Dr. William Moore, *St. Martin's Lane.*

Mr. Thomas Vigur's, *Loſtaſſe, Cornwall.*

Mr. Henry Bickerſteth, *Kirbylonſdale,
Weſtmoreland.*

Mr. Edward Horler, *Tooting, Surry.*

Mr.

Mr. ——— Wilson, junior, *Henrietta-street,*
Covent Garden.

Mr. Charles Chasmore, *Epsom, Surry.*

Mr. Robert Turner, *Enfield.*

Mr. John Manning, } *Boston, New-England.*
Mr. Joseph Lord, }

*Note, The Reader is requested to correct with
his Pen, such typographical Errors, &c. as have,
through haste, escaped the Author's attention.*

A207

X

